

M. P. MÖLLER Organ Factory

Contract R-659

3/21

Pipe Organ No.	R-329	Date	June 2, 1948
For	HOOD COLLEGE, FREDERICK, MD.		
Action	Electro- Pneumatic	Console	Detached
Casing No.	None	Finish	N/C
Decorations	None	Motor	N/C
Width of Key-bed	N/C	Stop Controls	Stop-Keys
No. Manuals	Three	Wind Pressure	N/C
To be Completed	Sept. 18, 1948	Blower Pipe furnished by	N/C

SPECIFICATIONS

FOR

REPAIRING CONSOLE AND ORGAN

CONSOLE

Install new silver contacts for couplers and stop controls.
 Install new crescendo roller with silver contacts.
 Install two new shade rollers with silver contacts.
 Install new combination action.
 Refelt console keys and action parts.
 Releather present console primary station and install new outside magnets.
 Recover present console coupler pneumatics.
 Refelt present pedal keys and install new caps for sharps and naturals.
 Install new Great to Pedal 4', Swell to Pedal 4', and Choir to Pedal 4' coupler slides.

CONTACT BOX AND SWITCHES

Releather 73 note swell contact box and install new silver contacts.

Install the following new switches:

8'	Open Diapason	73 notes
16'	Bourdon	73 notes
8'	Stopped Flute	73 notes
4'	Orchestral Flute	73 notes
2-2/3'	Nazard	61 notes
2'	Piccolo	61 notes
	Chimes	21 notes

PIPES

Install modern tuning slides on all metal pipes.
 Revoice present 8' Clarinet.
 Tune and tone regulate organ.

SWELL SHADES

Recover 18 present shade pneumatics.
 Recover 18 present shade bumper pneumatics.

SPECIFICATIONS
for
CONSOLE

MANUAL COMPASS
PEDAL COMPASS
WIND PRESSURE

CC to C 61 notes
CCC to G 32 notes

GREAT ORGAN 7

1	8'	Diapason
2	8'	Melodia
3	8'	Dulciana
4	4'	Octave
5	4'	Flute
6	II Rks.	Grave Mixture
7		Chimes

SWELL ORGAN 10

8	16'	Bourdon
9	8'	Geigen Diapason
10	8'	Stopped Diapason
11	8'	Salicional
12	8'	Vox Celeste
13	4'	Principal
14	4'	Violin
15	4'	Orchestral Flute
16	2-2/3'	Nazard
17	2'	Piccolo
18	8'	Trumpet
19		Tremulant

CHOIR ORGAN 5

20	8'	Violin Diapason
21	8'	Melodia
22	8'	Dulciana
23	4'	Flute
24	16'	Clarinet
25	8'	Clarinet
26		Tremulant

PEDAL ORGAN 2

27	32'	Resultant
28	16'	Bourdon
29	16'	Lieblighgedeckt
30	8'	Principal
31	8'	Major Flute
32	8'	Stillgedeckt
33	4'	Super Octave
34	4'	Flute

PEDAL ORGAN (Cont'd)

35 8' Trumpet
36 Chimes

COUPLERS

37	Great to Pedal 8'	43	Swell to Great 16'
38	Great to Pedal 4'	44	Swell to Great 8'
39	Swell to Pedal 8'	45	Swell to Great 4'
40	Swell to Pedal 4'	46	Choir to Great 16'
41	Choir to Pedal 8'	47	Choir to Great 8'
42	Choir to Pedal 4'	48	Choir to Great 4'
49	Swell to Choir 16'	55	Choir 16'
50	Swell to Choir 8'	56	Choir Unison
51	Swell to Choir 4'	57	Choir 4'
52	Swell 16'	58	Great 16'
53	Swell Unison	59	Great Unison
54	Swell 4'	60	Great 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5	Affecting Great and Pedal Stops
Pistons No. 1-2-3-4-5	Affecting Swell and Pedal Stops
Pistons No. 1-2-3-4-5	Affecting Choir and Pedal Stops
Pistons No. 1-2-3-4-5	Affecting Full Organ (Duplicated by toe stud)
General Cancel	

PEDAL MOVEMENTS

1 - Great to Pedal Reversible (Duplicated by manual piston)
2 - Swell to Pedal Reversible (Duplicated by manual piston)
3 - Balanced Swell Expression Pedal
4 - Balanced Great Expression Pedal
5 - Balanced Crescendo Pedal
6 - Sforzando Reversible

ACCESSORIES

Crescendo Indicator Light (Green)
Sforzando Indicator Light (Red)
Present Pedal Key
Present Organ Bench
Present Motor, Blower and Generator

4369
MOLLER ORGAN #~~3269~~ INSTALLED IN 1922

6/9/48
HDO/mb

PIPE SCALE SHEET

ORGAN NO. B-389

DATE June 10, 1948

West College
CUSTOMER

Frederick,
CITY

Maryland
STATE

STOP	PITCH	PIPES	SCALE	MOUTH	REMARKS	W.P.
------	-------	-------	-------	-------	---------	------

Reamers Following Pipes:

Flarinet	8"	72	New tongue, present Bachillate	6"
----------	----	----	--------------------------------	----

PITCH A-440

COMPLETION September 1, 1948

JMH:R
6/11/48

COPIES TO:

Moller, Daniels, Howe, Ocker
Hoover, Talbert, Malley, Garty (2)
Zachis, Fila, Contract