

COPY

April 26, 1952

Specifications of a console prepared for St. Jean Baptiste Church
Lowell, Massachusetts

Three Manuals and Pedals
Electric Action
Detached Console

Compass of Manuals CC to C4, 61 notes
Compass of Pedals CCC to G, 32 notes

GREAT ORGAN

16'	Principal	#1
8'	Open Diapason	
8'	Montre	#1
8'	Principal Flute	
8'	Bourden	#2
8'	Gamba	#4
4'	Octave	#1
4'	Principal	
4'	Flute Couverte	#2
2 2/3'	Twelfth	
2'	Fifteenth	
V	Mixture	
16'	Bombard	#6
8'	Trumpet	
4'	Clarion	

COUPLERS

Great to Great 4'
Swell to Great 16' - 8' - 4'
Choir to Great 16' - 8' - 4'
Great Unison Release

SWELL ORGAN

16'	Lieblich Gedeckt	#5	III	Cornet
8'	Open Diapason		8'	Tromba
8'	Stopped Diapason		8'	Oboe
8'	Gedeckt	#5	8'	Vox Humana
8'	Salicional			Tremolo
8'	Vox Celeste			
8'	Aeoline			
4'	Flute Traverse			
4'	Flute Douce	#5		
4'	Salicet			
2 2/3'	Quinte			
2'	Piccolo	#5		
III	Mixture			

1711

SWELL ORGAN (CON'T)

COUPLERS

Swell to Swell 16' - 4'
Swell Unison Release

CHOIR ORGAN

8' Principal
8' Melodia
8' Viola
4' Principal
2 2/3' Nazard
2' Flautina
8' Clarinet
Tremolo

COUPLERS

Choir to Choir 16' - 4'
Choir Unison Release
Swell to Choir 16' - 8' - 4'

PEDAL ORGAN

32'	Centre Principal	#1
32'	Centre Bourdon	#2
16'	Open Diapason	#3
16'	Principal	#1
16'	Bourdon	#2
16'	Violone	#4
16'	Lieblich Gedeckt	#5
8'	Gross Flute	#3
8'	Bourdon	#2
8'	Gedeckt	#5
8'	Principal	#1
4'	Flute	#2
16'	Bombard	#6
8'	Trumpet	#6
4'	Clarion	#6

COUPLERS

Great to Pedal 8' - 4'
Swell to Pedal 8' - 4'
Choir to Pedal 8'

St. Jean Baptiste Church

April 26, 1952

PISTON COMBINATIONS

Adjustable at the bench Visibly affecting the registers.

Seven General pistons operating upon the entire organ.
Six pistons operating upon the Swell organ.
Six pistons operating upon the Great organ.
Six pistons operating upon the Choir organ.
Four pistons operating upon the Pedal organ.
General Cancel.

PEDAL MOVEMENTS

Balanced Swell Pedal Balanced Great Pedal Balanced Choir Pedal
Balanced Crescendo Pedal Full Organ Reversible
Great to Pedal Reversible
Four Toe pistons duplex of General Pistons.

ACCESSORIES

Crescendo Indicator Organ Bench
Full Organ Indicator Musix Rack

CONSOLE

Console to be of the Stop Key type. Case of oak finished to harmonize with the furnishings of the Church. The interior fittings to be of natural varnished walnut. The pedal board will be concave and radiating, and the entire console designed in accordance with the scale adopted by the American Guild of Organists.

GUARANTEE

Every new part of this organ is to be constructed of the very best materials and workmanship throughout. ROSTRON KERSHAW fully warrants and guarantees the new parts for a period of five years from the date of completion in the Church, and will make good without expense to the purchaser, any defective workmanship or materials that may be brought to his attention during that period. This guarantee does not include tuning or adjusting of action, or such care as may be necessary for the proper preservation of the instrument after one year from the date of completion in the Church.