

M. P. MÖLLER Organ Factory

Pipe Organ No. 5873 Date Aug. 14, 1930.
 For Christ Episcopal Church, Waukegan, Ill.
 Action Electric Console _____
 Casing No. _____ Finish _____
 Decorations _____ Motor Electric
 Width of Key-bed _____ Stop Controls _____
 No. Manuals Two Wind Pressure 4"
 To be completed Oct. 1, 1930 Blower pipe furnished by Church

SPECIFICATIONS

Proposition to rebuild the present Bennett Organ now installed in Christ Episcopal Church

Organ Factory to furnish a new three manual modern console with electro-pneumatic action detached.

Organ to be electrified throughout.

Third manual to be a preparation for future addition.

One primary for Great Organ, one for Swell, one for Dulciana in Pedal, and one for Bourdon in Pedal. There are two Pedal chests in this organ.

New motor-generator set.

Present organ to be cleaned, revoiced and tuned.

Any pipes not in good condition to be repaired.

One set of 61 small scaled Cornopean pipes, voiced loud as possible in exchange for Oboe.

To install two silent stops on Great Manual, and one silent stop on Swell Manual.

Pitch A-435.

GREAT MANUAL

1	8'	Open Diapason.....	61 Pipes
2	8'	Dulciana.....	61 "
3	8'	Gamba.....	61 "
4	8'	Melodia.....	61 "
5	4'	Flute d'amour.....	61 "
Two silent stops			

SWELL MANUAL

6	8'	Open Diapason.....	61 Pipes
7	8'	Stopped Diapason.....	61 "
8	8'	Salicional.....	61 "
9	8'	Aeoline.....	61 "
10	4'	Flute Harmonic.....	61 "
11	8'	Voix Celeste.....	61 "
12	8'	Cornopean.....NEW.....	61 "
One silent stop			

CHOIR MANUAL

13	8'	English Open Diapason)	SILENT
14	8'	Concert Flute)	
15	8'	Unda Maris)	
16	4'	Flute Traverso)	
17	2'	Piccolo.)	
18	8'	Clarinet)	

PEDAL ORGAN

19	16'	Contra Dulciana.....	30 Pipes
20	16'	Bourdon.....	30 "

Organ bench with music shelf
Add two pSpes to Each Pedal stop making each 32 Pipes

out. Must have new motor-generator set and new bearings for motor
Freight and drayage for COUPLERS to bldg. & installation..

21		Swell to Great	
22	16' - 9/2/30	Swell to Great 4'	
23	checked by.....	Swell to Great 16'	
24		x Choir to Great	
25		x Choir to Great 4'	
26		x Choir to Great 16'	
27		Great 4'	
28		Great 16'	
29		x Swell to Choir	
30		x Swell to Choir 4'	
31		x Swell to Choir 16'	
32		x Choir 4'	
33		x Choir 16'	
34		x Choir to Swell	
35		x Choir to Swell 4'	
36		x Choir to Swell 16'	
37		Swell 4'	
38		Swell 16'	
39		Great to Pedal	
40		Great to Pedal 4'	
41		Swell to Pedal	
42		Swell to Pedal 4'	
43		x Choir to Pedal	
44		Great Unison Separation	
45		Swell Unison Separation	
46		x Choir Unison Separation	

MECHANICALS

47		Great Tremulant	
48	16' - 9/2/30	Swell Tremulant	
49	checked by.....	x Choir Tremulant	
50		Cresc. Indicator (by light)	

x All marked with an x to be prepared for on console only.

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Pistons No. 1-2-3-4-5-6 & Cancel affecting Great Organ
Pistons No. 1-2-3-4-5-6 & Cancel affecting Swell Organ
xPistons No. 1-2-3-4-5-6 & Cancel affecting Choir Organ
Pistons No. 1-2-3-4-5-6 & Cancel affecting Pedal
Pistons No. 1-2-3-4-5-6 & Cancel affecting Full Organ
duplicated by studs on toe board.
Pedal to "anual "On" and "Off" pistons.

PEDAL MOVEMENTS

1	Great to Pedal Reversible
2	Balanced Swell Expression Pedal
3	Balanced Ch. & Gt. Expression Pedals
4	Swell to Pedal Reversible
5	Sforzando Pedal by stud & light indicator, bupl. by manual piston
6	Grand Crescendo Pedal

CONCAVE RADIATING PEDALS

FURNISHED WITH ORGAN

Organ bench with music shelf

FURNISHED WITH ORGAN

Organ bench with music shelf

Blower 1-1/2 h.p. old style Spencer. Bearings worn out. Must have new motor-generator set and new bearings for motor.

Freight and drayage from factory to bldg. & installation.

ALM - 9/4/30

Checked by.....date.....