

M. P. MÖLLER Organ Factory

2/18

Pipe Organ No. 11095 Date December 31, 1974
 For ST. JOHN'S EVANGELICAL LUTHERAN CHURCH, PORT CLINTON, OHIO
 Action Moller's Electro-pneumatic Console Detached
 Casing No. None Finish As Per Sample
 Decorations None Motor 1 HP, Style 3P2722
 Width of Key-bed Standard Stop Controls Draw Knob
 No. Manuals Two Wind Pressure 2-3/4"
 To be Completed September 1, 1975 Blower Pipe furnished by Purchaser

PITCH
A-440

SPECIFICATIONS

GREAT ORGAN - (Unenclosed and Exposed) 9

1.	8'	Principal	45	17-1/2	17 zinc S.M.	61 pipes
2.	8'	Bordun	54	20-1/2	17 zinc S.M.	61 pipes
3.	4'	Octave	56	17-1/2	5 zinc S.M.	61 pipes
4.	2'	Block Flote	68-3/4	20-1/2	S.M.	61 pipes
5.	II Rks	Sesquialtera TC	Formula "A"		S.M.	98 pipes
6.	III Rks	Mixtur	Formula "B"		S.M.	183 pipes
7.		Tremulant				
8.		Carillon (present) provide switch in console wired to				
		↑			junction	61 notes

SWELL ORGAN - (Expressive) 7

9.	8'	Rohr Flote	54	21-1/2	17 zinc S.M.	61 pipes
10.	8'	Gemshorn	52-1/3	17-1/2	17 zinc S.M.	73 pipes
11.	8'	Gemshorn Celeste TC	54-1/3	17-1/2	5 zinc S.M.	49 pipes
12.	4'	Gemshorn		from #10		61 notes
13.	4'	Flute Triangulaire....	Reg.		wood and S.M.	61 pipes
14.	2'	Principal	70	17-1/2	S.M.	61 pipes
15.	1-1/3'	Larigot	75-3/4	17-1/2	S.M.	61 pipes
16.	8'	Trompette	3"	42-1/2		61 pipes
17.		Tremulant				

PEDAL ORGAN 2

18.	16'	Subbass ..CCC #2 Ped.Bdn.; #25 up 66 sc.	20-1/2			
				24 wood 5 zinc S.M.		56 pipes
19.	8'	Principal	44	17	17 zinc S.M.	44 pipes
20.	8'	Flote		from #18		32 notes
21.	4'	Choral Bass		from #19		32 notes
22.	4'	Flote		from #18		32 notes
23.	16'	Fagott	3-3/4"	42-1/2	12 pipes; 20 from #16	32 notes
24.	4'	Fagott		from #16		32 notes

COUPLERS

- 25. Swell to Swell 16'
- 26. Swell to Swell 8'
- 27. Swell to Swell 4'
- 28. Swell to Great 16'
- 29. Swell to Great 8'
- 30. Swell to Great 4'
- 31. Swell to Pedal 8'
- 32. Swell to Pedal 4'
- 33. Great to Great 4'
- 34. Great to Pedal 8'

ADJUSTABLE COMBINATIONS

- General Pistons No. 1-2-3-4 (duplicated by toe studs)
- Swell Pistons No. 1-2-3-4
- Great Pistons No. 1-2-3-4
- Pedal Pistons No. 1-2-3-4 (activated by toe studs)

General Cancel Piston

PEDAL MOVEMENTS

- Balanced Expression Pedal - Swell Organ
- Balanced Expression Pedal - Schulmerich Carillon
- Balanced Crescendo Pedal with indicator light
- Great to Pedal Reversible

ACCESSORIES

- Concave, radiating pedal clavier
- Organ bench with music rack
- Music rack and pedal clavier lights
- Console motor starter switch
- Motor blower unit, and action current unit of proper capacity
- Mount Schulmerich Control Panel (supplied by others)

4/22/75

Salesman: James Hammann

MIXTURE FORMULASGREAT ORGAN

II Rks. Sesquialtera TC Formula "A" 98 pipes S.M. 2-3/4"

2-2/3' 77 sc. @ T.C. 17-1/2 1/5 M

1-3/5' 85 sc. @ T.C. 17-1/2 1/6 M break @ #57

II Rks. Mixtur Formula "B" 183 pipes S.M. 2-3/4"

22	19	15	12	8
26	22	19	15	12
29	26	22	19	15
1-18	19-24	25-49	50-54	55-61

Unison 48 sc. @ 8' 17-1/2 1/4 M

Quint 49 sc. @ 8' 17-1/2 1/4 M