

M. P. MÖLLER Organ Factory

3/34

Revised October 24, 1973

Pipe Organ No. R-903 Date July 12, 1973
 For HUFFMAN BAPTIST CHURCH, BIRMINGHAM, ALABAMA
 Action Electro-Pneumatic Console Detached - No roll top
 Casing No. Exposed chest enclosures Finish To customer's sample
 Decorations None Motor New motor and blower
 Width of Key-bed Standard Stop Controls Draw Knobs & Tilting Tablets
 No. Manuals THREE AND PEDAL Wind Pressure Gr. 3", Sw. 4", Ch. 4", Ped. 3"
 To be Completed March Blower Pipe furnished by Purchaser 4"

SPECIFICATIONS

FOR

CHANGING TONALLY AND ADDING TO PRESENT
 MOLLER ORGAN OPUS 9215 - 1959

CONSOLE Install new three manual, electro-pneumatic, detached draw knob style console, pedal keyboard and bench.

GREAT ORGAN Install the following completely new exposed Great division:

16	Pommer	61 pipes
8	Principal	61 pipes
8	Gedeckt	61 pipes
4	Octav	61 pipes
2	Flachflöte	61 pipes
II-IV	Mixtur	208 pipes

SWELL ORGAN Change present Swell division as follows:

Install the following new pipes on present actions:

II	Cornet	122 pipes
16	Bombarde	73 pipes (new action #57-73)

Revoice the following pipes:

8	Rohrflöte	73 pipes
4	Prestant	73 pipes
8	Trompette	73 pipes
4	Hautbois	73 pipes (new top octave)

Rearrange present pipes as necessary for tonal changes indicated in organ specification.

CHOIR ORGAN Change present Great division to Choir making changes as follows:

Install the following new pipes on present actions:

4	Principal	61 pipes
4	Spillflöte	61 pipes
2	Principal	61 pipes
III	Scharf	183 pipes

Install the following new pipes and actions:

8	Dulzian	61 pipes
---	---------	----------

Revoice the following pipes:

8	Bordun	61 pipes
---	--------	----------

PEDAL ORGAN

Install the following new pipes and actions:

8	Octav	32 pipes
4	Choralbass	32 pipes
III	Mixture	96 pipes

MANUAL AND
PEDAL CHESTS

Rework or install new toeboard/rackboard assemblies as required for tonal changes.

SWITCHES

Reuse existing switches as practical and install new switches as required for manual and pedal tonal changes and additions.

RESERVOIRS

Relocate present reservoirs and install new as required for additions.

CABLES

Install new plastic covered cables between console and organ.

Install new action current wires between console, organ and power unit.

ACTION CURRENT

Install new 10-15 Volts, 30 Amperes DC organ pwer unit.

BLOWER

Install new 5 H.P., Style 3-P-3328 motor and blower.

GENERAL

Supports for exposed chests by purchaser. All parts from present instrument not required to complete this program become the property of M. P. Möller, Inc.

* * * * *

SPECIFICATIONS
FOR
CONSOLE AND ORGAN

MANUAL COMPASS CC to C4, 61 notes
 PEDAL COMPASS CCC to G, 32 notes
 WIND PRESSURE Gr. 3", Sw. 4", Ch. 4", Ped. 3" x 4"
 PETCH A-440 @ 70°F

GREAT ORGAN - Exposed 9

1	16	Pommer.....new pipes and action.....61 pipes
2	8	Principal.....new pipes and action.....61 pipes
3	8	Gedeckt.....new pipes and action.....61 pipes
4	4	Octav.....new pipes and action.....61 pipes
5	2	Flachflöte.....new pipes and action.....61 pipes
6	II-IV	Mixtur.....new pipes and action.....208 pipes
7		Chimes.....present Deagan "D" tubes and action, A to F, #22-42 (Install in Choir).....21 tubes
8		Flemish Bells....provide switch in console wired to junction.....61 notes

SWELL ORGAN - Enclosed 9

9	8	Rohrflöte..... present 16 Rohrbourdon #13-85 pipes and action.....73 pipes
10	8	Viole de Gambe....present pipes and action.....73 pipes
11	8	Viole Celeste TC..present pipes and action.....61 pipes
12	4	Prestant.....present Swell 4 Principal pipes; present Flute Harmonic action.....73 pipes
13	4	Rohrflöte.....from #9.....61 notes
14	2	Octavin.....from #12.....61 notes
15	II	Cornet.....new pipes; present Principal action.....122 pipes
16	16	Bombarde (1/2 L)..new pipes; #1-56 present 16 Rohrbourdon and Pedal 8 Violone action, #57-73 new action.....73 pipes
17	8	Trompette.....present pipes and action.....73 pipes
18	4	Hautbois.....present 8 Oboe #13-73 pipes, new top octave present 8 Oboe action.....73 pipes
19		Tremolo

CHOIR ORGAN - Enclosed 10

20	8	Bordun.....	present Great pipes and action.....	61 pipes
21	8	Gemshorn.....	present Great pipes and action.....	61 pipes
22	8	Gemshorn Celeste TC..	present Great pipes and action.....	49 pipes
23	4	Principal.....	new pipes; present Great action.....	61 pipes
24	4	Spillflöte.....	new pipes; present Great Octave Quint action.....	61 pipes
25	2	Principal.....	new pipes; present Great Super Octave action.....	61 pipes
26	III	Scharf.....	new pipes; present Great Diapason action.....	183 pipes
27	8	Dulzian.....	new pipes and action.....	61 pipes
28		Harp.....	provide switch in console wired to junction.....	61 notes
29		Tremolo		

PEDAL ORGAN

29 A	32	Resultant	from #30 #31	32 notes
30	16	Subbass.....	present Bourdon pipes and action.....	44 pipes
31	16	Pommer.....	from #1	32 notes
32	8	Octav.....	new pipes and action.....	32 pipes
33	8	Pommer.....	from #1.....	32 notes
34	8	Bassflöte.....	from #30.....	32 notes
35	4	Chorabass.....	new pipes and action.....	32 pipes
36	4	Pommer.....	from #1.....	32 notes
37	III	Mixture.....	new pipes and action.....	96 pipes
38	16	Bombarde.....	from #16	32 notes
39	8	Trompette.....	from #17	32 notes
40	4	Dulzian.....	from #27	32 notes

COUPLERS

41 A. Great to Pedal 4

41	Great to Pedal
42	Swell to Pedal
43	Choir to Pedal
44	Choir to Pedal 4
45	Swell to Great 16
46	Swell to Great
47	Swell to Great 4
48	Choir to Great 16
49	Choir to Great
50	Choir to Great 4
50	Swell to Choir 16

51	Swell to Choir
52	Great Unison Off
53	Great 4
54	Swell 16
55	Swell Unison Off
56	Swell 4
57	Choir 16
58	Choir Unison Off
59	Choir 4

ADJUSTABLE COMBINATIONS
Single Setter - Capture Type

Pistons No. 1-2-3-4	Affecting Great
Pistons No. 1-2-3-4	Affecting Swell
Pistons No. 1-2-3-4	Affecting Choir
Toe Studs No. 1-2-3-4	Affecting Pedal
Pistons No. 1-2-3-4-5-6	Affecting Full Organ (duplicated by toe studs)

General Cancel
Setter Piston

PEDAL MOVEMENTS

Great to Pedal reversible
Swell to Pedal reversible
Choir to Pedal reversible
Tutti reversible - duplicated by manual piston with indicator light (red jewel)
Balanced Expression Pedal - Swell Organ (Nave - 10 contacts) regular
(Choir - 14 contacts) system

Balanced Expression Pedal - Choir Organ (Nave - 10 contacts) regular
(Choir - 14 contacts) system

Balanced Expression Pedal - Bells
Balanced Crescendo Pedal with indicator light (green jewel)

ACCESSORIES

Concave, radiating pedal clavier
Organ bench with music shelf and back rest
Transparent music rack with light
Pedal light
New motor and blower
New DC organ power unit
Momentary contact starter switch
On-Off switch to control Nave shades
Install Schulmerich control panel

RVK/mr
10/24/73