

M. P. MÖLLER Organ Factory

Pipe Organ No. 7856 Date March 22, 1948
 For BRADDOCK STREET METHODIST CHURCH, WINCHESTER, VIRGINIA
 Action Electro-pneumatic Console Detached
 Casing No. None Finish As per sample
 Decorations None Motor 2 H.P., Style 3-P-3025
 Width of Key-bed Standard Stops & intra-man. coup. by drawknobs.
 No. Manuals Three Stop Controls Inter-man. coup. by til-
 To be Completed August 17, 1949 Wind Pressure Gt. 3-3/4", Sw. 4", Ped. 4".
 Blower Pipe furnished by Purchaser

PITCH A-440

SPECIFICATIONS

Great Organ

1	8'	Diapason.....45.....18-19-1/2.....12 Zinc...S.M.....61 pipes
2	8'	Bourdon.....46.....12 Zinc...S.M.....61 pipes
3	8'	Gemshorn.....50-1/2.....12 Zinc...S.M.....61 pipes
4	4'	Octave.....56.....18-19-1/2.....S.M.....61 pipes
5	4'	Harmonic Flute.....58.....S.M.....61 pipes
6	2-2/3'	Twelfth.....66.....S.M.....61 pipes
7	2'	Fifteenth.....68.....S.M.....61 pipes
8	IV Rks.	Mixture.....(prepared for console only)
9		Chimes.....(prepared for console only)
9a		Tremolo

Swell Organ

10	16'	Rohrbourdon..CC 40, TC 56...Capped.....24 Zinc...S.M.....85 pipes
11	8'	Geigen Diapason.....47.....12 Zinc...S.M.....73 pipes
12	8'	Rohrflöte.....from #10.....73 notes
13	8'	Gamba.....54.....12 Zinc...S.M.....73 pipes
14	8'	Gamba Celeste.....54.....12 Zinc...S.M.....73 pipes
15	4'	Principal.....(prepared for console only)
16	4'	Flute Triangulaire....Reg. Tri. Flt.....73 pipes
17	III Rks.	Mixture.....(prepared for console only)
18	16'	Contra Oboe.....(prepared for console only)
19	8'	Trompette.....3-3/4".....73 pipes
20	8'	Oboe.....(prepared for console only)
21	4'	Clarion.....(prepared for console only)
22	8'	Vox Humana.....1-1/2".....73 pipes
23		Tremolo

Choir Organ

24	8'	Spitzprincipal.....(prepared for console only)
25	8'	Nasongedeckt.....(prepared for console only)
26	8'	Kleine Erzähler.....(prepared for console only)
27	8'	Kleine Erzähler Celeste.....(prepared for console only)
28	4'	Nachthorn.....(prepared for console only)
29	2-2/3'	Nasat.....(prepared for console only)
30	2'	Spitzflöte.....(prepared for console only)

Choir Organ (Cont'd)

31	1-3/5'	Tierce.....(Prepared for console only)
32	8'	Cor Anglais.....(prepared for console only)
33		Chimes.....(prepared for console only)
34		Tremolo

Pedal Organ

35	16'	Contra Bass.....(prepared for console only)	
36	16'	Bourdon.....Large Ped. Bdn.....	32 pipes
37	16'	Rohrbourdon.....from #10.....	32 notes
38	8'	Principal.....40.....12 Zinc....S.M....	44 pipes
39	8'	Bourdon.....from #36.....	32 notes
40	8'	Rohrflöte.....from #10.....	32 notes
41	4'	Super Octave.....from #38.....	32 notes
42	4'	Koppelflöte.....(prepared for console only)	
43	4'	Rohrflöte.....from #10.....	32 notes
44	II Rks.	Mixture.....(prepared for console only)	
45	16'	Double Trumpet.....(prepared for console only)	
46	8'	Trumpet.....from #19.....	32 notes
47			

Couplers

47	Great to Pedal	8'	59	Swell to Choir	16'
48	Great to Pedal	4'	60	Swell to Choir	8'
49	Swell to Pedal	8'	61	Swell to Choir	4'
50	Swell to Pedal	4'	62	Great	16'
51	Choir to Pedal	8'	63	Great Unison	
52	Choir to Pedal	4'	64	Great	4'
53	Swell to Great	16'	65	Swell	16'
54	Swell to Great	8'	66	Swell Unison	
55	Swell to Great	4'	67	Swell	4'
56	Choir to Great	16'	68	Choir	16'
57	Choir to Great	8'	69	Choir Unison	
58	Choir to Great	4'	70	Choir	4'

Adjustable Combinations

Pistons No. 1-2-3-4-5-6	Affecting Great Stops
Pistons No. 1-2-3-4-5-6	Affecting Swell Stops
Pistons No. 1-2-3-4-5-6	Affecting Choir Stops
Pistons No. 1-2-3-4-5-6	Affecting Pedal Stops
Pistons No. 1-2-3-4-5-6	Affecting Full Organ (duplicated by toe studs)
General Cancel	

Pedal Movements

Great to Pedal Reversible (toe stud and manual piston)
Swell to Pedal Reversible (toe stud and manual piston)
Choir to Pedal Reversible (toe stud and manual piston)
Balanced Expression Pedal - Choir and Great Organ (prepared for console only)
Balanced Expression Pedal - Swell Organ
Balanced Crescendo Pedal
Sforzando Reversible

Accessories

Crescendo Indicator light
Sforzando Indicator light
Concave Radiating Pedal Clavier
Organ Bench with Music Shelf
Electric motor, blower and action current generator of ample capacity.

jr
1/4/49