

M. P. MÖLLER Organ Factory

Slifer

Pipe Organ No. 7677 Date July 1, 1947
 For FIRST METHODIST CHURCH, COVINGTON, KENTUCKY
 Action Electro-pneumatic Console Detached - White Oak
 Casing No. None Finish As per sample
 Decorations None Motor & Blower & Generator by Purchaser
 Width of Key-bed Standard Stops and intra-man. coup. by draw-
 No. Manuals Three Stop Controls knobs. Inter-man. couplers
 To be Completed As soon as possible by tilting tablets.
 Wind Pressure 4" & Ch. 4", Sw. 5", Ped. 4 & 5
 Blower Pipe furnished by Purchaser

PITCH: A-440 SPECIFICATIONS

GENERAL: The organ to be divided on each side of the chancel, or choir. Two chambers of adequate size to be prepared by the church, at its expense, and other preparations made in the building from plans by M. P. Moller, Inc.

Great Organ (Enclosed with Choir)

1	8'	Diapason.....44....18-19-1/2...12 Zinc SM.....61 pipes
2	8'	Flute Harmonic.....from #22.....61 notes
3	8'	Gemshorn.....52-1/3.....12 Zinc SM.....61 pipes
4	4'	Flute Harmonic.....from #22.....61 notes
5	4'	Octave.....57....18-19-1/2.....SM.....61 pipes
6	2-2/3'	Twelfth.....66.....SM.....61 pipes
7	2'	Fifteenth.....68.....SM.....61 pipes
8		Chimes.....from #29.....21 notes
8A		Tremolo - duplicate #30

Swell Organ (Expressive)

9	8'	Geigen Diapason.....46.....12 Zinc SM.....73 pipes
10	8'	Gedeckt.....Reg. Man. Bdn.....73 pipes
11	8'	Salicional.....58.....12 Zinc SM.....73 pipes
12	8'	Vox Celeste....T.C..58.....61 pipes
13	4'	Chimney Flute.....66...inverted Chimney...SM.....73 pipes
14	III Rks.	Mixture.....3-P.....SM.....183 pipes
15	2'	Flautino.....from #14.....61 notes
16	8'	Trompette.....4".....73 pipes
17	8'	Oboe.....3-1/2".....73 pipes
18	8'	Vox Humana.....1-1/2".....61 pipes
19		Chimes.....from #29.....21 notes
20		Tremolo

Choir Organ (Expressive)

21	8'	Gamba.....54.....12 Zinc SM.....73 pipes
22	8'	Flute Harmonic (Unit) 50.....12 Zinc SM.....85 pipes
23	8'	Dulciana.....56.....12 Zinc SM.....73 pipes
24	8'	Unda Maris..T.C....56-2/3.....SM.....61 pipes
25	4'	Flute.....from #22.....73 notes

Choir Organ (con't)

26	2-2/3'	Nazard.....from #22.....	61 notes
27	2'	Piccolo.....from #22.....	61 notes
28	8'	English Horn.....4".....	73 pipes
29		Chimes..(Deagan A)...A to F...#22 to #42.....	21 bells
30		Tremolo - affects #3,21,22,23,24,28; also 1,5,6,7, as layout decides	

Pedal Organ

31	16'	Diapason.....SM Db1. Open.....wood.....	32 pipes
32	16'	Bourdon.....Large Ped. Bdn.....	32 pipes
33	16'	Lieblich Gedeckt...R.M.B.....12 pipes 20 from #10.....	32 notes
34	8'	Octave.....40.....12 Zinc SM.....	44 pipes
35	8'	Flute Dolce.....from #22.....	32 notes
36	8'	Salicional.....from #11.....	32 notes
37	4'	Super Octave.....from #34.....	32 notes
38		Chimes.....from #30....#10 to #30.....	32 notes

Couplers

39		Great to Pedal	51	Swell to Choir
40		Great to Pedal 4'	52	Swell to Choir 16'
41		Swell to Pedal	53	Swell to Choir 4'
42		Swell to Pedal 4'	54	Swell 16'
43		Choir to Pedal	55	Swell 4'
44		Choir to Pedal 4'	56	Great 16'
45		Swell to Great	57	Great 4'
46		Swell to Great 16'	58	Choir 16'
47		Swell to Great 4'	59	Choir 4'
48		Choir to Great	60	Swell Unison Off
49		Choir to Great 16'	61	Great Unison Off
50		Choir to Great 4'	62	Choir Unison Off

Adjustable Combinations

Pistons No. 1-2-3-4-5-6	For stops of Swell Organ
Pistons No. 1-2-3-4-5-6	For stops of Great Organ
Pistons No. 1-2-3-4-5-6	For stops of Choir Organ
Pistons No. 1-2-3-4-5-6	For stops of Pedal Organ
Pistons No. 1-2-3-4-5-6	For stops and couplers of Full Organ
Cancel	

Pedal Movements

Swell Expression Pedal, with indicator light
 Great - Choir Expression Pedal, with indicator light
 Crescendo Pedal, with indicator light
 Sforzando Pedal, with indicator light (Duplicated by manual piston)
 Great to Pedal, Reversible (duplicated by manual piston)

Pedal Movements (cont)

Swell to Pedal (Reversible) duplicated by manual piston
Choir to Pedal (Reversible) duplicated by manual piston
All Swell to Swell (Reversible) Toe stud and manual piston

Accessories

Organ bench with music compartment
Concave and Radiating Pedal Clavier
The existing 3 H.P. motor, Orgoblo blower and generator to be used, after being placed in good condition at the expense of the purchaser.

3/20/48
JHH/am