

M. P. MÖLLER Organ Factory

Pipe Organ No.	R-622	Date	May 19, 1958
For	TRINITY METHODIST CHURCH, MIDDLESBOROUGH, KY.		
Action	Electro-Pneumatic	Console	Detached - QWO
Casing No.	None	Finish	To Customer's Selection
Decorations	Present	Motor	Present
Width of Key-bed	Standard	Stop Controls	Tilting Tablets
No. Manuals	Two and Pedal	Wind Pressure	3-1/2"
To be Completed	Soon as Possible	Blower Pipe furnished by	No Change

SPECIFICATIONS

REBUILDING PRESENT MOLLER ORGAN OPUS 2207 - 1916

CONSOLE	Install new two manual electro-pneumatic detached tilting tablet console, pedal keyboard and organ bench.
MANUAL CHEST	Releather 349 manual pipe pouches. Install 610 new stop action checks and eyelets. Install 244 new duplex shifters. Install 4 duplex stop action rails. Install 2 single stop action rails. Install new bottom boards. Releather and electrify two 61 note primary stations. Releather and electrify 10 note stop action primary.
OFFSET ACTION	Releather and electrify 8 Diapason action #1 to #17 inc. (front pipe action)
CONTACT BOX	Install new 17 note contact box for offset action.
PEDAL ORGAN	Releather and electrify 16 Bourdon action #1 to #30 inc. Install new chest and pipes for 16 Bourdon #31 and #32.
EXPRESSION	Install new accordian type expression action.
RESERVOIRS	Releather one 2'-6" x 4'-6" manual reservoir and install new curtain valve. Install new Pedal reservoir.
TREMOLO	Install new electro-pneumatic tremolo.
PIPES	Install modern tuning slides on present metal pipes. Repack stoppers of wood pipes.
CABLES	Install new asbestos covered cables between console and organ.
ACTION CURRENT	Install new 10-15 volt 15 ampere DC organ power unit.
BLOWER	Present blower to be used without change.
GENERAL	The entire organ to be returned to the factory of M. P. Moller, Inc. at Hagerstown, Md. for rebuilding as specified above.

SPECIFICATIONS
FOR
CONSOLE AND ORGAN

MANUAL COMPASS	CC to C ₄ , 61 notes
PEDAL COMPASS	CCC to C ₃ , 32 notes
WIND PRESSURE	
PITCH	A=440 @ 70°F

GREAT ORGAN

1	8	Open Diapason.....	61 Pipes
2	8	Stopped Diapason.....	61 Pipes
3	8	Viole d' Orchestre.....	61 Pipes
4	8	Echo Salicional.....	61 Pipes
5	4	Flute Traverso.....	61 Pipes
6		Chimes.....	Console only

SWELL ORGAN

7	8	Geigen Principal.....	61 Pipes
8	8	Gedeckt.....from #2.....	61 Notes
9	8	Viole.....from #3.....	61 Notes
10	8	Dolce.....from #4.....	61 Notes
11	4	Flute.....from #5.....	61 Notes
12		Tremolo	

PEDAL ORGAN *

13	16	Bourdon.....present pipes, present action #1 to #30, new pipes, new action #31 and #32.....	32 Pipes
----	----	--	----------

(*) Provide slide in console to play Pedal Organ

COUPLERS

14	Great to Pedal
15	Great to Pedal 4
16	Swell to Pedal
17	Swell to Pedal 4
18	Swell to Great 16
19	Swell to Great
20	Swell to Great 4
21	Great 16
22	Great Unison
23	Great 4
24	Swell 16
25	Swell Unison
26	Swell 4

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3	Affecting Great and Pedal Stops
Pistons No. 1-2-3	Affecting Swell and Pedal Stops
Pistons No. 1-2-3	Affecting Full Organ
General Cancel Piston	

PEDAL MOVEMENTS

- 1 - Great to Pedal Reversible
- 2 - Balanced Expression Pedal (8 contacts, reverse system)
- 3 - Balanced Crescendo Pedal with indicator light (green jewel)

ACCESSORIES

Concave and radiating pedal keyboard
Organ bench with music shelf

Present motor and blower and new DC organ power unit of ample capacity.