

M. P. MÖLLER Organ Factory

2/18

Pipe Organ No. 11276 Date July 28, 1977
 For ROSWELL PRESBYTERIAN CHURCH, ROSWELL, GEORGIA
 Action Moller's Electro-Pneumatic Console Detached - All Electric
 Casing No. None Finish As Per Sample
 Decorations None Motor 3/4 H.P., Style 2-P-2118
 Width of Key-bed Standard Stop Controls Stops & Couplers by Tilting Tablets.
 No. Manuals TWO Wind Pressure 3"
 To be Completed July 27, 1978 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

Style M-5200

GREAT ORGAN - Unenclosed and Exposed

1.	8'	Principal.....	45.....	17-1/2.....	19 Zinc S.M.....	61 pipes
2.	8'	Spitzflöte.....	48-1/3.....	17-1/2.....	19 Zinc S.M.....	61 pipes
3.	4'	Octav	58.....	18-1/2.....	7 Zinc S.M.....	61 pipes
4.	2'	Waldflöte.....	66-1/2.....	18-1/2.....	S.M.....	61 pipes
5.	III-IV	Mixtur.....	Formula "A"			208 pipes
6.		Blank				

SWELL ORGAN - Expressive

7.	8'	Rohrflöte.....	54.....	21-1/2.....	17 Zinc C.M.....	61 pipes
8.	8'	Viola	52.....	18-1/2.....	19 Zinc S.M.....	61 pipes
9.	8'	Blank				
10.		<i>Viola Celeste T.C. 54 18-1/2 - - - - 7 Zinc S.M. - 49 pipes</i>				
11.	4'	Flachflöte.....	56-2/3.....	18-1/2.....	7 Zinc C.M.....	61 pipes
12.	2'	Principal.....	70.....	17-1/2.....	S.M.....	61 pipes
13.	1-1/3'	Quint.....	73.....	17-1/2.....	S.M.....	61 pipes
14.	8'	Trompette.....	3"	42-1/2.....	Zinc & S.M.....	61 pipes
		Tremulant				

PEDAL ORGAN

15.	16'	Subbass.....	#2 Ped. Bdn.....	Wood.....	32 pipes	
16.	8'	Octav	44.....	17-1/2.....	19 Zinc S.M.....	32 pipes
17.	4'	Choralbass.....	56.....	18-1/2.....	7 Zinc S.M.....	32 pipes
18.		Blank				
19.		Blank				

COUPLERS

- 20. Great to Pedal 8'
- 21. Swell to Pedal 8'
- 22. Swell to Pedal 4'
- 23. Swell to Great 16'
- 24. Swell to Great 8'
- 25. Swell to Great 4'
- 26. Great 4'
- 27. Swell 16'
- 28. Swell Unison Off
- 29. Swell 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5
General Cancel

Affecting all stops and couplers

PEDAL MOVEMENTS

Great to Pedal reversible, toe stud
Tutti reversible, toe stud
Balanced Swell Expression Pedal (full 90° shades opening)
Balanced Crescendo Pedal

ACCESSORIES

Concave, radiating pedal clavier
Organ bench with music shelf and back rest
Crescendo indicator light
Tutti indicator light
Light for music rack
Light for pedal clavier
Motor starter switch - key operated
Motor, blower and action power unit of ample capacity
Roll top dust protector - non lockable

ORGAN NO. 11276

ROSWELL PRESBYTERIAN CHURCH, ROSWELL, GEORGIA

MIXTURE FORMULA

GREAT ORGAN

III-IV Rks. Mixture Formula "A" 208 pipes S.M. 3"

22	19	15	12	12	12
26	22	19	15	15	15
29	26	22	19	19	
		26	22		

1-12

13-17

18-29

30-49

50-54

55-61

Unison	47	Sc. @ 8' C	17-1/2	1/4 mouth
Quint	49	Sc. @ 8' C	17-1/2	2/9 mouth