

#1749

THE REUTER ORGAN COMPANY  
LAWRENCE, KANSAS

PROPOSES A THREE MANUAL AND PEDAL PIPE ORGAN

FOR

FIRST BAPTIST CHURCH  
PANAMA CITY, FLORIDA

MARCH 30, 1970

Mr. F. E. Norwood, District Representative  
P. O. Box 2087, East Hills Station, Pensacola, Florida 32501

THE *Reuter* ORGAN COMPANY

21585  
U S

640 Grace Ave.

GENERAL SPECIFICATIONS

MANUALS	Compass CC to C4, 61 notes.
PEDAL	Compass CCC to G, 32 notes.
ACTION	Reuter's Pitman Electro-pneumatic.
REGISTRATION	Controlled by drawknobs. The intramanual couplers are controlled by knobs placed with their respective stop groups, and the intermanual and manual to pedal couplers are controlled by tilting tablets placed above the top manual.
CONSOLE	Detached.
PITCH	A-440.
CASEWORK	Case for console.
ORGAN AREA	Suitable, finished area for installation of the organ is to be provided by the purchaser. The necessary partitions within this space which will be needed to form the areas for the individual expressive Swell and Choir sections are to be provided by the purchaser.
ORGAN INSTALLATION	The entire organ is to be installed behind a large grillework immediately to the rear of the choir area. It is important that the grille cloth used in front of the organ pipes be extremely open so that it will not block the free egress of the organ sound into the church proper.

GREAT ORGAN (Unenclosed)

1. / 16' Quintaton 61 pipes.
2. / 8' Principal 61 pipes.
3. / 8' Gedeckt 61 pipes.
4. / 4' Octave 61 pipes.
5. / 2' Fifteenth 61 pipes.
6. / IV Mixture 244 pipes.

/ Chimes (~~Console Preparation~~)

*Organ Class A*

Couplers to Great:

- / Great to Great 16'
- / Great Unison Off
- / Great to Great 4'
- / Swell to Great 16'
- / Swell to Great 8'
- / Swell to Great 4'
- / Choir to Great 16'
- / Choir to Great 8'
- / Choir to Great 4'

SWELL ORGAN (Enclosed)

7.	✓ 16'	Rohrflöte	73 pipes.
8.	✓ 8'	Rohrflöte	
9.	✓ 8'	Viola	61 pipes.
10.	✓ 8'	Viola Celeste (TC)	49 pipes.
11.	✓ 4'	Principal	61 pipes.
12.	✓ 2 2/3'	Nasard	61 pipes.
13.	✓ 2'	Blockflöte	61 pipes.
14.	✓ 1 3/5'	Tierce	61 pipes.
15.	✓ IV	Mixture	244 pipes.
16.	✓ 16'	Trompette	85 pipes.
17.	✓ 8'	Trompette	
18.	✓ 4'	Trompette	
	✓	Tremolo	

Couplers to Swell:

- ✓ Swell to Swell 16'
- ✓ Swell Unison Off
- ✓ Swell to Swell 4'

CHOIR ORGAN (Enclosed)

- |     |          |  |           |
|-----|----------|--|-----------|
| 19. | ✓ 8'     | Bourdon                                | 61 pipes. |
| 20. | ✓ 8'     | Flauto Dolce                           | 61 pipes. |
| 21. | ✓ 4'     | Nachthorn                              | 61 pipes. |
| 22. | ✓ 2'     | Principal                              | 61 pipes. |
| 23. | ✓ 1 1/3' | <del>Larigot</del> <i>QUINT Amelys</i> | 61 pipes. |
| 24. | ✓ 8'     | Krummhorn                              | 61 pipes. |

✓ Tremolo

Couplers to Choir:

- ✓ Choir to Choir 16'
- ✓ Choir Unison Off
- ✓ Choir to Choir 4'
- ✓ Swell to Choir 16'
- ✓ Swell to Choir 8'
- ✓ Swell to Choir 4'

PEDAL ORGAN

25.	/ 16'	Principal	32 pipes.
26.	/ 16'	Bourdon	56 pipes.
27.	/ 16'	(Sw) Rohrflöte	
28.	/ 16'	(Gt) Quintaton	
29.	/ 8'	Octave	56 pipes.
30.	/ 8'	Bourdon	
31.	/ 8'	(Sw) Rohrflöte	
32.	/ 8'	(Gt) Quintaton	
33.	/ 4'	Super Octave	
34.	/ 4'	Bourdon	
35.	/ 4'	(Sw) Rohrflöte	
36.	/ 4'	(Gt) Quintaton	
37.	/ 2'	Octave	
38.	/ II	Mixture	64 pipes.
39.	/ 16'	(Sw) Trompette	
40.	/ 8'	(Sw) Trompette	
41.	/ 4'	(Sw) Trompette	

Chimes (Console Preparation)

Couplers to Pedal:

/ Great to Pedal 8'

/ Great to Pedal 4'

/ Swell to Pedal 8'

/ Swell to Pedal 4'

/ Choir to Pedal 8'

/ Choir to Pedal 4'

## ADJUSTABLE COMBINATIONS

Operated by pistons under their respective manuals. Adjustable at keyboard and visibly affecting stop controls.

Five thumb pistons affecting Great stops and intramanual couplers.

Five thumb pistons affecting Swell stops and intramanual couplers.

Five thumb pistons affecting Choir stops and intramanual couplers.

Five toe pistons affecting Pedal stops only.

Five thumb pistons affecting all stops and couplers of the entire organ, duplicated on toe pistons.

General Cancel, thumb piston.

## COMBINATION COUPLERS

Pedal Combinations to Great Pistons, On and Off.

Pedal Combinations to Swell Pistons, On and Off.

Pedal Combinations to Choir Pistons, On and Off.

## REVERSIBLES

Great to Pedal, duplicate toe and thumb pistons.

Swell to Pedal, duplicate toe and thumb pistons.

Choir to Pedal, duplicate toe and thumb pistons.

Full Organ, duplicate toe and thumb pistons.

## PEDAL MOVEMENTS

Crescendo Pedal.

Swell Expression Pedal.

Choir Expression Pedal.

ACCESSORIES

Crescendo Indicator Light.

Current Indicator Light.

Full Organ Indicator Light.

Music Rack with Fluorescent Light.

Organist's Bench. *with back rest.*

Concave Radiating Pedal Keyboard, A. G. O. Model.

Pedal Light.

Blower and Motor of ample capacity.

Action Current Power Unit.

Static Pressure Control Reservoir for blower.

Standard details of construction (8/67) a part  
of this contract.