

M. P. MÖLLER Organ Factory

Pipe Organ No. 10365 3-24 Date August 24, 1966
 For FIRST EVANGELICAL U. B. CHURCH, CHICAGO, ILLINOIS
 Action Moller's Pitman Electro-Pneu. Console Detached. Electro-Pneu. Operation
 Casing No Main + Antiphonal Organ Enclosures Finish As per sample Roll top with lock
 Decorations None Motor Kinetic for Main Organ 3HP Style 3027
 Width of Key-bed Standard Stop Controls By draw knobs
 No. Manuals Three Heavy cut Eng. Ivory keys Wind Pressure Gt. 3 1/2", Sw. 4", Ant. 3 1/2", Ped. 3 1/4"
 To be Completed March 15, 1968 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

GENERAL: The organ shall be a distinctive work of the builder, a custom product of his factory, in no way a stock or assembled instrument.

GREAT ORGAN (unenclosed and displayed)

1.	8'	Principal.....47.....18-1/2.....12 Zinc S.M.....61 Pipes
2.	8'	Rohrfloete.....54.....21-1/2.....12 Zinc S.M.....61 Pipes
3.	4'	Octave.....58.....18-1/2.....S.M.....61 Pipes
4.	2'	Doublette.....74.....19-1/2.....S.M.....61 Pipes
5.	II-IV Rks.	Fourniture.....Formula "A" 18-1/2.....S.M.....208 Pipes
6.		Tremolo (enclosed)

5a. Chimes (prepared for in console only)

SWELL ORGAN (enclosed)

7.	8'	Gedeckt.....56.....21-1/2.....12 Zinc S.M.....73 Pipes
8.	8'	Viola d'Amore..52.....18-1/2.....12 Zinc S.M.....61 Pipes
9.	8'	Gemshorn Celeste II Rks..Unison 52-1/3..Celeste 54-1/3 12 Zinc S.M.....134 Pipes
10.	4'	Spitzprinzipal.....58-3/4...18-1/2.....S.M.....61 Pipes
11.	4'	Gedeckt.....from #7.....61 Notes
12.	2'	Piccolo (harmonic).....70...Reg Flt Har.....S.M.....61 Pipes
13.	III Rks.	Plein Jeu (22-26-29)...Formula "B" 18-1/2.....S.M.....183 Pipes
14.	8'	Trompette.....2-3/4".....42-1/2.....61 Pipes
15.	4'	Regal (funnel tops)(44 reeds)2-1/2....Reg.....61 Pipes
16.		Tremolo

ANTIPHONAL ORGAN (unenclosed & displayed)

17.	8'	Bourdon.....56.....20-1/2.....12 Zinc S.M.....73 Pipes
18.	4'	Principal.....59.....18-1/2.....S.M.....73 Pipes
19.	4'	Flute.....from #17.....61 Notes
20.	2'	Octavin.....from #18.....61 Notes
21.	8'	Gemshorn Celeste.....from #9.....61 Notes
22.	4'	Gemshorn Celeste (Swell)...from #9.....61 Notes

PEDAL ORGAN (unenclosed)

23.	16'	Sub Bass.....Large Pedal Bdn.....Wood..... ^{3 1/2" w} 32 Pipes
24.	16'	Gedeckt...CCC 42..CC 56...21-1/2.....12 pipes 20 from #7 ^{4" w} 32 Notes
25.	8'	Principal.....46.....18-1/2.....12 Zinc S.M..... ^{3 1/2" w} 44 Pipes
26.	8'	Gedeckt.....from #7.....32 Notes
27.	4'	Octave.....from #25.....32 Notes
28.	4'	Gedeckt.....from #7.....32 Notes
29.	16'	Bombarde (short length)CCC 4" #1-42 half length..... ^{3 1/2" w} 56 Pipes
30.	4'	Clarion (Bombarde).....from #29.....32 Notes

COUPLERS

31.	Great to Pedal 8'
32.	Swell to Great 16'
33.	Swell to Great 8'
34.	Swell to Great 4'
35.	Swell to Antiphonal 16'
36.	Swell to Antiphonal 8'
37.	Swell to Antiphonal 4'
38.	Swell to Pedal 8'
39.	Swell to Swell 16'
40.	Swell Unison Off
41.	Swell to Swell 4'
42.	Antiphonal to Pedal 8'
43.	Antiphonal to Great 8'
44.	Great 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4	Affecting Great Organ
Pistons No. 1-2-3-4-5	Affecting Swell Organ
Pistons No. 1-2-3-4	Affecting Antiphonal Organ
Toe Studs No. 1-2-3-4	Affecting Pedal Organ, at right
Pistons No. 1-2-3-4-5	General, affecting entire organ
General Cancel Piston	

ACCESSORIES

Swell Expression Pedal

Crescendo pedal for entire organ, with light indicator, Tremolo-Celeste cut-out switch.

Great to Pedal reversible piston, duplicated to pedal.

Tutti Reversible piston, duplicated to pedal, with Tremolo-Celeste cut-out switch.

Heavy cut English ivory manual keys, with multiple contacts.

Solid wood music rack with Castlelight, light for pedal board.

Starter buttons mounted in console.

Circuit breakers for organ action protection, 15 ampere maximum per circuit.

Antiphonal cut-out tablet to right of coupler stack, not on combination action, not affecting Gemshorn stops. Red engraving.

Swell box partitions, shade actions painted charcoal black, as required; separate reservoir wind supply for shade actions.

ACCESSORIES

Action current rectifier, electric motor, steel slow speed Kinetic blower and static regulator for main organ, as required.

Meidinger blower for Antiphonal organ, as required.

Organ to be assembled and tested at the factory, delivered, installed and finished in the church by Moller staff, ready for use.

Cabinetry and supports for cantilevered Great and Antiphonal chests not included.

JHH/bf

10/20/67

Salesman: Beard

MIXTURE FORMULAS

GREAT ORGAN
II-IV Rks Fourniture Formula "A"

19	15	12	8	8
22	19	15	12	12
	22	19	15	15
		22	19	15
1-12	13-24	25-36	37-48	49-61

Unison 47 @ 8" CC 18-1/2 1/4 mouth S.M.
 Quint 48 @ 8" CC 18-1/2 1/4 mouth S.M.

SWELL ORGAN
III Rks Plein Jeu Formula "B"

22	19	15	12	8
26	22	19	15	12
29	26	22	19	15
1-18	19-30	31-42	43-54	55-61

Unison 48 @ 8" CC 18-1/2 1/4 mouth S.M.
 Quint 49 @ 8" CC 18-1/2 1/4 mouth S.M.