

M. P. MÖLLER Organ Factory

3/36

Pipe Organ No. R-750 Date August 26, 1965
For WOODSIDE METHODIST CHURCH, SILVER SPRING, MARYLAND
Action Electro-Pneumatic Console Detached
Casing No. None Finish No Change
Decorations None Motor No Change
Width of Key-bed Standard Stop Controls Draw knobs & tilting tablets
No. Manuals Three and Pedal Wind Pressure No Change
To be Completed September 15, 1966 Blower Pipe furnished by Purchaser

SPECIFICATIONS

FOR

REMOVING AND REINSTALLING PRESENT MOLLER ORGAN OPUS 9389 - 1959 ^{3/32}
37600

- 1- Dismantle present organ and prepare for moving to new church building.
- 2- Re-engineer and re-install present organ with changes as listed in new organ chambers provided by customer.
- 3- Provide drayage as necessary between church buildings and for necessary parts to and from Hagerstown.

CONSOLE Rework console as necessary to confirm to specifications as listed.

OFFSET ACTIONS Install the following new offset actions:

Choir 8 Erzähler - #1 to #61 incl - 61 Notes
Pedal 16 Contrebasse - #1 to #32 incl - 32 Notes
Pedal 16 Rohrgedeckt - #1 to #12 incl - 12 Notes
Pedal II Rauschquinte - #1 to #32 incl - 32 Notes

EXPRESSION Install approx. 54 sq. ft. new expression shades and action as required.
Install approx. 125 sq. ft. new swell box as required.

PIPES Install the following new pipes: †

Swell 4 Prestant - 61 Pipes
Choir 8 Spitzprinzipal - 12 Pipes (#1 to #12 incl)
Pedal 16 Contrebasse - 32 Pipes
Pedal 16 Rohrgedeckt - 12 Pipes (#1 to #12 incl)
Pedal II Rauschquinte - 64 Pipes

Revoice the following pipes:

Great 8 Principal - 61 Pipes
Great 8 Bourdon - 61 Pipes
Great 4 Octave - 61 Pipes
Great 4 Rohrflöte - 61 Pipes
Great 2 Waldflöte - 61 Pipes
Great IV Mixture - 24 Pipes
Choir 8 Spitzprinzipal - (present Swell 4 Gemshorn pipes #1-49)

CABLES Install new plastic covered cables between console and organ.
 Install new action current wires between console, blower and
 organ power unit.

BLOWER Present motor & blower to be used without change.

ACTION CURRENT Present orgelectra organ power unit to be used without change.

4- Balance of organ parts to be re-used without change.

* * * * *

SPECIFICATIONS
 FOR
 CONSOLE AND ORGAN

MANUAL COMPASS CC to C₄, 61 Notes
 PEDAL COMPASS CCC to G, 32 Notes
 WIND PRESSURE Gr. 3-1/2"; Sw. & Ch. 3-3/4"; Ped. 4"
 PITCH A-440 @ 70° F

GREAT ORGAN (unenclosed) 9

1	8	Principal.....	present pipes; present action.....	61 Pipes
2	8	Bourdon.....	present pipes; present action.....	61 Pipes
3	8	Erzähler.....	from #22.....	61 Notes
4	4	Octave.....	present pipes; present action.....	61 Pipes
5	4	Rohrflöte.....	present pipes; present action.....	61 Pipes
6	2	Waldflöte.....	present pipes; present action.....	61 Pipes
7	IV	Mixture.....	present pipes; present action.....	24 Pipes
8		Chimes.....	from #29.....	25 Notes

SMALL ORGAN (enclosed) 12

9	8	Rohrflöte.....	present pipes; present action.....	61 Pipes
10	8	Viole de Gambe.....	present pipes; present action.....	61 Pipes
11	8	Viole Celeste TC.....	present pipes; present action.....	49 Pipes
12	4	Prestant.....	new pipes; present 4 Gemshorn action.....	61 Pipes
13	4	Harmonic Flute.....	present pipes; present action.....	61 Pipes
14	2	Zauberflöte.....	present pipes; present action.....	61 Pipes
15	III	Scharf.....	present pipes; present action.....	183 Pipes
16	16	Bassoon.....	present pipes; present action.....	61 Pipes
17	8	Trompette.....	present pipes; present action.....	61 Pipes
18	4	Rohr Schalmey.....	present pipes; present action.....	61 Pipes
19		Tremolo		

CHOIR ORGAN (enclosed) 7

20	8	Spitzprinzipal....new pipes #1-#12, present Swell 4 Gemshorn pipes #1-#49; present Choir 8 Erzähler action....	61 Pipes
21	8	Nason Gedeckt....present pipes; present action.....	61 Pipes
22	8	Erzähler.....present pipes; new action.....	61 Pipes
23	8	Erzähler Celeste 10 present pipes; present action.....	49 Pipes
24	4	Koppelflöte.....present pipes; present action.....	61 Pipes
25	2-2/3	Nasat.....present pipes; present action.....	61 Pipes
26	2	Prinzipal.....present pipes; present action.....	61 Pipes
27	1-3/5	Terz.....present pipes; present action.....	61 Pipes
28	8	Krummhorn.....present pipes; present action.....	61 Pipes
29		Chimes.....present Deagan D tubes; present action G to G #20 to #44.....	25 Tubes
30		Tremolo	

PEDAL ORGAN 6

31	16	Contrebasse.....new pipes; new action.....	32 Pipes
32	16	*Soubasse.....present pipes; present action.....	44 Pipes
33	16	Rohrgedeckt.....new pipes, new action #1-#12; 20 from #9.....	32 Notes
34	16	Contra Erzähler...present pipes, present action #1-12; 20 from #22	32 Notes
35	8	*Octave.....present pipes; present action.....	44 Pipes
36	8	*Bourdon.....from #32.....	32 Notes
37	4	*Super Octave.....from #35.....	32 Notes
38	4	*Nachthorn.....present pipes; present action.....	44 Pipes
39	2	*Blockflöte.....from #38.....	32 Notes
40	II	Rauschquinte.....new pipes; new action.....	64 Pipes
41	16	Centre Trompette..present pipes, present action #7-12; 20 from #17	32 Notes
42	16	Bassoon.....from #16.....	32 Notes

(*) Indicates unenclosed Pedal Stops

COUPLERS (No Change)

43	Great to Pedal	55	Great 16
44	Great to Pedal 4	56	Great Unison Off
45	Swell to Pedal	57	Great 4
46	Swell to Pedal 4	58	Swell 16
47	Choir to Pedal	59	Swell Unison Off
48	Choir to Pedal 4	60	Swell 4
49	Swell to Great 16	61	Swell to Choir 16
50	Swell to Great	62	Swell to Choir
51	Swell to Great 4	63	Swell to Choir 4
52	Choir to Great 16	64	Choir 16
53	Choir to Great	65	Choir Unison Off
54	Choir to Great 4	66	Choir 4

ADJUSTABLE COMBINATIONS (No Change)

Pistons No. 1-2-3-4-5-6	Affecting Great Stops
Pistons No. 1-2-3-4-5-6	Affecting Swell Stops
Pistons No. 1-2-3-4-5-6	Affecting Choir Stops
Toe Studs No. 1-2-3-4-5-6	Affecting Pedal Stops
Pistons No. 1-2-3-4-5-6-7-8	Affecting Full Organ (duplicated by toe studs)

PEDAL MOVEMENTS (No Change)

- 1- Great to Pedal Reversible (duplicated by manual piston)
- 2- Swell to Pedal Reversible (duplicated by manual piston)
- 3- Choir to Pedal Reversible (duplicated by manual piston)
- 4- Balanced Expression Pedal for Swell Organ
- 5- Balanced Expression Pedal for Choir Organ
- 6- Balanced Crescendo Pedal with indicator light (green jewel)
- 7- Sforzando Reversible (duplicated by manual piston) with indicator light (red jewel)

ACCESSORIES (No Change)

Present concave and radiating pedal keyboard.

Present organ bench with music shelf.

Present motor, blower and organ power unit.

*Motor starter momentary contact switch
Signal switch (to be supplied by customer).*

9/27/65
RHM/bf