

# PRODUCTION ORDER

10888

M. P. MÖLLER, INC.

HAGERSTOWN, MD.

No. 10888

DATE OF ISSUE September 12, 1972 COMPLETE ON OR BEFORE November 30, 1972

ORDER To Arthur Nye and Vaughn Martin

Prepare one (1) Standard 70-5 Artiste Organ according to specifications, drawings, detailed orders, etc. to be issued separately and according to following details for a truck shipment -

- (1) Artiste Cabinet
  - (a) Design & Size - Standard Series 70 model with unenclosed and exposed 8 Principal unit with necessary enclosure.
  - (b) Wood & Finish - Rift Sawn Oak to Color Block #M-4150-2
- (2) Artiste Console (Detached)
  - (a) Design & Size - Standard Series 70 model
  - (b) Wood & Finish - Rift Sawn Oak to Color Block #M-4150-2
  - (c) Cable length from (x) in console to (x) in organ - 78 ft.
- (3) Artiste Blower
  - (a) Design & Style - Meidinger No. 1002 Blower
  - (b) Current Specifications - 1 Ph - 60Cy - 110 Volts
  - (c) Supply standard blower enclosure

Forward as directed below. Charge all crating, handling, loading and shipping time to Z-65.

COPIES TO:

SHIPPING INSTRUCTIONS:

W.R.Daniels  
 Moller  
 Payroll  
 Hose  
 P.M.Daniels  
 Kreglo  
 Service Dept.  
 File (2)

To— St. Andrew's Episcopal Church  
 Livonia, Michigan  
 (16360 Hubbard)

*Father Kenneth Davis*

VIA— M. P. Moller, Inc. Truck

IDENTIFY PL, SHIPPING AND INVOICE BY CUSTOMER'S ORDER No. ....

SIGNED *H. D. Ocker*  
Order Department

## IMPORTANT

Individuals receiving orders are responsible for the return of order to Order Department immediately following completion of specified work. Materials are to be listed on reverse side upon request only. Copies of orders are issued as deemed necessary for various departments and individuals. These are not to be returned.

DATE COMMENCED ..... DATE COMPLETED .....

SIGNED .....  
Foreman

*File*

AR SERIES ARTISTE ORGANS  
EARMARK FOR  
#10888 ST. ANDREW'S EPISCOPAL CHURCH, LIVONIA, MICHIGAN  
SPECIFICATIONS OF SERIES 70-5 ARTISTE ORGAN

GENERAL

(1) ORGAN

Cabinet	Standard Series 70 model with unenclosed and exposed 8 Principal unit with enclosure
Wood & Finish	Rift Sawn Oak to Color Block #M-4150-2
Action	Electro-Pneumatic (unit type)
Wind Pressure	Offsets 4-1/2"; Trebles 3-1/2"
Pitch	A-440 @ 70°F

(2) CONSOLE

Cabinet	Standard Series 70 design
Wood & Finish	Rift Sawn Oak to Color Block #M-4150-2
Manuals	Two and Pedal
Manual Compass	CC to C4, 61 notes
Pedal Compass	CCC to G, 32 notes
Stop Controls	Tilting Tablets
Action	All Electric

(3) BLOWER

Type	Meidinger No. 1002 - .4 HP - 3360 RPM
Rating	280 c.f.m. @ 4" - 4" outlet
Current Specification	1 Ph - 60 Cy - 110 Volts - Amperes
Overall Size	1'-6" x 1' - 5-5/8" x 1' - 8" high
Blower Enclosure	Standard Series 70 model

(4) POWER UNIT (mounted within organ cabinet)

Type	Durst Organ Power Unit (all voltage)
Rating	DC Output: 10 to 15 Volts - 30 Amperes
Current Specification	AC Input: 1 Ph - 60 Cy - 110 Volts - 6 Amperes
Overall Size	17" long x 11" wide x 7" high

\* \* \* \* \*

GREAT ORGAN

1	16	Bourdon.....	92 pipes
* 2	8	Principal.....	85 pipes
3	8	Gedeckt.....from #1.....	61 notes
4	8	Gemshorn.....from #12.....	61 notes
5	4	Octav.....from #2.....	61 notes
6	4	Gedeckt.....from #1.....	61 notes
7	2	Super Octav.....from #2.....	61 notes
8	2	Flute.....from #1 (repeat 5 top notes).....	61 notes
9	8	Trompette .....from #17.....	61 notes
10		Chimes.....(prepared for in console only).....	25 notes

(\*) Unenclosed and exposed

SWELL ORGAN

11	8	Gedeckt.....from #1.....61 notes
12	8	Gemshorn.....80 pipes
13	4	Spitzprincipal.....73 pipes
14	4	Gedeckt.....from #1.....61 notes
15	2	Spitzoctav.....from #13.....61 notes
16	1-1/3	Larigot.....from #12 (repeat 12 top notes)....61 notes
17	8	Trompette.....61 pipes
18	4	Clairon.....from #17 (top Octave from #13)....61 notes
19		Tremolo

PEDAL ORGAN

20	16	Bourdon.....from #1.....32 notes
21	8	Principal.....from #2.....32 notes
22	8	Gedeckt.....from #1.....32 notes
23	8	Gemshorn.....from #12.....32 notes
24	4	Octav.....from #2.....32 notes
25	4	Gedeckt.....from #1.....32 notes
26	2	Super Octav.....from #2.....32 notes
27	8	Trompette.....from #17.....32 notes
28	4	Clairon.....from #17.....32 notes

COUPLER

29 Swell to Great

PEDAL MOVEMENTS

- 1 - Balanced Expression Pedal
- 2 - Balanced Crescendo Pedal with indicator light (green jewel)

ACCESSORIES

Motor and power unit on-off switch (lock type) with indicator light (red jewel) and related electrical wiring.

Concave and radiating pedal keyboard  
Organ bench with music shelf

## PIPE ANALYSIS

STOP	PITCH	PIPES	SCALE	HALVING	MOUTH	METAL	WIND PRESSURE
Bourdon	16	92	CCC to BBB Regular Manual Bourdon Wood ) CC to BB Reg. Artiste Tapered Bass Wood ) TC up Reg. Artiste Trebles Wood & SM)				1-16 4-1/2" 17 up 3-1/2"
*Principal	8	85	48	18-1/2	1/4	12 Zinc S.M.	3-1/2"
Gemshorn	8	80	CC 54-1/3 #56 102-2/3	17-1/2 20-1/2	2/9 2/9	12 Zinc S.M.)	1-12 4-1/2" 13 up 3-1/2"
Spitzprincipal	4	73	60-3/4	18-1/2	1/4	Zinc & SM	3-1/2"
Trompette	8	61	2-1/4" #1 to 6 half length	42-1/2		D(F) Eschallots)	3-1/2"

(\* Unenclosed and exposed

9/12/72  
RHM/ur