

1885

1976

THE REUTER ORGAN COMPANY
LAWRENCE, KANSAS

PROPOSES A THREE MANUAL AND PEDAL PIPE ORGAN

FOR

FIRST BAPTIST CHURCH
PAMPA, TEXAS

SEPTEMBER 5, 1974

Mr. Robert A. Geisler, District Representative
3629 Lynndale Place, Fort Worth, Texas 76133

THE *Reuter* ORGAN COMPANY

GENERAL SPECIFICATIONS

MANUALS

Compass CC to C4, 61 notes.
Simulated tracker touch.

PEDAL

Compass CCC to G, 32 notes.

ACTION

Reuter's pitman, electro-pneumatic.

REGISTRATION

Controlled by drawknobs. The intramanual couplers are controlled by knobs placed with their respective stop groups, and the inter-manual and manual to pedal couplers are controlled by tilting tablets placed above the top manual.

CONSOLE

Detached.

PITCH

A-440.

CASEWORK

None, except case for console. Such casework as may be desired to enclose the mechanical portions of the exposed pipework to be furnished by the purchaser.

ORGAN CHAMBER

Suitable, finished chamber to be furnished by the purchaser. Such structural supports as may be required for the exposed cantilevered sections are also to be furnished by the purchaser.

EXPOSED PIPES

Approximately three stops to be exposed.

EXPRESSION ENCLOSURES

Expression enclosures to house the Swell division and the Choir division to be provided by The Reuter Organ Company.

GREAT ORGAN

1.	8' Principal	61 pipes.
2.	8' Bourdon	61 pipes.
3.	4' Octave	61 pipes.
4.	4' Spillflöte	61 pipes.
5.	2' Flachflöte	61 pipes.
6.	IV Mixture	244 pipes.
7.	8' Trompete	61 pipes.

Chimes (~~Console Preparation~~)

Deacon "D"

Couplers to Great:

25 tubes (See Addendum
9-6-74
FM

Great to Great 16'
Great Unison Off
Great to Great 4'
Swell to Great 16'
Swell to Great 8'
Swell to Great 4'
Choir to Great 16'
Choir to Great 8'
Choir to Great 4'

SWELL ORGAN

8.	8'	Rohrflöte	61 pipes.
9.	8'	Viole de Gambe	61 pipes.
10.	8'	Viole Celeste (TC)	49 pipes.
11.	4'	Hohlflöte	61 pipes.
12.	2 2/3'	Nasard	61 pipes.
13.	2'	Blockflöte	61 pipes.
14.	1 3/5'	Tierce	61 pipes.
15.	8'	Oboe	61 pipes.

Tremolo

Couplers to Swell:

Swell to Swell 16'

Swell Unison Off

Swell to Swell 4'

CHOIR ORGAN

16.	8'	Gedeckt	61 pipes.
17.	8'	Gemshorn	61 pipes.
18.	8'	Gemshorn Celeste (TC)	49 pipes.
19.	4'	Nachthorn	61 pipes.
20.	2'	Principal	61 pipes.
21.	1 1/3'	Quinte	61 pipes.
22.	II	Cymbal	122 pipes.
23.	8'	Krummhorn	61 pipes.

Tremolo

Couplers to Choir:

Choir to Choir 16'
Choir Unison Off
Choir to Choir 4'
Swell to Choir 16'
Swell to Choir 8'
Swell to Choir 4'

PEDAL ORGAN

24.	16'	Principal	32 pipes.
25.	16'	Bourdon	56 pipes.
26.	8'	Octave	32 pipes.
27.	8'	Bourdon	
28.	8'	(Ch) Gemshorn	
29.	4'	Choral Bass	32 pipes
30.	4'	Bourdon	
31.	II	Mixture	64 pipes
32.	16'	Bombarde	56 pipes
33.	8'	Bombarde	
34.	4'	Bombarde	

Couplers to Pedal:

Great to Pedal 8'
Great to Pedal 4'
Swell to Pedal 8'
Swell to Pedal 4'
Choir to Pedal 8'
Choir to Pedal 4'

ADJUSTABLE COMBINATIONS

Operated by pistons under their respective manuals.
Adjustable at keyboard and visibly affecting stop controls.

Six thumb pistons affecting the Great stops and intramanual couplers.

Six thumb pistons affecting the Swell stops and intramanual couplers.

Six thumb pistons affecting the Choir stops and intramanual couplers.

Six toe pistons affecting the Pedal stops.

Eight thumb pistons affecting all stops and couplers of the entire organ,
duplicated on toe pistons.

General Cancel thumb piston.

PEDAL MOVEMENTS

Register Crescendo Pedal.

Swell Shutter Pedal.

Choir Shutter Pedal.

REVERSIBLES

Great to Pedal duplicate thumb and toe pistons.

Swell to Pedal duplicate thumb and toe pistons.

Choir to Pedal duplicate thumb and toe pistons.

Full Organ duplicate thumb and toe pistons.

ACCESSORIES

Current Indicator Light.

Crescendo Indicator Light.

Full Organ Indicator Light.

Music rack with fluorescent light at base.

Organist's bench with blocks for height adjustment.

A. G. O. standard pedal keyboard.

Organ blower and motor of ample capacity.

Action current power unit.

Static reservoir on blower.

Pedal board light.