

Memorandum of Agreement, Made this.....2nd.....

day of...November...A. D., 1927., by and between M. P. MOLLER, Inc., of Hagerstown, Maryland, party of the first part, and

...First Methodist Episcopal Church,.....
of the second part.

Witnesseth: That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it in...First Methodist Episcopal Church,.....
.....Albion, Michigan.....
ready for use on or before the...35th.....day of.....August.....A. D., 1927., or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined, immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

3. The party of the first part guarantees the action and construction of the organ for a term of ~~one~~^{five} year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturers for one year).

4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., or order, the sum of...Ten thousand dollars. (\$10,000.00) and their....
old organ.

AS FOLLOWS: One-third cash when organ is installed and.....
accepted, One-third in forty-five days after installation..
without interest. Balance in 90 days after installation
without interest.....

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ...AQUATRAY....weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.

6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

We are to take care of Paragraph #7 as per bottom of questionnaire.

JAN 17 1927

No. 2

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.

8. ~~When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.~~

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

WITNESS

.....(SEAL)
Party of the first part

.....John L. Seaton.....(SEAL)

.....Geo. T. Bullen.....(SEAL)

.....Victor W. Thrall.....(SEAL)

.....Geo. E. Dean.....(SEAL)

Party of the second part
A. L. Young

Ford & Reynolds

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER Organ Factory

4854

Nov. 2, 1926

Pipe Organ No. _____ Date _____
 For _____ First Methodist Episcopal Church, Albion, Mich.,
 Action _____ Eloc. _____ Detached 15' cable
 Casing No. _____ Oak _____ Console _____
 Decorations _____ Gilt _____ Finish _____ Elec. _____
 Width of Key-bed _____ Motor _____ Stop Keys _____
 No. Manuals _____ Three _____ Stop Controls _____ 5"
 To be completed _____ August 25, 1927 _____ Wind Pressure _____ Church
 Blower pipe furnished by _____

SPECIFICATIONS

Organ front of casing and display pipes by factory
 Organ chamber by church
 Organ to be all under 5" wind pressure:
 A-440

GREAT ORGAN 73 Chest

1	8'	Open Diapason.....40 scale.....61 Pipes
2	8'	Double Floete.....73 "
3	4'	Flute Traverso.....From #5.....61 Notes
4	4'	Principal.....From #20.....61 "
5	8'	Melodia.....unit.....73 Pipes
6	8'	Viola D'Gamba.....73 "
7	8'	Tuba.....73 "
		Tremulant

SMALL ORGAN

8	16'	Bourdon.....unit.....97 Pipes
9	8'	Open Diapason.....42 scale.....73 Pipes
10	8'	Stopped Diapason.....From #8.....73 Notes
11	4'	Flute D'Amour.....From #8.....61 "
12	2'	Piccolo.....From #8.....61 "
13	8'	Salicional.....73 Pipes
14	8'	Cornopean.....73 "
15	8'	Oboe.....73 "
16	4'	Violina.....From #13.....61 Notes
17	8'	Vox Celeste.....Tenor C.....61 Pipes
18	8'	Vox Humana.....S.S.B.....61 "
		Tremulant

CHOIR ORGAN

20	8'	English Open Diapason.....41 scale.....73 Pipes
21	8'	Melodia.....From #5.....73 Notes
22	8'	Dalciana.....73 Pipes
23	8'	Gamba.....From #6.....73 Notes
24	8'	Clarinet.....73 Pipes
25	8'	Unda Maris.....Tenor C.....61 "
26	4'	Solo Flute.....From #5.....61 Notes
27	4'	Dulcet.....From #22.....61 "
		Tremulant

Celeste Harp.49 Bars

61 Chest ECHO ORGAN (Played from Great Organ)

28	8'	Echo Flute.....Traverso scale.....73 Pipes
29	8'	Vox Angelica.....60 scale.....61 "
30	8'	Viole Celeste.....62 scale.....61 "
31	8'	Vox Humana.....61 "
32	4'	Forest Flute.....From #28.....61 Notes
		Diagan Chimes.....20 Bells
		Tremulant

PEDAL ORGAN

34	32'	Diapason Resultant.....32 Notes
35	16'	Open Diapason.....32 Pipes
36	16'	Bourdon.....44 "

PEDAL ORGAN (Continued)

37	16'	Lieblich Gedeckt.....	From #8.....	32 Notes
38	8'	Bass Flute.....	From #36.....	32 "
39	8'	Octave Bass.....	From #35.....	32 "

COUPLERS

40	Swell to Great 4'	54	Choir to Swell 8'
41	Swell to Great 8'	55	Choir to Swell 16'
42	Swell to Great 16'	56	Swell to Swell 4'
43	Choir to Great 4'	57	Swell to Swell 16'
44	Choir to Great 8'	58	Swell to Pedal 4'
45	Choir to Great 16'	59	Swell to Pedal 8'
46	Great to Great 4'	60	Great to Pedal 4'
47	Great to Great 16'	61	Great to Pedal 8'
48	Swell to Choir 4'	62	Swell Unison Off) <i>Choir to Pedal</i>
49	Swell to Choir 8'	63	Great Unison Off) in jambs right
50	Swell to Choir 16'	64	Choir Unison Off)
51	Choir to Choir 4'	65	All Couplers Cancel by Piston
52	Choir to Choir 16'	66	Echo "On" Great "off"
53	Choir to Swell 4'	67	Echo to Great

MECHANICALS

Great Tremulant
Swell Tremulant
Choir Tremulant
Crescendo Indicator

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Pistons No. 1-2-3-4-5-6 & Cancel Affecting Great Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Swell Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Choir Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Pedal Organ
Pistons No. 1-2-3-4 & Cancel Affecting Full Organ, duplicated by studs on Toe Board.
Pedal to Manual "ON" and "OFF" Pistons in jambs left.

PEDAL MOVEMENTS

- 1 Great to Pedal Reversible
- 2 Balanced Swell Expression Pedal
- 3 Balanced Choir & Great Expression Pedals
- 4 Swell to Pedal Reversible
- 5 Sforzando Pedal, by stud & light indicator duplicated by manual piston.
- 6 Grand Crescendo Pedal (Beginning at the softest stop and drawing all stops including reeds & couplers in their order of power by a single movement of the foot. By reversing the movement all stops & couplers are canceled in their order.
Concave Radiating Pedals.

FURNISHED WITH ORGAN

Organ bench with music shelf
Electric motor, blower, generator, freight & drayage from factory to building & installation.

11/16/26

ACZ

Checked by.....Date.....

M. P. MÖLLER Organ Factory

4859

Pipe Organ No.	4854	Date	Nov. 2, 1926
For	First Methodist Episcopal Church, Albion, Mich.,		
Action	Elec.	Console	Detached 15' cable
Casing No.	Oak	Finish	
Decorations	Gilt	Motor	Elec.
Width of Key-bed		Stop Controls	Stop Keys
No. Manuals	Three	Wind Pressure	5"
To be completed	August 25, 1927	Blower pipe furnished by	Church

SPECIFICATIONS

Organ front of casing and display pipes by factory
 Organ chamber by church
 Organ to be all under 5" wind pressure:
 A-440

GREAT ORGAN 73' Chest

1	8'	Open Diapason.....40 scale.....	61 Pipes
2	8'	Doppel Floete.....	73 "
3	4'	Flute Traverso.....From #5.....	61 Notes
4	4'	Principal.....From #20.....	61 "
5	8'	Melodia.....unit.....	73 Pipes
6	8'	Viola D'Gamba.....	73 "
7	8'	Tuba.....	73 "
Tremulant			

SWELL ORGAN

8	16'	Bourdon.....unit.....	97 Pipes
9	8'	Open Diapason.....42 scale.....	73 Pipes
10	8'	Stopped Diapason...From #8.....	73 Notes
11	4'	Flute D'Amour.....From #8.....	61 "
12	2'	Piccolo.....From #8.....	61 "
13	8'	Salicional.....	73 Pipes
14	8'	Cornopean.....	73 "
15	8'	Oboe.....	73 "
16	4'	Violina.....From #13.....	61 Notes
17	8'	Vox Celeste.....Tenor C.....	61 Pipes
18	8'	Vox Humana.....S. S. B.....	61 "
Tremulant			

CHOIR ORGAN

20	8'	English Open Diapason..41 scale.....	73 Pipes
21	8'	Melodia.....From #5.....	73 Notes
22	8'	Dulciana.....	73 Pipes
23	8'	Gamba.....From #6.....	73 Notes
24	8'	Clarinet.....	73 Pipes
25	8'	Unda Maris.....Tenor C.....	61 "
26	4'	Solo Flute.....From #19.....	61 Notes
27	4'	Dulcet.....From #22.....	61 "
Tremulant			

Celeste Harp.49 Bars

61 Chest ECHO ORGAN (Played from Great Organ)

28	8'	Echo Flute.....Traverso scale.....	73 Pipes
29	8'	Vox Angelica.....60 scale.....	61 "
30	8'	Viole Celeste.....62 scale.....	61 "
31	8'	Vox Humana.....	61 "
32	4'	Forest Flute.....From #28.....	61 Notes
		Diagon Chimes.....	20 Bells
Tremulant			

PEDAL ORGAN

34	32'	Diapason Resultant.....	32 Notes
35	16'	Open Diapason.....	32 Pipes
36	16'	Bourdon.....	44 "

PEDAL ORGAN (Continued)

37	16'	Lieblich Gedeckt.....	From #8.....	32 Notes
38	8'	Bass Flute.....	From #36.....	32 "
39	8'	Octave Bass.....	From #35.....	32 "

COUPLERS

40	Swell to Great 4'	54	Choir to Swell 8'
41	Swell to Great 8'	55	Choir to Swell 16'
42	Swell to Great 16'	56	Swell to Swell 4'
43	Choir to Great 4'	57	Swell to Swell 16'
44	Choir to Great 8'	58	Swell to Pedal 4'
45	Choir to Great 16'	59	Swell to Pedal 8'
46	Great to Great 4'	60	Great to Pedal 4'
47	Great to Great 16'	61	Great to Pedal 8'
48	Swell to Choir 4'	62	Swell Unison Off)
49	Swell to Choir 8'	63	Great Unison Off) in jamba right
50	Swell to Choir 16'	64	Choir Unison Off)
51	Choir to Choir 4'	65	All Couplers Cancel by Piston
52	Choir to Choir 16'	66	Echo "On" Great "off"
53	Choir to Swell 4'	67	Echo to Great

MECHANICALS

Great Tremulant
Swell Tremulant
Choir Tremulant
Crescendo Indicator

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Pistons No. 1-2-3-4-5-6 & Cancel Affecting Great Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Swell Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Choir Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Pedal Organ
Pistons No. 1-2-3-4 & Cancel Affecting Full Organ, duplicated by studs on Toe Board.
Pedal to Manual "ON" and "OFF" Pistons in jamba left.

PEDAL MOVEMENTS

- 1 Great to Pedal Reversible
- 2 Balanced Swell Expression Pedal
- 3 Balanced Choir & Great Expression Pedals
- 4 Swell to Pedal Reversible
- 5 Sforzando Pedal, by stud & light indicator duplicated by manual piston.
- 6 Grand Crescendo Pedal (Beginning at the softest stop and drawing all stops including reeds & couplers in their order of power by a single movement of the foot. By reversing the movement all stops & couplers are canceled in their order.
Concave Radiating Pedals.

FURNISHED WITH ORGAN

Organ bench with music shelf
Electric motor, blower, generator, freight & drayage from factory to building & installation.

11/16/26

ACZ

Checked by *R.B.3. R.E.H.* Date *11-17-26*

Hagerstown, Md., Nov. 19, 1936

Albion, Mich., #4854.

4854

#30 Stop Keys white engraved in black block letters.

Open Diapason 8'	Doppel Floats 8'	Flute Traverso 4'
Principal 4'	Melodia 8'	Viola D'Gamba 8'
Tuba 8'	Bourdon 16'	Open Diapason 8'
Stopped Diapason 8'	Flute D'Amour 4'	Piccolo 2'
Salicional 8'	Cornopean 8'	Oboe 8'
Violina 4'	Vox Celeste 8'	Vox Humana 8'
English Open Diapason 8'	Melodia 8'	Dulciana 8'
Oboe 8'	Clarinet 8'	Unda Maris 8'
Solo Flute 4'	Dulcet 4'	Echo Flute 8'
Vox Humana 8'	Viole Celeste 8'	Vox Humana 8'
Forest Flute 4'	Diapason Resultant 32'	Open Diapason 16'
Bourdon 16'	Lieblich Gedeckt 16'	Bass Flute 8'
Octave Bass 8'	Swell to Great 8'	Choir to Great 8'
Swell to Choir 8'	Choir to Swell 8'	Swell to Pedal 8'
Great to Pedal 8'	Echo to Great	

330 Stop Keys white engraved in red block letters

Tremulant	Tremulant	Tremulant
Celeste Harp	Tremulant	Chimes
Swell to Great 4'	Swell to Great 16'	Choir to Great 4'
Choir to Great 16'	Great to Great 4'	Great to Great 16'
Swell to Choir 4'	Swell to Choir 16'	Choir to Choir 4'
Choir to Choir 16'	Choir to Swell 4'	Choir to Swell 16'
Swell to Swell 4'	Swell to Swell 16'	Swell to Pedal 4'
Great to Pedal 4'	Tremulant	Swells
Swells		

M. P. MÖLLER ORGAN WORKS

HAGERSTOWN, MD.

Organ No. 4854 Contract Rec'd. Nov. 2, 1926 To be Completed Aug. 25, 1927

Name of First M. E. Church Street No. _____

City Albion State Mich. County _____

Address Correspondence to Ford & Reynolds Street No. _____

Ship Organ to A. L. Young Freight Station _____

Route Organ Via _____ Request of _____

Railroads on which located and rates _____

Wrote _____ For Freight Station _____

Case and console

CASING AND DISPLAY PIPES

Casing, console made of Plain Oak Sample to Franklin 12/20/26

Grille made of Grille or pipes

Front Pipes decorated in Gilt O. K. _____

Wrote FR For sample of wood and decorations 12/21/26

ELECTRIC MOTOR AND BLOWER

Motor Elec. Date Spec. sent to Kinetic for size of motor. Nov. 18, 1926

Kinetic advise use of 5 H. P. motor. Cond. Pipe furnished by Church

Date blower ordered 5/17/27 To reach destination Aug 11/1927 Date shipped 7/13/27

Electric Current { A. C. } Phase 3 Cycles 60 Volts 440

Wrote FR to have Electric blank filled up 12/3/26 O. K. O. R.

REED PIPES

Reeds ordered from See cont. Date ordered 5/19/27 Pitch A-440

Date to reach destination July 12/1927 Wind Pressure 5" Date shipped _____

OTHER INFORMATION

Action of Organ Elec. Stops controlled by Stop Keys.

Organ to be voiced on 5" No. Manuals 3 & Echo No. Stops 67

Organ Shipped 7/27/27 Is church old or new _____

Do we get any old Organ _____ To be shipped to _____

NO. 4854 PLACE ALBION, MICH.

FILE NO. F & R.