

1166

EXEMPTION CERTIFICATE

(For use by Religious or Non-profit Educational Institutions)

July 18, 1992

The undersigned hereby certifies that he is _____
Treasurer

of _____
FIRST PRESBYTERIAN CHURCH
(Religious or Non-profit Educational Institution)
CARO, MICHIGAN _____ and that he is authorized to execute

this certificate and that the article or articles specified in the accompanying
order or on the reverse side hereof, are purchased from

ARCLIAN-KINNER ORGAN COMPANY, INC., BOSTON, MASS., for the exclusive use of

FIRST PRESBYTERIAN CHURCH
(Religious or Non-profit Educational Institution)

CARO, MICHIGAN.

(Street Address, City, Zone, State)

It is understood that the exemption from tax in the case of sales of articles under this exemption certificate to the above-named Religious or Non-profit Educational Institution, is limited to the sale of articles purchased for their exclusive use for religious or educational purposes, and it is agreed that if articles purchased tax free under this exemption certificate are used otherwise or are sold to employees or others, such fact will be reported and tax paid by me to the Collector of Internal Revenue for the district in which the sale was made. It is also understood that the fraudulent use of this certificate to secure exemption will subject the undersigned and all guilty parties to a fine of not more than \$10,000., or to imprisonment for not more than five years, or both, together with costs of prosecution.

(Signature) _____

Treasurer

Ed L. Bugnley

*Actual to
Cont # 1166*

State Savings Bank

Caro, Mich.

CLARENCE R. MYERS, PRESIDENT

Aeolian-Skinner Organ Co.,
Boston 25, Mass.

Attention Joseph Whiteford, Vice President.

Dear Mr. Whiteford:-


Re Presbyterian Church, Caro, Michigan
Installation of chimes in our new organ.

This will confirm my telegram of date authorizing you to include in our new organ, now under construction by your good company, a set of 25 top-grade Mayland chimes at a cost of not to exceed \$ 1,100.00 (complete and installed) per price quoted by you in recent correspondence. It is my understanding from previous correspondence that the Mayland chimes are the best organ chimes available, recommended and fully guaranteed by your company. (We are previously agreed that the chimes will be installed in the swell organ and will be playable from the great.)

The chimes have been given to our church as a memorial and I have to-day received from the chairman of our trustees official confirmation for this purchase.

Sincerely,

F. B. Campbell
F. B. Campbell



September 7, 1950.

Mr. F. B. Campbell
State Savings Bank
Caro, Michigan.

Dear Mr. Campbell:

Re: First Presbyterian Church

Thank you for your letter of August 30th confirming the proposed changes to the specification of the organ we are to build for the above church. I have attached your letter to the contract.

Regarding the tapered flute to which I referred, which is to be substituted for the Flute Triangulaire, I beg to advise we have decided to call this flute Octaviane.

Regarding the layout of the Mixtures, I think it would be better for the time being if you will be satisfied with my assurance that the layout of the Mixtures will be made in consultation with Mr. Robert Noehren of Ann Arbor, Michigan. I suggest this because there are one or two details in Mr. Noehren's layout which needed slight modification, one item I have already discussed with Mr. Noehren in correspondence.

With best wishes,

Very sincerely yours,

AEOLIAN-SKINNER ORGAN COMPANY

GDH:AGRA

President

Attach to Contract

State Savings Bank

Caro, Mich.

F. B. CAMPBELL, CASHIER

	G. H. D.	
	W. E. Z.	
	J. S. W.	
RECEIVED	SEP - 5 1950	ASU CO.
	M. G. M.	
	L.	
	A. T. A.	

August 30 1950

G. Donald Harrison, President,
Aeolian-Skinner Organ Company,
Boston, Mass.

Re First Presbyterian Church, Caro, Michigan.

Dear Mr. Harrison:-

Thank you for your letter of August 23 answering my inquiry in connection with the proposed changes in the specification of our new organ as recommended by Robert Noehren.

Believing that the changes Mr. Noehren has recommended in our scheme, including his lay-out of the three mixtures, all of which have your approval, are for the improvement of the general musical qualities of the instrument, I consent to the following changes which I understand do not involve any additional costs to us :-

Great organ -

Eliminate the Twelfth.

Make the Fourniture a II-IV rank stop) All to the lay-out recommended by
Add a two-rank Cymbal (Mr. Noehren.

Swell organ

Eliminate the Geigen Diapason 8' and substitute therefor a 4' Geigen Principal, (73 pipes).

Add a 2' Italian Principal - recommended by Mr. Harrison (73 pipes).

Lay out the Mixture III according to Mr. Noehren's suggestion.

Change the 4' Flute Triangulaire to a 4' tapered flute of a new kind as recommended by Mr. Harrison. (73 pipes)

Pedal organ

Eliminate the 8' Quintaton borrowed from the Great organ.

I believe this covers all the items enumerated in your letter of August 3 consenting to the above changes. Please attach Mr. Noehren's lay-out of the mixtures and this letter of approval to our contract.

Will you please have your secretary type and forward the detail on the mixture lay-out - all I have is Noehren's memorandum on this.

Thank you for your kind cooperation - I can assure you I am looking forward to the finished product with a great deal of anticipation and enthusiasm.

Most sincerely,

F. B. Campbell
F. B. Campbell.

CONTRACT

1 Articles of Agreement made this 27th day of August 1934,
by and between the AEOLIAN-SKINNER ORGAN COMPANY, INC., of BOSTON,
MASSACHUSETTS, hereinafter called the Builder and FIRST PRESBYTERIAN CHURCH
OF CARO MICHIGAN
hereinafter called the Purchaser.

2 For, and in Consideration of the sum of SEVENTEEN THOUSAND EIGHT HUNDRED AND
THIRTY DOLLAR (\$17,830.00) T 1100 00
Dollars, to be paid by the Purchaser to the Builder, the said Builder agrees to build an organ according
to the annexed specifications, in a thorough and artistic manner, and install it in your church

complete in every detail and fully warranted, estimated on or about two years from the date
of this contract

This date is not a consideration or term of this contract, but is given in good faith and full expectation of prompt delivery, subject, however, to delays from fires, strikes or causes beyond the control of the Builder, and especially subject to delays from freight embargoes or other interferences.

3 It is agreed that the amount of any State or Federal Tax levied on the manufacture or sale of said organ or in any other manner levied on the transaction set forth in this agreement, shall be added to the purchase price hereinabove set forth, and paid by the Purchaser.

4 It is understood and agreed that the materials and labor entering into the organ hereinabove contracted for are to be procured by the Builder in the State of Massachusetts, and that said organ is to be constructed by the Builder in the State of Massachusetts from which State it is to be transported in interstate commerce to the State of Michigan where it is to be installed by the Builder as hereinabove set forth.

5 The Purchaser agrees that when the Builder is ready to proceed with the installation of the organ, the Purchaser will keep the building at a suitable temperature as required by the Builder and provide and allow the use of suitable electric current for tone regulation, tuning, testing and lighting; that he shall provide a condition of quiet within the building for the proper tone regulation of the organ, and that he shall hold the Builder harmless from interference with its workmen during the installation. The Purchaser further agrees to assume all risk of damage to the organ by fire, lightning, water, tornado or otherwise while contained in the said building and to insure the same in good reliable companies for the benefit of the parties hereto as their interests may appear.

6 If the building is not in proper condition for the organ to be erected when the organ is ready for shipment, and it becomes necessary to place the organ in storage, to be held until the building is ready for installation, the Purchaser agrees to pay the cost of such storage, or to arrange for such storage in a proper place at his own expense, provided of course that the organ builder does not complete said organ at the factory before the proper time for shipment, in accordance with contract date of completion.

7 It is mutually agreed that, in view of the fact that the presence of rubbish and dust, especially from plaster, and of noise or disturbance caused by workmen, when an organ is being erected causes not only immediate but future troubles in the functioning of any organ, the building in which the organ herein referred to is to be erected shall not be considered ready for the erection of said organ until the organ chambers and the adjacent parts of the building are entirely free from rubbish and dust. In other words, it is understood that the organ erection shall not be started until any other workmen liable to create rubbish, dust or disturbance shall be out of the way entirely, and furthermore, if after the organ erection men once start their work, they are interrupted by other workmen creating rubbish and dust, or making any disturbance, the losses in time and expense caused by the lack of proper conditions for organ erection and tuning, shall be paid by the Purchaser in addition to the contract price herein mentioned.

8 The Purchaser agrees to inform the Builder as to where the organ and console are to be located, and the dimensions of the spaces to be occupied before the plans or construction of the organ are begun. After these dimensions have been so determined the Purchaser shall not permit any changes to be made in the dimensions of the organ spaces, nor the installation of any obstructions such as pipes, beams, posts, etc., and shall reimburse the Builder for additional cost due to such changes or obstructions.

9 The Purchaser, in consideration of the agreement herein of the Builder, hereby requests the Builder to construct and erect said organ and agrees to purchase the same and to pay therefor the sum of.....
SEVENTEEN THOUSAND EIGHT HUNDRED AND THIRTY DOLLARS. (\$17,830.00)

as follows:—

When the contract is signed, ten (10%) per cent. of the total contract price amounting to ONE THOUSAND SEVEN HUNDRED AND EIGHTY THREE DOLLARS (\$1,738.00) ^(1783.00)
 When the Builder notifies the Purchaser he is ready to build the organ, fifteen (15%) per cent. of the total contract price amounting to TWO THOUSAND SIX HUNDRED AND SEVENTY FOUR DOLLARS AND FIFTY CENTS (\$2,674.50). When the principal portions of said organ is manufactured ready to assemble in the factory of the Builder, twenty five (25%) per cent. of the total contract price amounting to FOUR THOUSAND FOUR HUNDRED AND FIFTY SEVEN DOLLARS AND FIFTY CENTS (\$4,457.50). Upon the delivery at the above mentioned building of the principal portion of said organ, twenty five (25%) per cent. of the total contract price amounting to FOUR THOUSAND FOUR HUNDRED AND FIFTY SEVEN DOLLARS AND FIFTY CENTS (\$4,457.50). Upon erection of said organ complete, in accordance herewith, the Purchaser agreeing to examine said organ immediately in the presence of a representative of the Builder, the balance of said contract price, to wit, the sum of FOUR THOUSAND FOUR HUNDRED AND FIFTY SEVEN DOLLARS AND FIFTY CENTS (\$4,457.50)

provided, however, that when said organ is ready for erection, and completion is held up by the inability for any reason of the Purchaser to have the installation proceed, all payments are due up to ninety (90%) per cent. of the contract price.

10. Final payment is in any event immediately due upon use of the organ in service or in other public use.

INFLATION RIDER

In view of the current instability of prices which may have a substantial, although presently unforeseeable, effect on all manufacturing costs, it is further agreed that if by the time the Builder notifies the Purchaser that he is ready to commence manufacture of the organ, there has been a rise of ten(10%) percent or more in the final monthly index of wholesale prices for "ALL COMMODITIES", published by the Bureau of Labor Statistics of the United States Department of Labor, over the level of such index as of the date hereof, the Builder may at his option cancel the contract upon return to the Purchaser of any contract payments theretofore made. Similarly, if by such time there has been a decrease of ten(10%) percent or more in the level of the said index, the Purchaser may at his option cancel the contract and require the return to him of any contract payments theretofore made to the Builder. In event of such cancellation neither party shall be under any further duty or liability to the other by virtue of this contract.

It is hereby stipulated and agreed that the said monthly index is at 169.4 as of the date hereof.

27th

day of

August

1948

AEOLIAN-SKINNER ORGAN COMPANY, INC.

Witness

Mary E. W. Gaffigan

By

G. Shedd Samsen
 President
 FIRST PRESBYTERIAN CHURCH, CARO, MICHIGAN.

By

Cindie L. Samsen
 Churchwarden
 (Purchaser)

Witness

H. Campbell

By

W. H. Chapman
 Clerk of the Session

&

Aolian-Skinner Organ Company

Organ Architects and Builders

Church Residence Auditorium University

Skinner Organs

Aolian Organs

#82448-C

Chicago, Illinois.

August 24,

1948

SPECIFICATION OF AN ORGAN PREPARED FOR

FIRST PRESBYTERIAN CHURCH

CARO, MICHIGAN

3 1/4"

GREAT ORGAN

PIPES

400	16' Quintaton	#44 Standard	61
350	8' Diapason	#45-1/4-1/2 17 Notes	61
350	8' Hohl Flute	Arrange for #2 Reordinant	61
350	8' Gemshorn	Flauto Dolce Com	61
310 250	4' Octave	56-1/4-1/2 17 Notes	61
	2 2/3' Twelfth		61

200	2' Fifteenth	#70-1/4-1/2 17 Notes	61
-----	--------------	----------------------	----

Furniture 44 ranks

Cymbal II

Tremolo 7

183

122

see separate sheet

SWELL ORGAN

300	8' Geigen Diapason		73
300	8' Rohr Flute	#4 metal Bass Notes	73
300	8' Viole de Gambe	#56-1/4 Notes	73
200	8' Viole Celeste	#56-1/4	73
200	4' Geigen Diapason	New tapered fretted bar	73
200	4' Flauto Angulaire		73
400	2' Flauto	#65-1/4-1/2 18 Notes	61
	Plein Jeu 111 Ranks		183

610	16' Fagotto	1/2 length Fagot	73
-----	-------------	------------------	----

450	8' Trompette	#4 French	73
-----	--------------	-----------	----

350	4' Oboe Clarion	French Hautbois	73
-----	-----------------	-----------------	----

Tremolo

5950
1650
7600
500
380
8480
8480
16960

16960
1690
18650

#82448-C

- 2 -

PEDAL ORGANPIPES

45 16' Bourdon

32

15 16' Quintaton (Great)

35 8' Octave

32

20 8' Flute (Bourdon)

12

10 8' Quint (Great)

25 4' Choral Bass

32

150 16' Fagotto (Swell)

COUPLERS

Swell to Great) Unison

Swell to Swell 16')

Swell to Swell 4')

Swell to Great 16') Octave

Swell to Great 4')

Great to Great 4')

Great to Pedal)

Swell to Pedal) Pedal

Swell to Pedal 4')

Great to Pedal 4')

COMBINATIONS - Adjustable at the console and visibly operating the draw stop knobs

Great - 1, 2, 3, 4, 5

Swell - 1, 2, 3, 4, 5

Pedal - 1, 2, 3, 4, 5

General - 1, 2, 3, 4, 5 - Duplicated by toe studs

MECHANICALS

Swell Expression Pedal

Crescendo Pedal

Sforzando Reversible, Pedal and Piston

Great to Pedal Reversible, Pedal and Piston

Swell to Pedal Reversible, Piston - Pedal

Pedal to Manual Combinations "ON" and "OFF" for each manual

General Cancel

SKINNER ORGAN COMPANY, INC.

DETAILS OF CONSTRUCTION

The builder warrants the action and construction in every particular, and agrees to make good any defects in materials and workmanship which may appear within five years.

Action to be electro pneumatic.

Casing of console to be of native oak, or of any other native wood of equal value; of simple design to harmonize with the period of the architecture of the building.

An organist's bench of same material as console casing.

All basses of the larger winded stops on separate chests.

The organ builder is to furnish and install an electric blowing plant, consisting of a motor, blower, remote control self-starter where necessary, and generator for action current, all of ample size to meet any legitimate demand which may be made thereon by the instrument, according to the specifications.

The purchaser shall furnish a suitable foundation for the motor and blower, connect the motor and starting switch with the power current, install wiring from the console to the self-starter and connect same; do all cutting of floors, partitions, etc., and the running of conduits where required and wind conductors from the blower to the console and all organ chambers which may be necessary; and shall prepare the organ chamber in accordance with plans which shall be furnished by the organ builder.

The organ is to be erected in the building, tone regulated, tuned and left ready for use. Freight and cartage to be paid by ~~purchaser~~ *builder*

No organ case or front display pipe work is included.

GREAT ORGAN		3 1/4" Pressure	PIPES	
X	16' Quintaton	#44 standard	61	
X	8' A Diapason	#45 1/4 1/2 17th spotted	61	⁴²⁻⁸ 61 66 (4' from) Full Rec
9X	8' Hohl Flute	Arrange for #2 Melodia (use #2 stop Bass, new scale to be worked out)	61	610 to 9.
X	8' E Gemshorn	Flauto Dolce Common	61	^{20'-66} (4' from) Full Rec
X	4' E Octave	56 1/4 1/2 17th spotted	61	52 66
X	2' E Fifteenth	#70 1/4 1/2 18th spotted	61	
XXXXA Furniture II to IV Rks.		- - 19 - 22	12	notes 208
All #48 @ 8' CC 1/4 1/2		12 - 15 - 19 - 22	12	
18th spotted metal. Repeat		8 - 12 - 15 - 19	12	
of 15th in top octave 2 scales		8 - 12 - 15 - 15	13	
smaller & long feet.			61	

XX	Cymbel II Rks.	29 - 33	15 notes	122
		26 - 29	12 "	
	All 48 @ 8' CC	22 - 26	12 "	
	1/4 1/2 17th	19 - 22	12 "	
	spotted	15 - 19	5 "	
		12 - 15	5	
			61	

Tremolo

SWELL ORGAN

3 3/4" Pressure

X	8' Rohr Flute	#4 metal ^{ball} bar spotted chimney	73	
10X	8' Viole de Gambe	#56 1/4 spotted	73	
10X	8' Viole Celeste	#56 1/4 spotted (LONG-FEET)	61	
X	4' Geigen, Principal	#60 1/4 1/2 18th slotted slid & 73		
X	4' Flute Harmonic	New Tapered	73	
X	2' Italian Principal	#68 1/4 1/2 18th spotted	61	
XXX Plein Jeu III Rks.		22 - 26 - 29	12	183
		19 - 22 - 26	12	
All #48 @ 8' CC spotted		15 - 19 - 22	12	
1/4 1/2 18th		12 - 15 - 19	12	
		8 - 12 - 15	13	
			61	

16' Fagotto 1/2 length Fagot 73

8' Trompette #4 French 73

4' Oboe Clarion French Hautbois 73

Tremolo

1166
Pres Ch. Caro
Mich

<u>PEDAL ORGAN</u>	<u>4" Pressure</u>	<u>PIPES</u>
X → 16' Bourdon	1 - A	32
X 16' Quintaton (Great)		
X 8' Octave #44 2/9	1/2 17th sZinc & Plated slided	32
X → 8' Flute (Bourdon)		12
X 4' Choral Bass #56 1/4	1/2 17th spotted slided	32
E 16' Fagotto (Swell)		

C O U P L E R S

Swell to Great	Ø	Unison
Swell to Swell	16')	
Swell to Swell	4')	
Swell to Great	16')	Octave
Swell to Great	4')	
Great to Great	4')	
Great to Pedal)	
Swell to Pedal)	
Swell to Pedal	4')	Pedal
Great to Pedal	4')	

COMBINATIONS - Adjustable at the console and visibly operating draw stop knobs

Great	1,2,3,4,5	
Swell	1,2,3,4,5,	
Pedal	1,2,3,4,5	
General	1,2,3,4,5	Duplicated by toe studs

MECHANICALS

Swell Expression Pedal
 Crescendo Pedal
 Sforzando Reversible, Pedal and Piston
 Great to Pedal Reversible, Pedal and Piston
 Swell to Pedal Reversible Piston and Pedal
 Pedal to Manual Combinations "ON" and "OFF" for each manual
 General Cancel