



1380

THE *Reuter* ORGAN COMPANY

Lawrence, Kansas

GEORGE L. HAMRICK
District Representative

734 E. Pace's Ferry Rd., N. E. N. E., ATLANTA 5, GA.
Telephone: CEdar 7-2079

SPECIFICATIONS
OF A
REUTER PIPE-ORGAN
1962 3/19

For The

TABERNACLE BAPTIST CHURCH

W 60 (21)

Carrollton, Georgia

Moved To Carrollton
Presbyterian

Three Manuals & Pedal
with
Choir Organ "Prepared For"

The Reuter Organ Company
Lawrence, Kansas

George L. Hamrick
District Representative

734 E. Paces Ferry Road, N. E.,
Atlanta 5, Ga.

GREAT ORGAN

(Expressive in Chamber No. 1)

1.	8'	Diapason	Metal	61 pipes
2.	8'	Hohlfloöte	Wood	61 pipes
3.	8'	Dulciana	Metal	61 pipes
4.	4'	Octave	Metal	61 pipes
5.	2-2/3'	Twelfth	Metal	61 pipes
6.	2'	Fifteenth	Metal	61 pipes
7.		Chimes (*) "mass"	A-F	21 tubes
		Tremolo		

Couplers to Great: Great to Great 4'
Great Unison Off
Great to Great 16'

Swell to Great 4'
Swell to Great 8'
Swell to Great 16'

Choir to Great 4'
Choir to Great 8'
Choir to Great 16'

SWELL ORGAN

(Expressive in Chamber No. 2)

8.	16'	Flauto Dolce (TC)	From #12	49 notes
9.	8'	Rohrflöte	Metal	61 pipes
10.	8'	Salicional	Metal	61 pipes

(*) The Chimes are to be equipped with an all-electric action with dampers, and to have a switch with volume control at five levels from soft to loud.

Swell Organ, Continued

11.	✓ (*)	8'	Voix Celeste (TC) *	Metal	49 pipes
12.	✓	8'	Flauto Dolce	Metal	85 pipes
13.	✓	4'	Octave Geigen	Metal	61 pipes
14.	✓	4'	Flauto Dolce	From #12	61 notes
15.	✓	2'	Dolce	From #12	61 notes
15A					
16.	✓	III	Mixture Blank (Preparation for III Rank Mixture)		183 Pipes 2/25/7
17.	✓	8'	Trompette	Reeds	61 pipes
18.	✓	4'	Hautbois	Reeds	61 pipes
	✓		Tremolo		

Couplers to Swell: Swell to Swell 4'
Swell Unison Off
Swell to Swell 16'

CHOIR ORGAN (Console Preparation)

(To Be Expressive in Chamber No. 1)

19.	✓	Blank	(Preparation for 8' Gedeckt)
20.	✓	Blank	(Preparation for 8' Gemshorn)
21.	✓	Blank	(Preparation for 8' Gemshorn Celeste)
22.	✓	Blank	(Preparation for 4' Flute d'Amour)
23.	✓	Blank	(Preparation for 2-2/3' Nasard)
24.	✓	Blank	(Preparation for ^{2'} Flautino)
25.	✓	Blank	(Preparation for 1-3/5' Tierce)

(*) The Voix Celeste pipes are to be voiced in power between that of the Salicional and the Flauto Dolce, so that they may be used in combination with either or both of these registers.

Choir Organ, Continued

26. \ Blank (Preparation for 8' Fagotto)
27. \ Chimes From #7 21 notes
- \ Tremolo (Preparation)
- Couplers to Choir: Choir to Choir 4'
- Choir Unison Off
- Choir to Choir 16'
- Swell to Choir 4'
- Swell to Choir 8'
- Swell to Choir 16'

PEDAL ORGAN

(Expressive with the other Divisions)

28. \ 16' Violone Metal 32 pipes
29. \ 16' Bourdon Wood 32 pipes
30. \ 16' Flauto Dolce (Capped) ^{metal} Extension #12 12 pipes
31. \ 8' Octave Metal 32 pipes
32. \ 8' Bourdon Extension #29 12 pipes
33. \ 8' Flauto Dolce From #12 32 notes
34. \ 5-1/3' Quint From #31-#35 32 notes
35. \ 4' Super Octave Extension #31 12 pipes
36. \ 4' Flauto Dolce From #12 32 notes
37. \ Chimes From #7 21 notes

Couplers to Pedal: Great to Pedal 8'

Great to Pedal 4'

Swell to Pedal 8'

Swell to Pedal 4'

Choir to Pedal 8'

Choir to Pedal 4'

ADJUSTABLE COMBINATIONS

Operated by Pistons under their respective Manuals
Adjustable at the Keyboard and Visibly moving the Registers

Six, thumb pistons, Masters, affecting the entire organ, three to be duplicated by toe pistons
Five, thumb pistons affecting Great Stops and intra-manual couplers
Five, thumb pistons affecting Swell Stops and intra-manual couplers
Five, thumb pistons affecting Choir Stops and intra-manual couplers
Five, toe pistons affecting the Pedal Stops
One, thumb piston, General Cancel, affecting the entire organ

COMBINATION COUPLERS

Pedal Combinations to Great Pistons, On or Off
Pedal Combinations to Swell Pistons, on or Off
Pedal Combinations to Choir Pistons, On or Off

REVERSIBLES

Great to Pedal, duplicate thumb and toe pistons
Full Organ, Sforzando, duplicate thumb and toe pistons

PEDAL MOVEMENTS

Register Crescendo Pedal
Great-Choir Expression Pedal
Swell Expression Pedal

ACCESSORIES

Full Organ (Sforzando) Indicator Light
Register Crescendo Indicator Light
Current Indicator Light
Music Rack (Plastic)
Fluorescent Light for Music Rack
Pedal Manual Light
Organist's Bench with curved front,
 Music Shelf and Adjustable in Height
Concave Radiating Pedal Keyboard, A.G.O. Model
Action Current Power Unit
Blower and Motor of ample capacity
Static Pressure Control Reservoir on Blower