M. P. MÖLLER Organ Factory

Pipe Organ No	R-521	3/28 Date	January 5, 1955
For	MYERSTOWN EVANGELICAL		
Action	Electro-Pneumatic	Console	Detached - PWO
Casing No.	None	Finish	To match furnishings
Decorations	None	Motor	Present
Width of Key-bed	Standard	Stop Co	ntrols Draw-Knobs & Tilting Table
No. Manuals	Three & Pedal		
To be Completed	April 10, 1955	Blower	Pipe furnished by Purchaser
TO DO COMPICION.		CIFICATIONS	
	DA 23		
		FOR	
	REBUILDING PRESENT MO	LLFR ORGAN OPUS 4:	251 - 1925 45181
CONSOLE	Install new three manu pedal keyboard and org	al electro-pneuma an bench.	tic detached draw knob console
MANUAL CHEST	magnets. Install 1412 new stop Install 61 new duplex Releather 20 stop acti	action checks and shifters.	eyelets. nstall new outside type magnets. with revised specifications.
OFFSET CHEST	outside type magnets.		#1-#85 inc. and install new outside
CONTACT BOX	Releather present Swell blocks. Install new Great cont		#73 inc. and install new contact
SWITCHES	Install the following	new switches with	stop actions -
	Great (Swell 16 (Swell 8 (Swell 4 (Swell 8 () Swell 8 () Swell 8 ()	Flute Harmonic Chimes Quintaton Stopped Flute Orchestral Flute Vox Humana Harp	32 Notes 20 Notes 32 Notes 73 Notes 73 Notes 61 Notes 49 Notes
CHIMES	Releather 20 note act: Recover 20 present pro- Refelt action through	eumatics.	w outside type magnets.

R-521

HARP

Releather 49 note action and install new outside type magnets.

Recover 49 pneumatics. Install 49 new hammers. Refeit action throughout.

PEDAL

Releather 101 pipe pouches.

Install new magnet boards with primary for 101 chest pouches. Releather 16 Diapason action #1-#13 inc. and install new outside

type magnets.

Releather II Sesquialtera action #1-#8 inc. and install new outside

type magnets.

Releather 16 Bourdon action #1-#44 inc. and install new outside type

magnets.

Install new 4 Flute Harmonic primary station #1-#32 inc.
Install new 16 Quintaton primary station #1-#32 inc.

Install new 32 note pedal relay with eight 32 note switches.

EXPRESSION

Install new expression shades and action for Swell organ.
Install new expression shades and action for Choir organ.

Install new swell box partition as required.

RESERVOIRS

Recover three 3'-0" x 4'-0" manual reservoirs.

Recover one 1'-6" x 3'-0" pedal reservoir.

Install new pedal reservoir.
Install new Harp reservoir.
Install new Chime reservoir.

Install new 3'-6" x 3'-6" blower reservoir.

TREMOLO

Install three new electro-pneumatic tremolos.

PIPES

Install modern tuning slides on 8 Gemshorn 73 pipes.

Install modern tuning slides on top octaves.

Revoice 8 Oboe as 4 Oboe Clarion and add 12 top notes.

Revoice 8 Vox Humana 61 pipes. Revoice 8 Clarinet 73 pipes. Revoice present flue pipes.

Install the following new pipes -

Great	8	Bourdon	73 Pipes
Great	II	Grave Mixture	122 Pipes
Swell	16	Quintaton	73 Pipes
Swell	III	Plein Jeu	183 Pipes
Swell	8	Trompette	73 Pipes
Choir	2-2/3	Nasard	61 Pipes
Peda1	II	Sesquialtera	64 Pipes

CABLES

Install new asbestos covered cables between console and organ.

ACTION CURRENT GENERATOR Recondition present generator at factory.

BLOWER

Recondition present motor & blower at factory.

GENERAL

The entire organ including blower motor & generator to be returned to the factory of M. P. Moller, Inc. at Hagerstown, Maryland for rebuilding as specified above. Same to be installed in new organ chambers prepared by the church.

SPECIFICATIONS FOR CONSOLE & ORGAN

MANUAL COMPASS PEDAL COMPASS WIND PRESSURE PITCH		CCC to C4, 61 notes CCC to G, 32 notes
		A-440 @ 70° F
		GREAT ORGAN (Unenclosed) 6
,	1 8	DiapasonPresent Swell Open Diapason pipes, present Flute Harmonic action
	2 8	Bourdon New pipes present Doppelflöte action
		PrincipalPresent pipes, present action
	4 4	Flute HarmonicPresent pipes, present Gamba action73 Pipes
	5 II	Grave Mixture New pipes, present Trumpet action122 Pipes
	3 4 4 4 5 II	Chimes
	7	Tremolo
		SWELL ORGAN 12
	8 16	Quintaton New pipes, present Bourdon action
1	9 8	Geigen DiapasonPresent Violin Diapason pipes, present
		Open Diapason action
1	0 8	Stopped Flute (Unit) Present pipes, present action85 Pipes
1	1 8	Viole de Orchestre, Present pipes (revoiced) present
		action73 Pipes
1	2 8	Viole Celeste TCPresent pipes (revoiced) present
		action
1	3 4	Principal
	4 4	Orchestral Flutefrom #10
	5 111	Plein Jeu New pipes, present Cornopean action183 Pipes
	6 8	Trompette New pipes, present Obce action
1	7 4	Oboe ClarionPresent pipes, present Dolce action73 Pipes
	8 8	Vox HumanaPresent pipes, present action
STATE OF	9	Tremolo

	Ŋ	

CHOIR ORGAN 6

		GROIR URGAN
20 21 22 23 24 25 26 27 28	8 8 8 4 2-2/3 2 8	Concert FlutePresent pipes, present action
		PEDAL ORGAN 4
29	16	PrincipalPresent Great 16 Open Diapason pipes, present action
30	16	Bourdon Present pipes, present action
31	16	Omintation #8
32	8	Principal32 Notes
33	8	Roundon Trom #30
34	4	Smar Octave
35	2	Fifteenth
36	4	Flute Harmonicfrom #4
37	п	SesquialteraNew pipes, present Great First Open Diapason action

COUPLERS

38	Great to Pedal
39	Great to Pedal 4
40	Swell to Pedal
41	Swell to Pedal 4
42	Choir to Pedal
43	Choir to Pedal 4
44	Swell to Great 16
45	Swell to Great
46	Swell to Great 4
47	Choir to Great 16
48	Choir to Great
49	Choir to Great 4
50	Great 16
51	Great Unison
52	Great 4
53	Swell 16
54	Swell Unison
55	Swell 4
56	Swell to Choir 16
57	Swell to Choir
58	Swell to Choir 4
59	Choir 16
60	Choir Unison
61	Choir 4

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5-6
Pistons No. 1-2-3-4-5-6
Pistons No. 1-2-3-4-5-6
Toe Studs No. 1-2-3-4-5-6
Pistons No. 1-2-3-4-5-6
General Cancel

Affecting Great Stops
Affecting Swell Stops
Affecting Choir Stops
Affecting Pedal Stops
Affecting Full Organ (duplicated by toe studs)

PEDAL MOVEMENTS

1 - Great to Pedal Reversible (duplicated by manual piston)
2 - Swell to Pedal Reversible (duplicated by manual piston)
3 - Choir to Pedal Reversible (duplicated by manual piston)

4 - Balanced Expression Pedal for Swell Organ 5 - Balanced Expression Pedal for Choir Organ

6 - Balanced Crescendo Pedal

7 - Sforgando Reversible (duplicated by manual piston)

ACCESBORIES

Action current indicator light - White Crescendo indicator light - Green Sforsando indicator light - Red

Concave & radiating pedal keyboard Organ bench with music shelf

Present motor, blower & generator.

1/28/55 HDO/mb