

C O P Y.

ORGAN

#4158

Memorandum of Agreement, Made this.... 31st.....

day of **October**..... A. D., 1924., by and between **M. P. MOLLER, Inc.**, of Hagerstown, Maryland, party of the first part, and

Monadnock Congregational Church, Colebrook, N. H...... of the second part.

Witnesseth: That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it in..... **above church**..... ready for use on or before the... **first**.... day of... **March**..... A. D., 1925., or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined, immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

3. The party of the first part guarantees the action and construction of the organ for a term of one year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturers for one year).

4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., or order, the sum of **Three Thousand Three hundred dollars (\$3,300.00)**

AS FOLLOWS: Cash on satisfactory completion and acceptance or not less than one third cash and balance in two equal consecutive annual notes bearing 6% interest per annum.

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ..... **4**..... weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.

6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

NOV 21 1924

new copy

M. P. MÖLLER Organ Factory

Pipe Organ No. 4158 Date Oct. 31, 1924
 For Monadnock Cong. Church, Colebrook, N.H.
 Action Elec. Console Attached
 Casing of _____ Finish _____
 Decorations gold Bronze Motor Elec.
 Width of Key-bed _____ Stop Controls Stop Keys.
 No. Manuals Two Wind Pressure 5"
 To be completed June 1925 Blower pipe furnished by Church

SPECIFICATIONS:

Pitch A-440

GREAT ORGAN

1	8'	Open Diapason.....Scale 42.....	61 Pipes
2	8'	Dulciana.....	61 "
3	8'	Flute... (Melodia Scale).....	73 "
4	4'	Flute.....From #5.....	73 Notes

SWELL ORGAN

5	8'	Stopped Diapason.....From #9.....	73 Notes
6	8'	Viole D'Orchestre.....	73 Pipes
7	8'	Oboe.....T.C.....	61 "
8	8'	Vox Celeste.....T.C.....	61 "
9	16'	Lieblich Gedeckt.....Unit.....	97 Pipes
10	4'	Flute.....From #9.....	73 Notes
11	2-2/3'	Quint.....From #9.....	61 "
12	2'	Piccolo.....From #9.....	61 "
13	8'	Asolins.. (Stop Action only)	

PEDAL ORGAN

14	16'	Bourdon.....Large Scale.....	44 Pipes
15	16'	Lieblich Gedeckt..From #9.....	32 Notes
16	8'	Flute.....From #14.....	32 "

COUPLERS

17	Swell to Great	23	Great 4'
18	Swell to Pedal	23	Great 16'
19	Great to Pedal	24	Swell to Great 4'
20	Swell 4'	25	Swell to Great 16'
21	Swell 16'	26	Swell Unison Separation
22	Great to Swell	27	Great Unison Separation

MECHANICALS

- 28 Great Tremulant
- 29 Swell Tremulant
- Crescendo Indicator

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals.)
 Pistons No. 1-2-3 Affecting Great and Pedal Stops
 Pistons No. 1-2-3-4 Affecting Swell and Pedal Stops
 Pistons No. 1-2-3-4-5-6 Affecting Full Organ. Corresponding Pedal Pistons.

PEDAL MOVEMENTS

- 1 Great to Pedal Reversible
 - 2 Grand Crescendo Pedal
 - 3 Balanced Swell Pedal
 - 4 Balanced Great Pedal
- Organ Bench with Music Shelf.
 Concave Pedal.
 Electric blower of ample capacity.

M. P. MÖLLER Organ Factory

Pipe Organ No. 4158 Date Oct. 31, 1924
 For Monadnock Congregational Church, Colebrook, N.H.
 Action Elec. Console Attached
 Casing of _____ Finish _____
 Decorations Gold Bronze Motor Elec.
 Width of Key-bed _____ Stop Controls Stop Keys.
 No. Manuals Two Wind Pressure 5"
 To be completed March 1, 1925 Blower pipe furnished by Church

SPECIFICATIONS:

Pitch A-440

GREAT ORGAN 73 Note Chest

1	8 ^t	Open Diapason.....Scale 42.....	61 Pipes
2	8 ^t	Dulciana.....	61 "
3	8 ^t	Flute... (Melodia Scale).....	73 "
4	4 ^t	Flute.....From #3.....	73 Notes

SWELL ORGAN

5	8 ^t	Stopped Diapason.....From #9.....	73 Notes
6	8 ^t	Viola D'Orchestra.....	73 Pipes
7	8 ^t	Oboe.....T.C.....	61 "
8	8 ^t	Vox Celeste.....T.C.....	61 "
9	16 ^t	Lieblich Gedackt.....	97 "
10	4 ^t	Flute.....From #9.....	73 Notes
11	8 ^t	Dulciana.....From #2.....	61 "

PEDAL ORGAN

12	16 ^t	Bourdon.....Large Scale.....	44 Pipes
13	16 ^t	Lieblich Gedackt.....From #9.....	32 Notes
14	8 ^t	Flute.....From #12.....	32 "

COUPLERS

15	Swell to Great	21	Great 16 ^t
16	Swell to Pedal	22	Swell to Great 4 ^t
17	Great to Pedal	23	Swell to Great 16 ^t
18	Swell 4 ^t	24	Swell Unison Separation
19	Swell 16 ^t	25	Great Unison Separation
20	Great 4 ^t		

MECHANICALS

26 Tremulant
 Crescendo Indicator

ANY UNSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals.)
 Pistons No. 1-2-3 Affecting Great and Pedal Stops
 Pistons No. 1-2-3-4 Affecting Swell and Pedal Stops

PEDAL MOVEMENTS

1 Great to Pedal Reversible
 2 Balanced Swell Pedal
 3 Grand Crescendo Pedal
 Organ Bench with Music Shelf.
 Concave Pedal
 Electric blower of ample capacity.

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.

8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

M. P. Moller, Inc.

By L. Luberoff, E. L. (SEAL)
Party of the first part

WITNESS

John D. Annis, Chrm. (SEAL)

(SEAL)

(SEAL)

(SEAL)

Party of the second part

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

SPECIMEN SPECIFICATION

MANUERS:- Compass CC to C, 51 Notes.
 PEDALS:- Compass CCC to C, 32 Notes.
 ACTION:- Moller's Patent Electro-Pneumatic throughout.

GREAT ORGAN

1	9'	Open Diapason (Not enclosed).....51 Pipes
2	8'	Dulciana.....61 "
3	8'	Melodia.....73 "
4	4'	Flute.....62 Notes
5	5'	Double Flute) possible additions, stop keys
6	8'	Gamba " and Swell box provided.

SWELL ORGAN

7	15'	Bourdon.....unit.....57 Pipes
8	8'	Stopped Diapason.....73 Notes
9	6'	Flute.....73 "
10	5-5 1/2'	Flute.....61 "
11	5'	Harmonium.....61 "
12	5'	Travis Diapason.....73 Pipes
13	5'	Flor Diapason.....73 "
14	5'	Low Celeste.....61 "
15	5'	Clav (Synthetic).....61 Notes
16	5'	Compass) possible additions, Stop Keys and
17	5'	Tox provided. Swell Box provided

PEDAL ORGAN

18	15'	Bourdon (Large scale).....48 Pipes
19	8'	Flute.....from Bourdon.....32 Notes
20	15'	Suboctave Swell.....32 "

QUILERS

21	Great to Pedal	27	Great 15'
22	Swell to Pedal	28	Great to Swell
23	Swell to Great	29	Swell 4'
24	Swell to Great 15'	30	Swell 15'
25	Swell to Great 15'	31	Swell Unison
26	Great 5'	32	Great Unison

MECHANICALS

33	Great Tremulant
34	Swell Tremulant

COMBINATIONS

Three pistons affecting Great and Pedal Stops
 Four pistons affecting Swell and Pedal Stops
 Six General Pistons and Pedal Scale

PEDAL MOVEMENTS

Great to Pedal Reversible
 Balanced Great Pedal
 Reversible Swell Pedal
 Balanced Crescendo Pedal
 Crescendo Pedal and reversible (Indicator light).