

M. P. MÖLLER Organ Factory

Slifer

Pipe Organ No.	7805	Date	December 31, 1947
For	ST. PAUL'S METHODIST CHURCH, MONROE, MICHIGAN		
Action	Electro-pneumatic	Console	Detached
Casing No.	None	Finish	As per sample
Decorations	None	Motor	5 H. P., Style 3-P-3328
Width of Key-bed	Standard	Steps & intra-man. coup.	by drawknobs.
No. Manuals	Three	Stop Controls	Inter-man. coup. by tilting tablets.
To be Completed	Soon as possible	Wind Pressure	4"
		Blower Pipe furnished by	Purchaser

SPECIFICATIONS

PITCH A-440

Great Organ

1	8'	Diapason....CC 40, TC 56....18-19-1/2....12 Zinc...S.M.....73 pipes
2	8'	Bourdon.....from #21.....73 notes
3	8'	Gemshorn.....52-1/3.....12 Zinc...S.M.....73 pipes
4	4'	Octave.....57.....18-19-1/2.....S.M.....73 pipes
5	4'	Spitzflöte.....from #24.....73 notes
6	2-2/3'	Quint.....66.....S.M.....61 pipes
7	2'	Super Octave.....68.....S.M.....61 pipes
8		Blank

Swell Organ

9	8'	Gamba.....54.....12 Zinc...S.M.....73 pipes
10	8'	Gamba Celeste t.c.....56.....S.M.....61 pipes
11	8'	Rohrflöte.....52.....12 Zinc...S.M.....73 pipes
12	4'	Principal.....58.....S.M.....73 pipes
13	4'	Flute Ouverte.....60.....non-harmonic.....S.M.....73 pipes
14	2'	Flautino.....70-2/3.....S.M.....61 pipes
15	III Rks.	Plein Jeu.....3-W.....S.M.....183 pipes
16	8'	Trumpet.....4".....73 pipes
17		Blank
18		Blank
19		Tremulant

Choir Organ

20	8'	Viola.....52.....12 Zinc...S.M.....73 pipes
21	8'	Bourdon.....54.....12 Zinc...S.M.....73 pipes
22	8'	Dulciana.....56.....12 Zinc...S.M.....73 pipes
23	8'	Unda Maris..t.c.....56-2/3.....S.M.....61 pipes
24	4'	Spitzflöte.....60-1/2.....S.M.....73 pipes
25	2-2/3'	Nasard.....70.....capped.....S.M.....61 pipes
26	8'	English Horn.....4".....73 pipes
27		Blank
28		Tremulant

Pedal Organ

29	16'	Diapason.....CCC 32, CC 40.....12 pipes, 20 from #1.....32 notes
30	16'	Bourdon.....Reg. Ped. Bdn.....44 pipes
31	16'	Rohrbourdon.....R.M.B.....12 pipes, 20 from #11.....32 notes
32	8'	Principal.....40.....12 Zinc....C.M.....44 pipes
33	8'	Bourdon.....from #30.....32 notes
34	8'	Rohrflöte.....from #11.....32 notes
35	4'	Super Octave.....from #32.....32 notes
36	8'	Trumpet.....from #16.....32 notes
37		Blank

Chancel Organ (Console only)

38	8'	Viole
39	8'	Flute
40	8'	Celeste
41	4'	Violin
42	4'	Flute
43	8'	Trumpet
44	8'	Vox Humana
45		Tremulant

Chancel Pedal (Console only)

46	16'	Gedeckt
47	8'	Flute

Couplers

48	Great to Pedal	61	Swell to Choir 16'
49	Great to Pedal 4'	62	Swell to Choir
50	Swell to Pedal	63	Swell to Choir 4'
51	Swell to Pedal 4'	64	Great 16'
52	Choir to Pedal	65	Great 4'
53	Choir to Pedal 4'	66	Swell 16'
54	Swell to Great 16'	67	Swell 4'
55	Swell to Great	68	Choir 16'
56	Swell to Great 4'	69	Choir 4'
57	Choir to Great 16'	70	Great Unison Separation
58	Choir to Great	71	Swell Unison Separation
59	Choir to Great 4'	72	Choir Unison Separation
60	Chancel to Great		

Adjustable Combinations

Pistons No. 1-2-3-4-5-6	Affecting Great Stops
Pistons No. 1-2-3-4-5-6	Affecting Swell Stops
Pistons No. 1-2-3-4-5-6	Affecting Choir Stops
Pistons No. 1-2-3	Affecting Chancel Stops
Pistons No. 1-2-3-4-5-6	Affecting Pedal Stops
Pistons No. 1-2-3-4-5-6	Affecting Full Organ (Duplicated by toe studs)
General Cancel Piston	

Pedal Movements

Great to Pedal Reversible (duplicated by manual pistons)
Swell to Pedal Reversible (duplicated by manual pistons)
Choir to Pedal Reversible (duplicated by manual pistons)
Sforzando Reversible (duplicated by manual piston)
Balanced Expression Pedal, Great - Choir
Balanced Expression Pedal, Swell
Balanced Expression Pedal, Chancel
Balanced Crescendo Pedal

Accessories

Crescendo Indicator (lights)
Sforzando Indicator (light)
Expression Indicators (lights)
Radiating, Concave Pedal Clavier
Organ Bench with Music Shelf
Electric motor, blower and action current generator of ample capacity.

Organ Chambers with tone openings and grille work to be supplied by purchaser according to builder's specifications.

JHH:jr
8/5/48