

Memorandum of Agreement, Made this 20th

day of November A. D., 1928, by and between **M. P. MOLLER, Inc.**, of Hagerstown, Maryland, party of the first part, and

First Presbyterian Church, Blissfield, Mich.

of the second part,

Witnesseth: That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it in Blissfield Presbyterian Church,
Blissfield, Mich.
ready for use on or before the 10th day of February A. D., 1928 or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

³~~one~~ five The party of the first part guarantees the action and construction of the organ for a term of ~~one~~ five year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturers for one year).

4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., or order, the sum of Thirty Eight Hundred and Fifty Dollars

AS FOLLOWS: (\$1,250.00) Twelve hundred and Fifty Dollars after organ is installed and approved. Balance in two annual rates due one and two years from date of acceptance with interest at 8% per annum.

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ two weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.

6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

8A. This contract not in force until notified by letter from committee.

JUL 17 1928

7. ~~When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith;~~ to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.

8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

WITNESS

----- (SEAL)
Party of the first part.

Mrs. Otto Tagsold ----- (SEAL)

Mrs. Geo. Rothfuss ----- (SEAL)

Ford & Reynolds

----- (SEAL)

----- (SEAL)

Party of the second part

NOTE--If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER Organ Factory

Pipe Organ No. 5489 Date Nov. 20, 1928
 For First Presbyterian Church, Blissfield, Mich.
 Action Electric Console Detached, finished to match church furniture
 Casing No. Walnut Finish _____
 Decorations Plain Gilt Motor Electric
 Width of Key-bed _____ Stop Controls Tab
 No. Manuals Two Wind Pressure 5"
 To be completed Feb. 10, 1929 Blower pipe furnished by Builder

SPECIFICATIONS

Casing, display pipes or grille by organ factory.
 Organ chamber by factory. Wind conductors, conduits, all electrical and carpenter work by factory.

GREAT ORGAN

1	8'	Open Diapason.....	44 scale-wood bass.....	73 Pipes
2	8'	Dulciana.....	50 scale.....	73 "
3	4'	Flute Traverso.....	From #4.....	61 Notes
4	8'	Melodia.....	73 Pipes
5	8'	String.....	From 8.....	73 Notes
		Chimes	(Blank Stop)	

SWELL ORGAN

6	8'	Stopped Diapason.....	73 Pipes
7	4'	Flute d'Amour.....	From 6.....	61 Notes
8	8'	Salicional.....	60 scale.....	73 Pipes
9	8'	Dolce.....	From 2.....	61 Notes
10	8'	Oboe.....	73 Pipes
11	8'	Voix Celeste.....	T.C.....62 scale.....	61 "
11-A	8'	Vox Humana.....	S.S.B.....	61 "

PEDAL ORGAN

12	16'	Bourdon.....	Large scale.....	44 Pipes
13	16'	Lieblich Gedeckt.....	From 12.....	32 Notes
13-2	8'	Bass Flute.....	" 12.....	32 "

COUPLERS

14	Great to Great 4'	19	Swell to Great 8'
15	Great to Great 16'	20	Swell to Great 16'
16	Swell to Swell 4'	21	Swell to Pedal
17	Swell to Swell 16'	22	Great to Pedal
18	Swell to Great 4'		

MECHANICALS

23	Tremulant
	Crescendo Indicator (by light)

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Pistons No. 1-2-3	Affecting Swell & Pedal Stops
Pistons No. 1-2-3	Affecting Great & Pedal Stops

PEDAL MOVEMENTS

1	Great to Pedal Reversible
2	Balanced Swell pedal
3	Grand Crescendo Pedal

CONCAVE RADIATING PEDALS

FURNISHED WITH ORGAN

Organ Bench with Music shelf
 Electric motor, blower, generator.
 Freight & drayage from factory to bldg.
 & installation.

ALM

12-18-28

Checked by.....date.....

5489

5489 - Blissfield, Mich. Hagerstown, Md. 12/20/28
#20 Stop Keys white engraved in black block letters.

Open Diapason 8'	Dulciana 8'	Flute Traverse 4'
Melodia 8'	String 8'	Stopped Diapason 8'
Flute d'Amour 4'	Salicional 8'	Dolce 8'
Oboe 8'	Voix Celeste 8'	Vox Humana 8'
Bourdon 16'	Lieblich Gedeckt 16'	Bass Flute 8'
Swell to Pedal	Swell to Great	Great to Pedal

#20 Stop Keys white engraved in red block letters.

Great to Great 4'	Great to Great 16'	Swell to Swell 4'
Swell to Swell 16'	Swell to Great 4'	Swell to Great 16'
Tremulant	Chimes	

M. P. MÖLLER ORGAN WORKS

HAGERSTOWN, MD.

Organ No. 5489 Contract Rec'd Nov. 20, 1928 To be completed Feb. 10, 1929
Name of First Presbyterian Church Street No. _____
City Blissfield State Mich. County _____
Address Correspondence to Mrs. Otto Tagold Street No. 52 W. Adrian St.
Ship Organ to _____ Freight Station _____
Route Organ Via _____ Request of _____
Railroads on which located and rates } nyc. 1178 101k
Wrote _____ For Freight Station _____ O. K. _____

Case and console CASING AND DISPLAY PIPES

Casing console made of Walnut Sample to Green 12-22-28
Grille made of Not decided, but if we do, use same wood and finish as console
Front pipes decorated in Plain Gilt O. K. _____
Wrote _____ For sample of wood and decorations _____

3' x 5' x 7' high ELECTRIC MOTOR AND BLOWER

Blue print, showing size blower sent to _____ Date _____ Approved _____
Motor Elec. Date Spec. sent to Kinetic for size of motor Dec. 1928
Kinetic advise us of 1/2 H. P. motor. Cond. pipe furnished by Us.
Date blower ordered 1-5-29 To reach destination 2-1-29 Date shipped 2-1-29
Electric Current { A. C. } Phase single Cycles 60 Volts 110-220
Wrote _____ to have Electric blank filled up _____ O. K. _____

reed pipes

Reedp ordered from See cont. Date ordered _____ Pitch A-440
Date to reach destination 2-1-29 Wind Pressure 5" Date Shipped _____

OTHER INFORMATION

Action of Organ Elec. Stops Controlled by Stop Keys.
Organ to be voiced on 5" No. Manuals 2 No. Stops 26
Organ shipped 2-1-29 Is church old or new Old
Do we get any old Organ _____ To be shipped to _____
NO. 5489 PLACE BLISSFIELD, MICH.
F & B. 17' high. 40' wide. 70' long. Seats 425.

**THIS QUESTIONNAIRE TO BE ATTACHED TO EVERY
FACTORY AND LOCAL COPIES OF CONTRACTS**

NOT TO BE ATTACHED TO CUSTOMERS COPIES

Organ No.
Name of Institution
First Presbyterian Church
City **Blissfield** State **Mich.**...

- (1) Correct measurements of organ space are absolutely necessary with contract.
 (2) Send sketch of floor plan of church showing location of organ, choir, pulpit and console.
 (3) Where is the most convenient place for electric cables to enter organ chambers?.....
 **In corner as shown** **6 4 89**
 (4) Where is the most convenient place for blower pipe to enter organ chambers?.....
 **In corner as shown**
 (5) Give exact size of doors through which organ parts are to pass. **2'6" x 5'0"**
 (6) Are there any obstructions near doors, short turns, etc?..... **No**
 (7) Where is best location for blower? **In basement directly underneath organ**
 (8) Give size of room for blower. **3'0" x 5'0" x 7'0" high**
 (9) Give size of doors through which blower has to pass. **2'0" x 6'0"**
 (10) Give distance from blower to organ chamber. **8'0"**
 (11) Kind of wood to be used for (console) **walnut** and samples. If oak, state if plain or quartered
 (case) **walnut**
 (grille) **walnut**
 (12) Do we furnish any case? **Yes**
 (13) Do we furnish any grille **Not decided** (13a) Is grille to be finished same as case or console? **Yes**
 (14) If we furnish grille for arches we must have templets. **No arches**
 (15) Does case go on inside, between or outside of arch? **Outside of straight wall**
 (16) Give thickness of arch or openings
 (17) Give style of panels desired in case or console. **Gothic**
 (18) If door to be in case, is it for choir entrance? **No door in case**
 (19) If organ case is built by church, we must have templet giving exact size for pipes
 (20) Do we furnish front pipes? **Possibly** (20a) Decoration for front pipes. **plain gilt**
 (21) Is console attached or detached? **detached**
 (22) How many feet of cable required from console to organ? **12'0"**
 (23) If console movable, how much flexible air hose do we furnish?
 (24) Is organ divided or not? **Not divided**
 (25) Is organ all enclosed? **Yes** (25a) If not, state how much is out
 (26) Do we make swell box around chest? **No**
 (27) If all enclosed, who builds organ chambers? **We do, by building two walls in S.S. room**
 (28) Give dimensions of auditorium (Height) **17'0"** (Auditorium) **350**
 (Width) **40'0"** (28a) Seating capacity (Gallery) **75**
 (Depth) **70'0"**
 (29) Kind of stop controls? **Tabs** (29a) Kind of coupler controls? **Tabs**
 (30) Color of Stop controls? **Plain black and white**
 (31) Is the organ to have tubular or electric action? **electric** (31a) Style of console? **regular**
 (32) Is the building old or new? **Old**
 (33) Have organ plans been made by us? **Yes** (33a) If approved, state when and by whom?
 (33b) Return copy
 (34) Street address of church. **Blissfield, Mich.** (34a) (County)
 (35) Name of organist and street address. **Mrs. Otto Tagsold, 52 W. Adrian St.**
 (36) Name of architect and street address. **None**
 (37) Name of party organ is to be shipped to and street address **Mrs. Otto Tagsold, 52 W. Adrian St**
 (38) Give name of nearest freight station to church for carload as well as less carload shipments.
 **Blissfield, Michigan**
 (39) If we get old organ, we must have complete specifications and measurements, name of maker, also how old, and present condition when contract is mailed.
 Remarks:

Answer these questions and do not merely refer factory to plans.