

C O P Y.

ORGAN #3495.

Memorandum of Agreement, Made this..30th.....

day of. September.....A. D., 1923., by and between M. P. MOLLER, Inc., of Hagerstown, Maryland, party of the first part, and

Holy Trinity Evangelical Lutheran Church of Gastonia, N. C.. of the second part.

Witnesseth:- That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it in... **Holy Trinity Evangelical Lutheran... Church of Gastonia, N. C.**..... ready for use on or before the.....**1st**.....day of **Apr.**....A. D., 1923, or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined, immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

3. The party of the first part guarantees the action and construction of the organ for a term of one year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturers for one year).

4. In consideration of the above, the party of the second part agrees to pay to M. P. Moller, Inc., or order, the sum of...**Thirty-five hundred (\$3,500.00). Dollars**.....

AS FOLLOWS:..One third when accepted by congregation, one third one year thereafter, and balance (one third) two years..... thereafter,.....

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ..**three**.....weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.

No. 2

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.
8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means that necessary apparatus is to be furnished by party of second part.
9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

M. P. Moller, Inc.

WITNESS

Per.....K..B.....(SEAL)
Party of the first part

...Karl Buselmeier..... Holy Trinity Ev..Luth.....(SEAL)
Church

..... ByR..W...Stowe.....(SEAL)

..R..E..Rhyne.....(SEAL)

..O..B..Brittain.....(SEAL)
Party of the second part

T. C. Quickel

Committee

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by

M. P. MÖLLER Organ Factory

Pipe Organ No. 2486 Date Sept. 20, 1932
 For Holy Trinity Evangelical Lutheran Church, Gastonia, N. C.
 Action Rec. Console Detached
 Casing of _____ Finish _____
 Decorations Latin Greek and Roman Motor Rec.
 Width of Key-bed _____ Stop Controls Stop Keys.
 No. Manuals Two Wind Pressure 5"
 To be completed April 1, 1933 Blower pipe furnished by Church

Pitch A-440

SPECIFICATIONS:

GRANT ORGAN 73 Note Chest
 1 64 Great Diapason..... 64 Pipes
 2 64 Swell Diapason..... 64 "
 3 64 Third Diapason..... 64 "
 4 64 Fourth Diapason..... 64 "
 5 64 Fifth Diapason..... 64 "
 6 64 Sixth Diapason..... 64 "
 7 64 Seventh Diapason..... 64 Notes
 8 64 Octave..... From 64..... 64 Pipes

SWELL ORGAN
 9 64 Swell Diapason..... 64 Pipes
 10 64 Swell Second Diapason..... From 64..... 64 Notes
 11 64 Swell Third Diapason..... From 64..... 64 "
 12 64 Swell Fourth Diapason..... From 64..... 64 "
 13 64 Swell Fifth Diapason..... From 64..... 64 Pipes
 14 64 Swell Sixth Diapason..... From 64..... 64 Notes
 15 64 Swell Seventh Diapason..... From 64..... 64 "

PEDAL ORGAN
 16 16' Pedal Diapason..... 16 Pipes
 17 16' Pedal Second Diapason..... From 16..... 16 Notes

COUPLERS
 18 Great to Pedal 25 Swell 4'
 19 Swell to Pedal 25 Swell 16'
 20 Swell to Great 25 Great 4'
 21 Swell to Great 16' 25 Great 16'
 22 Swell to Great 4' 25 Swell Unison Separation

MECHANISMS
 23 Transmit. Crescendo Indicator

ADJUSTABLE COMBINATIONS
 (Operated by pistons placed under respective manuals.)
 Pistons No. 1-3-5 Affecting Great and Pedal Stops
 Pistons No. 1-3-5 Affecting Swell and Pedal Stops

PEDAL MOVEMENTS
 1 Great to Pedal Reversible.
 2 Balanced Swell Pedal
 3 Grand Crescendo Pedal
 Organ Bench with Music Shelf.
 Concave Pedal.
 Electric Blower of ample capacity.

M. P. MÖLLER Organ Factory

Pipe Organ No. 2425 Date Sept. 30, 1922
 For Holy Trinity Evangelical Lutheran Church, Gastonia, N. C.
 Action Mec. Console Detached
 Casing of _____ Finish _____
 Decorations Latin Finish Gold Bronze Motor Mec.
 Width of Key-bed _____ Stop Controls Stop Keys.
 No. Manuals Two Wind Pressure 5"
 To be completed April 1, 1923 Blower pipe furnished by Church

Pitch A-440

SPECIFICATIONS:

GREAT ORGAN 73 Note Chest

1	8'	Open Diapason.....	61 Pipes
2	8'	Principal.....	73 "
3	8'	Stopped Diapason.....	73 "
4	8'	Wells Diapason.....	73 "
5	4'	Flute Traverser.....	73 "
6	4'	Octave.....From #3.....	61 Notes
7	8'	Choir.....	73 Pipes

SMALL ORGAN

8	8'	Wells Diapason.....	73 Pipes
9	8'	Flute.....From #3.....	73 Notes
10	8'	Stopped Diapason.....From #3.....	73 "
11	8'	Wells Diapason.....From #3.....	73 "
12	8'	Wells Diapason.....From #3.....	61 Pipes
13	4'	Flute.....From #3.....	73 Notes
14	8'	Choir.....From #7.....	73 "

PIANO ORGAN

15	16'	Bourdon.....	32 Pipes
16	16'	Wells Diapason.....From #15.....	32 Notes

COURTIES

17	Great to Pedal	25	Swell 4'
18	Swell to Pedal	25	Swell 16'
19	Swell to Great	24	Great 4'
20	Swell to Great 16'	25	Great 16'
21	Swell to Great 4'	25	Swell Union Separation

MECHANICALS

27 Tremulant. Crescendo Indicator

ADJUSTABLE COMBINATIONS
 (Operated by pistons placed under respective manuals.)
 Pistons No. 1-2-3 Affecting Great and Pedal Stops
 Pistons No. 1-2-3 Affecting Swell and Pedal Stops

PEDAL MOVEMENTS

1 Great to Pedal Reversible
 2 Balanced Swell Pedal
 3 Grand Crescendo Pedal
 Organ Bench with Music Shelf.
 Concave Pedal.
 Electric Blower of ample capacity.