

M. P. MÖLLER Organ Factory

2/15

Pipe Organ No. 10946 Date May 4, 1973
 For ST. PHILIP'S EPISCOPAL CHURCH, CORAL GABLES, FLORIDA
 Action Moller's Electro-Pneumatic Console Detached. All Electric
 Casing No. None Finish As Per Sample
 Decorations None Motor Stops and intra-manual couplers by draw
 Width of Key-bed Standard Stop Controls knobs. Inter-manual couplers
 No. Manuals TWO Ivory Keys by tilting tablets.
 To be Completed December 23, 1973 Wind Pressure Gt. 3 1/2" Sw. 4" Ped. 3 1/2" & 4"
Blower Pipe furnished by M. P. M. Inc.

PITCH: A-440

SPECIFICATIONS

GREAT ORGAN

Unenclosed and Exposed

1.	8'	Principal.....45.....17-1/2.....12 Zinc S.M....61 pipes
2.	8'	Holzgedeckt....Spec. Taper Wood bass..Reg. Stopped Ft. Treble..Wood..61 pipes
3.	8'	Viola.....from #9.....61 notes
4.	4'	Octav.....58.....17-1/2.....S.M....61 pipes
5.	II-IV Rks.	Mixtur.....Formula "A"..17-1/2.....208 pipes
6.		Blank
7.		Blank

SWELL ORGAN

8.	8'	Rohrflöte.....54.....21-1/2.....12 Zinc S.M....61 pipes
9.	8'	Viola.....52.....18-1/2.....12 Zinc S.M....61 pipes
10.	8'	Viola Celeste T.C..54 @ 8' CC..18-1/2.....S.M....49 pipes
11.	4'	Spitzflöte.....58-2/3..19-1/2.....S.M....61 pipes
12.	2-2/3'	Nazard.....68-3/4..19-1/2.....61 pipes
13.	2'	Principal.....72.....18-1/2.....61 pipes
14.	8'	Trompette.....2-3/4"..42-1/2.....61 pipes
15.		Tremulant
16.		Blank
17.		Blank

PEDAL ORGAN

18.	16'	Bourdon....Reg. Ped. Bdn....12 pipes 20 from #2 ^{#2} ..Wood....32 notes
19.	16'	Rohrgedeckt....CCC 40..CC 54...21-1/2 12 pipes 20 from #8.....32 notes
20.	8'	Principal.....44.....17-1/2.....12 Zinc S.M....44 pipes
21.	8'	Rohrflöte.....from #8.....32 notes
22.	4'	Octav.....from #20.....32 notes
23.	4'	Rohrflöte.....from #8.....32 notes
24.		Blank
25.		Blank

COUPLERS

- 26. Great to Pedal 8'
- 27. Swell to Pedal 8'
- 28. Swell to Pedal 4'
- 29. Swell to Great 16'
- 30. Swell to Great 8'
- 31. Swell to Great 4'
- 32. Swell 16'
- 33. Swell Unison Off
- 34. Swell 4'

ADJUSTABLE COMBINATIONS

- | | |
|---------------------|--|
| Pistons No. 1-2-3-4 | Affecting Great |
| Pistons No. 1-2-3-4 | Affecting Swell |
| Toe Studs No. 1-2 | Affecting Pedal |
| Pistons No. 1-2-3-4 | Affecting Full Organ (duplicated by toe studs) |
- General Cancel

PEDAL MOVEMENTS

- Great to Pedal Reversible
- Swell to Pedal Reversible
- Tutti Reversible (duplicated by manual piston)
- Balanced Expression Pedal - Swell Organ
- Balanced Crescendo Pedal

ACCESSORIES

- Concave, radiating pedal claviers
- Organ bench with music shelf
- Crescendo indicator light
- Tutti indicator light
- Lights for music rack and pedal claviers
- Motors, blowers and action power unit of ample capacity
- Momentary contact starter switch

JHH/mr

8/23/73

Salesman: H. M. Ridgely, Sr.

10946

ST. PHILIP'S EPISCOPAL CHURCH, CORAL GABLES, FLORIDA

MIXTURE FORMULAS

GREAT ORGAN
II-IV Rks. Mixture Formula "A"

19	15	12	8	8
22	19	15	12	12
	22	19	15	15
		22	19	15
1-12	13-24	25-42	43-54	55-61

Unison	47	@ 8'	CC	17-1/2	1/4 mouth	S.M.
Quint	48	@ 8'	CC	17-1/2	2/3 mouth	S.M.