

M. P. MÖLLER Organ Factory

M-5200 C

2/19

Pipe Organ No.	11120	Date	July 30, 1975
For	EVANGELICAL LUTHERAN CHURCH OF THE HOLY TRINITY, HOLLIS, NEW YORK		
Action	Moller's Electro-Pneumatic	Console	Detached - All Electric
Casing No.	None	Finish	As Per Sample
Decorations	None	Motor	3/4 H.P. Style 2-P-2118
Width of Key-bed	Standard	Stop Controls	Stops & Couplers by Tilting Tablets
No. Manuals	TWO	Wind Pressure	3"
To be Completed	February 28, 1976	Blower Pipe furnished by	<i>MPM</i> Purchaser

PITCH A-440

SPECIFICATIONS

GREAT ORGAN - Exposed

1.	8'	Principal.....45.....17-1/2.....17	Zinc S.M.....61	pipes
2.	8'	Spitzflote.....48-1/3..17-1/2.....17	Zinc S.M.....61	pipes
3.	4'	Octave58.....18-1/2.....5	Zinc S.M.....61	pipes
4.	2'	Waldflote.....66-1/2..18-1/2.....	S.M.....61	pipes
5.	II-IV Rks. Mixture.....Formula "A"		183	pipes
6.	Chimespreparation only			

SWELL ORGAN - Expressive

7.	8'	Rohrflote54.....21-1/2.....17	Zinc S.M.....61	pipes
8.	8'	Viole de Gambe....52.....18-1/2.....17	Zinc S.M.....61	pipes
9.	8'	Viole Celeste TC...54.....18-1/2.....5	Zinc S.M.....49	pipes
10.	4'	Flachflote.....56-2/3..18-1/2.....5	Zinc S.M.....61	pipes
11.	2'	Principal.....70.....17-1/2	S.M.....61	pipes
12.	1-1/3'	Quintflote.....7817-1/2	S.M.....61	pipes
13.	8'	Trompette.....3"42-1/2	61	pipes
14.	Tremulant			

PEDAL ORGAN

15.	16'	Subbass.....#2 Ped. Bdn.....wood.....	32	pipes
16.	8'	Principal.....4417-1/2.....17	Zinc S.M.....32	pipes
17.	4'	Choralbass.....56.....18-1/2	5 Zinc S.M.....32	pipes
18.	16'	Fagotto S/L.....3"..<#1-24..1/2 L	Open Hautbois Patt.....56	pipes
19.	4'	Fagottofrom #18	32	notes

COUPLERS

20.	Great to Pedal 8'
21.	Swell to Pedal 8'
22.	Swell to Pedal 4'
23.	Swell to Great 16'
24.	Swell to Great 8'
25.	Swell to Great 4'
26.	Great 4'
27.	Swell 16'
28.	Swell Unison Off
29.	Swell 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3	Affecting Great
Pistons No. 1-2-3	Affecting Swell
Toe Studs No. 1-2-3	Affecting Pedal
Pistons No. 1-2-3-4-5	Affecting All Stops & Couplers
General Cancel Piston	

PEDAL MOVEMENTS

Great to Pedal Reversible toe stud
Sforzando Reversible toe stud *with indicator light (red jewel)*
Balanced Expression Pedal - Swell Organ
Balanced Crescendo Pedal with indicator light *(green jewel)*

ACCESSORIES

Concave, radiating, pedal clavier
Organ bench with music shelf
Plexiglas music rack
Light for music rack
Light for pedal clavier
Electric motor, blower, and action power unit of ample capacity
Motor starter switch, key-operated, ~~with indicator light~~
DC current light (white jewel)

SPECIAL PROVISIONS

Console cabinet will be finished to match in color the other furniture of the church.

Swell box enclosure and shades will be painted a color to be selected by the church.

DMG/mr

8/22/75

Salesman: John W. Sankey, Jr.

ORGAN NO. 11120

EVANGELICAL LUTHERAN CHURCH OF THE HOLY TRINITY, HOLLIS, N. Y.

MIXTURE FORMULA

GREAT ORGAN

II-IV Rks. Mixture Formula "A"

183 pipes S.M. 3"

26	22	19	15	12	12	12	12
29	26	22	19	15	15	15	
	29	26	22	19	19		
		29	26	22			

1-6	7-21	22-27	28-37	38-44	45-51	52-54	55-61
-----	------	-------	-------	-------	-------	-------	-------

Unison	49 Sc. @ 8'	17-1/2	1/4 mouth
Quint	50 Sc. @ 8'	17-1/2	1/4 mouth