

December 13, 1980

op 1441

5433

MEMORANDUM OF AGREEMENT entered into this 26th day of January, 1981, by and between THE REUTER ORGAN COMPANY, LAWRENCE, KANSAS, the Builder, and OKLAHOMA BAPTIST UNIVERSITY, SHAWNEE, OKLAHOMA, the Purchaser, witnesseth:

1. The Builder agrees to build for and erect in Raley Chapel, Oklahoma Baptist University, Shawnee, Oklahoma, the following additions to the Reuter Pipe Organ, complete and ready for use during the period 10 to 12 months from receipt of this contract by the Builder, and to tonal finish the said additions to the chapel organ as soon as possible after their installation. The stipulated 10 to 12 months for completion is subject to delays from fire, water, strikes or causes not within the control of the Builder. Following are the additions to be made under this contract:

ADDITIONS TO THE GREAT ORGAN (within chamber, but without expression)

16'	Sub Principal	61 pipes and chest.
8'	Spitz <sup>flute</sup> gedackt	61 pipes and chest.
III rks.	Scharf	183 pipes and chest.

+16  
22

Including the required Reservoir, Primary, Supports for the Chest, Building Frame and Wind Conductoring.

ADDITIONS TO THE SWELL ORGAN (under expression)

16'	Quintadena	61 pipes and chest.
8'	Flute Conique	61 pipes and chest.
*	8' Flute Celeste (GG)	54 pipes and chest.
	8' Viole de Gambe	61 pipes and chest.
**	8' Viole Celeste (GG)	54 pipes and chest.
***	4' Spitz Principal	61 pipes and chest.
III rks.	Plein Jeux	183 pipes and chest.
16'	Basson	61 pipes and chest.
4'	Clairon	61 pipes and chest.

\* Change existing "Celeste" tablet to identical type designated Flute Celeste.

\*\* Omit 4' Fugara tablet existing to an identical type tablet designated Viole Celeste.

\*\*\* Omit existing 4' Octave tablet and change to an identical type tablet labeled 4' Spitz Principal.

The required Reservoir, Primary, Expression Louvers and Louvers Motor, chest-up Swell Box Expression Enclosure, Building Frame, Chest Supports and Wind Conductoring for the foregoing additions to the Swell Organ.

ADDITIONS TO THE POSITIV ORGAN (within chamber, but without expression)

- 4' Rohrflöte 61 pipes and chest.
- 16' Rankett 61 pipes and chest.
- 8' Cromorne 61 pipes and chest.
- # 8' Trompette-en-Chamade 61 pipes and chest.

Controlled by Toe Piston, e. g., Trompette-en-Chamade, On/Off. The Builder to furnish a red indicator light mounted in the name board with ivory name plate labeled Tr-en-Ch. This stop not affected by couplers.

The required Primary, wind conductoring, building frame and chest supports.

The Trompette-en-Chamade will have its own Laukhuff fractional horsepower Blower, (no rectifier required). Approximately 250' large gauge cable will be furnished by the Builder running from the console to the location of the Trompette-en-Chamade. (If local building codes require conduit for this said 250' large gauge cable, such will be furnished and installed by the Purchaser at its expense.) The Blower and required Reservoir will be installed and/or enclosed in the room above the projection room above and behind the balcony. Dress slab panel case-work around the exposed chest of the Trompette-en-Chamade with bracket supports for same will be furnished and installed by the Builder. In addition to the conduit for cable for the Trompette-en-Chamade, if required by local building codes, the Purchaser at its expense will provide an aperture through the rear balcony wall at a later-designated location by the Builder for the wind conductor to run through. The Purchaser will also provide at its expense the wiring of the Blower motor for the Trompette-en-Chamade, in a manner deemed most practical by the University's electrician.

ADDITIONS TO THE PEDAL ORGAN (within chamber, but without expression "FM")

- 32' <sup>Sub Principal</sup> ~~Contra~~ Bourdon (ext. of 16' Bourdon) 12 pipes and chest.
- 32' Bombarde (1/2 L) (ext. of 16' Bombarde) 12 pipes and chest.
- \*\*\*\* 8' Trumpet 32 pipes and chest.
- \*\*\*\*\* 2' Zink 32 pipes and chest.

\*\*\*\* see next page  
\*\*\*\*\*

\*\*\*\* Omit existing III Kornett tablet, but replace with identical type  
8' Trumpet tablet.

\*\*\*\*\* Omit existing 2' Nachthorn tablet, but replace with identical type  
2' Zink tablet.

Tablets of Pedal division to be re-arranged so as to be in proper  
sequence.

The required Pedal Reservoirs, Building Frames and Wind Con-  
ductoring included.

2. The Builder warrants that the said additions shall be first quality,  
free from defects in materials or workmanship, and that the attached "REUTER  
GUARANTEE" will be in force from the time of installation of the said additions.

3. The Purchaser hereby accepts this contract and agrees to pay to the