

C O P Y.

ORGAN

#5340

Memorandum of Agreement, Made this 21st

day of May A. D., 1928, by and between **M. P. MOLLER, Inc.**, of Hagerstown, Maryland, party of the first part, and

First Baptist Church
of the second part,

Witnesseth: That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part, and to erect it in First Baptist Church, Birmingham, Mich.

ready for use on or before the 1st day of November A. D., 1928 or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined, immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

3. The party of the first part guarantees the action and construction of the organ for a term of one year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturers for one year).

4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., or order, the sum of (\$10,000.00) Ten Thousand Dollars

AS FOLLOWS: \$2,000.00 when organ is installed and accepted.
Balance in three equal notes due 12 - 24 and 36 months from
date of acceptance and bearing interest at 6%.

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ 4 weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.

6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

The purchaser has the privilege of paying all cash when organ is accepted, or of paying all or any part of notes in advance of date due.

JUN 11 1928

M. P. MÖLLER Organ Factory

Pipe Organ No.	5340	Date	May 21, 1926
For	First Baptist Church, Birmingham, Mich.		
Action	Electric	Console	Detached
Casing No.		Finish	
Decorations	Dull gilt	Motor	Electric
Width of Key-bed		Stop Controls	Stop Keys
No. Manuals	Three	Wind Pressure	6"
To be completed	Nov. 1, 1928	Blower pipe furnished by	Church

SPECIFICATIONS

Organ Chamber with partition by Church.

Display pipes on one side by organ factory

A-440

GREAT ORGAN

1	8'	Open Diapason...40 scale-zinc bass.....	73 Pipes
2	8'	Doppel Flute.....	73 "
3	8'	Clarabella soft-mel. scale.....	73 "
4	4'	Flute Harmonic.....	73 "
5	8'	Viola D'Gamba...58 scale.....	73 "
6	8'	Tromba.....	73 "
7		Chimes....Style A Deagan..wired 20 to 44..	25 Tubes
8		Harp subject to couplers.From #26..T.C...	49 Notes

All under expression

Tremolo

SWELL ORGAN

9	16'	Bourdon.....	85 Pipes
10	8'	Open Diapason...42 scale-zinc bass.....	73 "
11	8'	Stopped Diapason.From #9.....	73 Notes
12	4'	Flute D'Amour.....	73 Pipes
13	2'	Piccolo.....From #12.....	61 Notes
14	8'	Salicional.....60 scale.....	73 Pipes
15	8'	Aeoline.....	73 "
16	8'	Oboe.....	73 "
17	8'	Vox Celeste.....62 scale-T.C.....	61 "
18	8'	Vox Humana.....S.S.D.....	73 "

Tremolo

All under separate expression

CHOIR ORGAN

19	8'	English Open Diapason...44 scale-zinc bass..	73 Pipes
20	8'	Dulciana.....56 scale.....	73 "
21	8'	Concert Flute.....	73 "
22	8'	Unda Maris.....56 scale-T.C.....	61 "
23	4'	Solo Flute.....From #21.....	61 Notes
24	8'	Clarinet.....	73 Pipes
25		Chimes..wired 20 to 44 from #7.....	25 Notes
26		Harp subject to couplers.....T.C.....	49 Bars

Tremolo

All under expression

PEDAL ORGAN

27	32'	Diapason Resultant.	32 Notes
28	16'	Double Open Diapason...Large scale.....	44 Pipes
29	16'	Bourdon.....Large scale.....	44 "
30	16'	Lieblich Gedeckt.....From #9.....	32 Notes
31	8'	Diapason Octave... " 28.....	32. "
32	8'	Bass Flute..... " 29.....	32 "
33	8'	Dolce Flute..... " 9.....	32 "
34	8'	Cello..... " 5.....	32 "

Memorial Plate

COUPLERS

Swell to Great	Choir to Swell 4'
Swell to Great 4'	Choir to Swell 16'
Swell to Great 16'	Swell 4'
Choir to Great	Swell 16'
Choir to Great 4'	Great to Pedal
Choir to Great 16'	Great to Pedal 4'
Great 4'	Swell to Pedal
Great 16'	Swell to Pedal 4'
Swell to Choir	Choir to Pedal
Swell to Choir 4'	Great Unison Separation)
Swell to Choir 16'	Swell Unison Separation) Jamb
Choir 4'	Choir Unison Separation) right
Choir 16'	
Choir to Swell	

MECHANICALS

Great Tremulant
Swell Tremulant
Choir Tremulant
Crescendo Indicator

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

Pistons No. 1-2-3-4-5-6 & Cancel Affecting Great Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Swell Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Choir Organ
Pistons No. 1-2-3-4-5-6 & Cancel Affecting Pedal Organ
Pistons No. 1-2-3-4 & Cancel Affecting Full Organ, duplicated by
studs on Toe Board.
Pedal to Mahaul "On" and "Off" Pistons) Jamb left.

PEDAL MOVEMENTS

- 1 Great to Pedal Reversible
- 2 Balanced Swell Expression Pedal
- 3 Balanced Choir & Great Expression Pedals
- 4 Swell to Pedal Reversible
- 5 Sforzando Pedal, by stud & light indicator duplicated
by manual piston.
- 6 Grand Crescendo Pedal (Beginning at the softest stop &
drawing all stops including reeds & couplers in their order of power by a single
movement of the foot. By reversing the movement all stops & couplers are
cancelled in their order. CONCAVE RADIATING PEDALS.

Organ bench with Music Shelf

Electric motor, blower, generator, freight and drayage
from factory to Bldg. & installation.

ALM

7/6/28

Checked by.....date.....

No. 2

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.

8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

WITNESS

----- (SEAL)

Party of the first part

----- Charlotte E. Parmenter ----- (SEAL)

----- Raymond H. Peck ----- (SEAL)

Ford & Reynolds

Ella E. Stephens ----- (SEAL)

Organ Committee

----- (SEAL)

Party of the second part

Contract not enforced until approved by vote of the
Congregation of the First Baptist Church

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER ORGAN WORKS

HAGERSTOWN, MD.

5340

Organ No. 5340 Contract Rec'd May 21, 1928 To be Completed Nov. 1, 1928

Name of First Baptist Church Street No. _____

City Birmingham State Mich. County _____

Address Correspondence to Mr. Raymond Peck, Street No. _____

Ship Organ to _____ Freight Station _____

Route Organ Via _____ Request of _____

Railroads on which located and rates { 95. 1.08 20 94

Wrote _____ For Freight Station _____ O. K. _____

No casin.g

CASING AND DISPLAY PIPES

Casing console made of Not decided Plain oak - sample 10 11-2-28 for kind of wood only Sample to Gwyn 11-2-28

Grille made of None

Front pipes decorated in Dull Gilt O. K. _____

Wrote _____ For sample of wood and decorations _____

ELECTRIC MOTOR AND BLOWER

Ample room in basement

Blue print, showing size blower sent to _____ Date _____ Approved _____

Motor Elec. Date Spec. sent to Kinetic for size of motor July 1928

Kinetic advise us of 5- H. P. motor Cond. pipe furnished by Church

Date blower ordered 8-1-28 To reach destination Nov 1, 1928 Date shipped 12-11-28

Electric Current { A. C. } F & R. 5 H.P. Phase Single Cycles 60 Volts 220
D. C. }

Wrote _____ to have Electric blank filled up _____ O. K. _____

REED PIPES

Reeds ordered from See cont. Date ordered _____ Pitch A-440

Date to reach destination _____ Wind Pressure 6" Date shipped _____

OTHER INFORMATION

Action of Organ Elec. Stops controlled by Stop Keys.

Organ to be voiced on 6" No. Manuals 3 No. Stops 60

Organ shipped 12-13-28 Is church old or new New

Do we get any old Organ None To be shipped to _____

NO. 5340 PLACE BIRMINGHAM? MICH.
F & R. SEATS 600

Plate to R.W.D. 11-22-28

We finish Memorial Plate!

QUESTIONNAIRE TO BE ATTACHED TO EVERY
FACTORY AND LOCAL COPIES OF CONTRACTS

NOT TO BE ATTACHED TO CUSTOMERS COPIES

Organ No.
Name of Institution ~~XXXXXXXXXX~~
1st. Baptist Church
City Birmingham State Michigan

- (1) Correct measurements of organ space are absolutely necessary with contract. 16' long. 12'6" wide 18' 6" high in front 10'6" high in rear.
- (2) Send sketch of floor plan of church showing location of organ, choir, pulpit and console.
- (3) Where is the most convenient place for electric cables to enter organ chambers? Center front
- (4) Where is the most convenient place for blower pipe to enter organ chambers? Blue prints will follow
- (5) Give exact size of doors through which organ parts are to pass.
- (6) Are there any obstructions near doors, short turns, etc? No
- (7) Where is best location for blower? Room prepared in basement
- (8) Give size of room for blower. Will be built according to dimensions of blower
- (9) Give size of doors through which blower has to pass.
- (10) Give distance from blower to organ chamber. About 35 feet
- (11) Kind of wood to be used for (console) Will decide later
(case) and samples. If oak, state if plain or quartered
(grille)
- (12) Do we furnish any case? No
- (13) Do we furnish any grille? No (13a) Is grille to be finished same as case or console?
- (14) If we furnish grille for arches we must have templets.
- (15) Does case go on inside, between or outside of arch?
- (16) Give thickness of arch or openings.
- (17) Give style of panels desired in case or console. See blue prints
- (18) If door to be in case, is it for choir entrance?
- (19) If organ case is built by church, we must have templet giving exact size for pipes.
- (20) Do we furnish front pipes? Yes (20a) Decoration for front pipes Dull gilt.
- (21) Is console attached or detached? Detached
- (22) How many feet of cable required from console to organ? 20'
- (23) If console movable, how much flexible air hose do we furnish? Not Movable
- (24) Is organ divided or not? Nor divided
- (25) Is organ all enclosed? Yes (25a) If not, state how much is out.
- (26) Do we make swell box around chest? Organ chamber by church with partition
- (27) If all enclosed, who builds organ chambers? Church
- (28) Give dimensions of auditorium (Height) See blue print (Auditorium) 600...
(Width) (28a) Seating capacity (Gallery) ...
(Depth)
- (29) Kind of stop controls? Not decided (29a) Kind of coupler controls?
- (30) Color of Stop controls?
- (31) Is the organ to have tubular or electric action? Electric (31a) Style of console?
- (32) Is the building old or new? Just starting to build
- (33) Have organ plans been made by us? No (33a) If approved, state when and by whom?
(33b) Return copy.
- (34) Street address of church. Birmingham Mich (34a) (County) Wayne
- (35) Name of organist and street address. No Organist at this time
- (36) Name of architect and street address.
- (37) Name of party organ is to be shipped to and street address. Raymond Peck. Birmingham Mich.
- (38) Give name of nearest freight station to church for carload as well as less carload shipments.
Ship Penna Ry. Detroit. Grand Trunk to destination
- (39) If we get old organ, we must have complete specifications and measurements, name of maker, also how old, and present condition when contract is mailed. No Old Organ
- Remarks: Birmingham is a suburb of Detroit. We must have better...
and neater installations in this territory. No more chimes
on floor of organ chamber.

Answer these questions and do not merely refer factory to plans.