

File

AR SERIES ORGAN

EARMARK FOR

#11471, CHRIST THE GOOD SHEPHERD CATHOLIC CHURCH, SPRING, TEXAS
SPECIFICATIONS FOR A SERIES 70-9B ORGAN

2/13

GENERAL

ORGAN

Great Organ	Exposed Great - Provide enclosure
Swell Organ	Standard design
	Layout will be supplied
Wood & Finish	To customer's sample
Action	Electro-Pneumatic
Wind Pressure	See Pipe Analysis
Pitch	A-440 @ 70°F

CONSOLE

Cabinet	Standard design
Wood & Finish	To customer's sample
Manuals	Two and Pedal
Manual Compass	CC to C4, 61 notes
Pedal Compass	CCC to G, 32 notes
Stop Controls	Tilting Tablets
Action	All Electric

BLOWER (located in blower space)

Type	2-P-2116 - 1/2 HP - 1750 RPM - 6" outlet
Wind	480 C.F.M. @ 4"
Current Specification	/ Ph - 60 Cy - 208 Volts - 3.6 Amperes
Overall Size	2' - 5-3/4" x 1' - 10-3/8" x 2' - 6-1/4"

POWER UNIT (located in console)

Rating	DC Output - 10-15 Volts - 30 Amperes
Current Specification	AC Input: 1 Ph - 60 Cy - 120 Volts - 10 Amperes
Overall Size	14-1/2" x 10-3/4" x 7" high

CONSOLE AND ORGAN

GREAT ORGAN (Exposed)

16	Bourdon-----	97 pipes
8	Principal -----	73 pipes
8	Gedeckt-----from #1-----	61 notes
8	Gemshorn-----from #13-----	61 notes
4	Octave -----from #2-----	61 notes
4	Gedeckt-----from #1-----	61 notes
2	Flute -----from #1-----	61 notes
II	Sesquialtera T.C. -----	98 pipes
III-IV	Mixture-----	183 pipes
	Chimes----prepared for in console only	
	Tremolo	

SWELL ORGAN (Enclosed)

12	8	Rohrflote-----	73 pipes
13	8	Gemshorn -----	80 pipes
14	8	Gemshorn Celeste TC -----	49 pipes
15	4	Spitzprincipal-----	73 pipes
16	4	Rohrflote -----from #12-----	61 notes
17	2	Spitzoctave-----from #15-----	61 notes
18	1-1/3	Larigot -----from #13--(repeat 12 top notes)-----	61 notes
19	16	Contre Trompette -----	80 pipes
20	8	Trompette -----from #19 -----	61 notes
21	4	Clairon -----from #19--(repeat 5 top notes) -----	61 notes
22		Tremolo	

PEDAL ORGAN

23	16	Contrebasse-----12 pipes, 20 from #2-----	32 notes
24	16	Bourdon -----from #1 -----	32 notes
25	8	Principal -----from #2 -----	32 notes
26	8	Gedeckt -----from #1 -----	32 notes
27	8	Gemshorn -----from #13 -----	32 notes
28	4	Octave -----from #2 -----	32 notes
29	III	Mixture -----from #9 -----	32 notes
30	16	Contre Trompette ---from #19 -----	32 notes
31	8	Trompette-----from #19 -----	32 notes
32	4	Clairon-----from #19 -----	32 notes

COUPLER

33 Swell to Great

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4

Affecting Pull Organ

PEDAL MOVEMENTS

Balanced Expression Pedal - Swell Organ (8 contacts, make to close)

Balanced Crescendo Pedal with indicator light (green jewel)

ACCESSORIES

Motor and power unit on-off switch (lock type) with indicator light (amber jewel)

Concave, radiating pedal clavier

Organ bench with music shelf

Music rack

Music rack light

Pedal light

PIPE ANALYSIS

STOP PITCH PIPES SCALE HALVING MOUTH METAL WIND PRESSURE

GREAT ORGAN

Bourdon	16	97	CCC to BBB Reg. Manual Bourdon			Wood	
			CC to BB Reg. Artistic Taper Bass			Wood	3-1/2"
			TC 68 CC 56	21-1/2	2/9	17 Zinc C.M.	
Principal	8	73	48	18-1/2	1/4	19 Zinc S.M.	3-1/2"
Mixture	III-IV	183	See Formula Below				3-1/2"
Sesquialtera TC	II	98	See Formula Below				3-1/2"

SWELL ORGAN

Rohrflote	8	73	56	21-1/2	2/9	Sm. O.S. Chimneys 19-62 18 Zinc C.M.	3-1/2"
Gemshorn	8	80	CC 56 C 68-1/2 #56 98	19-1/2 19-1/2 17-1/2	2/9 2/9 1/6	17 Zinc S.M.	3-1/2"
Gemshorn Celeste TC	8	49	56-1/2 @ 8' CC	19-1/2	2/9	5 Zinc S.M.	3-1/2"
Spitzprincipal	4	73	60-2/3	18-1/2	1/4	7 Zinc C.M.	3-1/2"
Contre Trompette	16	80	3" CCC to FF half length FF# up full length D(F) Eschallots			Zinc & S.M.	3-1/2"

PEDAL ORGAN

Contrebasse	16	12	36	18-1/2	1/4	Zinc	3-1/2"
-------------	----	----	----	--------	-----	------	--------

GREAT III-IV MIXTURE FORMULA

	15	12	12	12	12
	19	15	15	15	
	22	19	19		
		22			
	1-37	38-49	50-54	55-56	57-61
Unison	47 Sc.	17-1/2	1/4 mouth	S.M.	
Quint	49 Sc.	17-1/2	1/4 mouth	S.M.	

GREAT II SESQUIALTERA TC FORMULA

12	10
17	12
13-56	57-61

2-2/3 74 Sc. @ #13 17-1/2 2/9 mouth S.M. (Pull in 6 scales between 50-61)
1-3/5 82 Sc. @ #13 17-1/2 1/5 mouth S.M. (Pull in 6 scales between 45-56, break at 57)