

M. P. MÖLLER Organ Factory

2/16

Pipe Organ No. 10902 Date November 22, 1972
 For TRINITY EPISCOPAL CHURCH, ATCHISON, KANSAS
 Action Moller's Electro-Pneumatic Console Detached
 Casing No. None Finish As Per Sample
 Decorations None Motor 30 HP Style 3-P-3025
 Width of Key-bed Standard Stop Controls By Tilting Tablets
 No. Manuals TWO Ivory Keys Wind Pressure 3"
 To be Completed August 15, 1973 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

GREAT ORGAN Unenclosed

1.	8'	Principal.....45.....17-1/2.....12 Zinc S.M....61 pipes
2.	8'	Bourdon.....54.....20-1/2.....12 Zinc S.M....61 pipes
3.	4'	Octav.....58.....17-1/2.....S.M....61 pipes
4.	2'	Weitprincipal.....72.....19-1/2.....S.M....61 pipes
5.	III Rks.	Mixture.....Formula "A"..17-1/2.....S.M...183 pipes
6.		Chimes.....console only

4

SWELL ORGAN Expressive

7.	16'	Gemshorn (unit)...40-2/3...17-1/2.....24 Zinc S.M....73 pipes
8.	8'	Rohrflöte.....54.....21-1/2.....12 Zinc S.M....61 pipes
9.	8'	Gemshornfrom #7.....61 notes
10.	8'	Gemshorn Celeste T.C...54-2/3...17-1/2.....S.M....49 pipes
11.	4'	Nachthorn.....56.....19-1/2.....S.M....61 pipes
12.	2-2/3'	Nasat.....66-2/3...20-1/2.....S.M....61 pipes
13.	2'	Principal.....70.....18-1/2.....S.M....61 pipes
14.	8'	Trompette..unit...3"42-1/2.....73 pipes
15.	4'	Clairon.....from #14.....61 notes
16.		Tremulant

16
16
4

PEDAL ORGAN

17.	16'	Gemshorn.....from #7.....32 notes
18.	16'	Bourdon.....Reg. Ped. Bdn.....Wood.....56 pipes
19.	8'	Principal.....44.....17-1/2.....12 Zinc S.M....44 pipes
20.	8'	Bourdon.....from #18.....32 notes
21.	4'	Principal.....from #19.....32 notes
22.	4'	Bourdon.....from #18.....32 notes
23.	16'	Contre Trompette (1/2 L) CCC 3-3/4"...CC 3" 12 pipes 20 from #14.....32 notes
24.	4'	Clairon.....from #14.....32 notes

COUPLERS

- 25. Great to Pedal 8'
- 26. Great to Pedal 4'
- 27. Swell to Pedal 8'
- 28. Swell to Pedal 4'
- 29. Swell to Great 16'
- 30. Swell to Great 8'
- 31. Swell to Great 4'
- 32. Great 4'
- 33. Swell 16'
- 34. Swell Unison Off
- 35. Swell 4'

ADJUSTABLE COMBINATIONS

- | | |
|---------------------|---------------------------|
| Pistons No. 1-2-3-4 | Affecting Great and Pedal |
| Pistons No. 1-2-3-4 | Affecting Swell and Pedal |
| Pistons No. 1-2-3-4 | Affecting Full Organ |
| General Cancel | |

PEDAL MOVEMENTS

- Great to Pedal Reversible (duplicated by manual piston)
- Tutti Reversible (duplicated by manual piston)
- Balanced Expression Pedal - Swell Organ
- Balanced Crescendo Pedal

ACCESSORIES

- Concave, radiating pedal clavier
 - Organ bench with music shelf
 - Back rest for organ bench
 - Crescendo indicator light
 - Tutti indicator light
 - Light for music rack
 - Light for pedal clavier
 - Motor, blower and ~~action power unit~~ of ample capacity
 - Momentary contact starter switch
 - Rolltop with lock
- Present 20 amp DC organ power unit to be re-used*

ORGAN NO. 10902

TRINITY EPISCOPAL CHURCH, ATCHISON, KANSAS

MIXTURE FORMULAS

GREAT ORGAN
III Rks. Mixture Formula "A"

22	19	15	12	8
26	22	19	15	12
29	26	22	19	15
1-12	13-24	25-42	43-56	57-61

Unison	47	Sc. @ 8' CC	17-1/2	1/4 mouth	S.M.
Quint	48	Sc. @ 8' CC	17-1/2	2/9 mouth	S.M.