

Don Robertson 4-24-92

THE AEOLIAN COMPANY

Aeolian Hall, New York

PIPE-ORGAN DEPARTMENT

John B. Heins, Manager Frank Taj, Art Director

MANUFACTURERS OF

*Aeolian Pipe-Organs
for Salons, Music Rooms, Foyer
and Reception Halls in Private Residences*

LONDON
135 NEW BOND STREET
PARIS
32 AVENUE DE L'OPERA
BERLIN
BELLEVUE STRASSE 4
WIEN
AEOLIAN, NEW JERSEY
CABLE ADDRESS
SYRENO

CORRESPONDENCE
SHOULD BE ADDRESSED TO THE
PIPE ORGAN DEPARTMENT

27 West 42nd Street
362 Fifth Avenue

June 12th, 1913.

"COPY"

Specification for an Aeolian Pipe-Organ prepared for

The Residence of Mr. William L. Austin,
Rosemont, Pa.

2019 pipes

Three Manuals, compass C3 to C4; and Pedals, compass CCC

73 notes the short
GREAT ORGAN

*Man. 4th
Ped. 5th*


(Enclosed in a separate Swell-Box)

11/5	1. 1 Open Diapason.....8'	73 Pipes	
2	2. 3 Gamba.....8'	73 "	
11	3. 21 Gemshorn.....8'	73 "	58 Bass
10	4. 19 Dulciana.....8'	73 "	
11/5	5. 5 Grosse Flute.....7.....8'	73 "	53 Flute
9/4	6. 17 Concert Flute.....8'	73 "	
8	7. 15 Octave.....4'	73 "	
4	8. 7 Flute Harmonique.....4'	73 "	
	9. 9 Piccolo (Prepared for 1st).....8'	64	
10/4	10. 11 Trumpet.....8'	73 "	
2	11. 13 Clarinet.....7.....8'	73 "	657

SWELL ORGAN

(Enclosed in a separate Swell-Box)

11/5	12. 29 Bourdon.....16'	73 Pipes	
1	13. 23 Violin Diapason.....12.....8'	73 "	
2	14. 25 Viol d'Orchestre.....13.....8'	73 "	
3	15. 27 Orchestral Celeste.....14.....8'	73 "	72 pipes
12	16. 45 Salicional.....15.....8'	73 "	



SWELL ORGAN (Cont'd)

11 ✓	17.49	Viola Celeste.....	8'	73 Pipes	✓
11/5 ✓	18.31	Stopped Diapason.....	8'	73 "	✓
9/14 ✓	19.41	Flute Traverso.....	8'	73 "	✓
✓	20.39	Cornet.....	4 & 5 ranks	275 "	✓
10/4 ✓	21.37	Cornopean.....	8'	73 "	✓
M ✓	22.33	Oboe.....	9'	73 "	✓
✓	23.35	Vox Humana.....	9'	73 "	10.78

CHOIR ORGAN

(Compounded upon the Aeolian Compound Wind-chest System as follows: Stops Nos. 23-1/2 to 31-1/2 from Great Organ, and Nos. 32-43 from Swell Organ.)

23-1/2. 2.	Open Diapason.....	8'	73 Pipes	
24. 4	Gamba.....	8'	73 "	
25. 22	Gemshorn.....	8'	73 "	
26. 20	Dulciana.....	9'	73 "	
27. 6	Grosse Flute.....	8'	73 "	
28. 8	Concert Flute.....	9'	73 "	
28-1/2. 16	Octave.....	4'	73 "	
29. 8	Flute Harmonique.....	4'	73 "	
* 30. 10	Piccolo (Prepared for only)...	2'	73 "	
31. 4	Clarinet.....	8'	73 "	
31-1/2. 12	Trumpet.....	8'	73 "	
32. 20	Bourdon.....	16'	73 "	
33. 24	Violin Diapason.....	8'	73 "	
34. 26	Viola d'Orchestre.....	8'	73 "	
35. 28	Orchestral Celeste.....	9'	73 "	
36. 46	Salicional.....	8'	73 "	
37. 44	Viola Celeste.....	9'	73 "	
38. 32	Stopped Diapason.....	8'	73 "	
39. 12	Flute Traverso.....	4'	73 "	
40. 40	Cornet.....	4 & 5 ranks	275 "	
41. 38	Cornopean.....	8'	73 "	
42. 34	Oboe.....	8'	73 "	
43. 36	Vox Humana.....	8'	73 "	

1735

Blank

ECHO ORGAN

(Situated at a distance, enclosed in a separate Swell-Box and played from Swell or Choir keyboards.)

(Echo Harp & Organ)

- 44. Dulciana.....8' 73 Pipes
- 45. Flute Dolce.....8' 73 "
- 46. Vox Humana.....8' 73 "

PEDAL ORGAN

- 47.50 Open Diapason.....16' 30 Pipes
- 48.49 Violone.....16' 30 "

*Is bellows or free reed
increased proportionally
to provide for this
additional stop?*

- 49.47 Bourdon.....16' 30 "
- 50.51 Lieblich Gedeckt.....16' 30 "
- * 51.48 Violoncello (or Flute).....8' 30 "

(Prepared for only)

(From #12)

7/11/14 ordered 6/24/14

*Blocks screened order of 10,
board and 2nd floor resource??*


PERCUSSION INSTRUMENTS

Total 1885

- 52. Tubular Chimes (20 tubes with F and P control played from Swell or Great Keyboards.)
- 52-1/2. Harp (augmented) 61 notes
(Played from Swell or Choir Keyboards.)

COUPLERS

- 53. Swell to Great
- 54. Swell to Choir
- 55. Swell to Great Octave
- 56. Swell to Great Sub-Octave
- 57. Swell Octave
- 58. Swell Sub-Octave
- 59. Swell to Pedal
- 60. Swell to Pedal *active* ~~active~~
- 61. Swell Unison Release
- 62. Great Octave
- 63. Great Sub-Octave
- 64. Great to Pedal
- 65. Great Unison Release
- 66. Choir to Great
- 67. Choir Octave
- 68. Choir Sub-Octave
- 69. Choir to Pedal
- 70. Choir Unison Release



COMBINATION PISTONS

(Operating on all Manual and Pedal Stops)

- 71. Great Organ I
- 72. Great Organ II
- 73. Great Organ III
- 74. Great Organ IV
- 75. Great Organ Release
- 76. Swell Organ I

~~77. Swell Organ II~~

~~78. Swell Organ III~~

- 79. Swell Organ IV
- 80. Swell Organ Release

- 81. Choir Organ I
- 82. Choir Organ II
- 83. Choir Organ III
- 84. Choir Organ IV
- 85. Choir Organ V

~~86. Choir Organ VI~~

~~87. Choir Organ VII~~


~~88. Choir Organ VIII~~

89. Choir Organ Release

General Release
ACCESSORIES

- 90. Sforzando Pedal
- 91. Grand Tonal (Crescendo Pedal)
- 92. Swell Organ Tonal Pedal (Affecting only Swell and Pedal Stops)
- 93. Great and Choir Expression)
- 94. Swell and Swell-Choir Expression) Balanced Swell
Pedals.
- 95. Echo Expression - *Elect. App.*
- ~~96. Great-Choir Silent~~
- 97. Swell and Swell-Choir Silent
- 98. Pedal Silent
- 99. Great-Choir Tremolo
- 100. Swell and Swell-Choir Tremolo
- 101. Echo Tremolo
- 102. Swell to Great and Swell to Pedal
(Visibly puts "On" these couplers and takes
"Off" all others.)

GT. TO PED. REV. (Crescendo Pedal)



ACCESSORIES (Cont'd.)

103. Echo on: Swell Off }
104. Echo on: Choir Off } *Foot 6.*

MUSIC ROLL EQUIPMENT

105. Normal, Reverse, and Unison Lever
(Acting on Great, Swell and Pedal)
106. Choir Upper Holes
107. Choir Lower Holes
108. Aeolian Tempo
109. Aeolian Reroll
110. Aeolian Ventil
111. Pedal Augment
112. Contro, 58-note.

GENERAL DETAILS

- a. LOCATION: Organ to be located in a chamber 15 ft. wide, 9 ft. deep, and 23 ft. 3 inches high. Console containing keyboards and music-roll mechanism to be centered in the organfront.
- b. CASEWORK: Casework for organ and console is not included in this contract, but any display pipes (undecorated) required for organ front are included.
- c. BLOWING APPARATUS: Blowing apparatus including an efficient motor and motor generator to be located in some desirable place in basement or elsewhere. The purchaser agrees to furnish starting switch, and wiring for same, and wiring for main to motors; also wiring and lamps for organ chamber, console, and motor room.
- d. ECHO ORGAN: The Echo Organ to be located in basement, tone-exit through a metal duct 21 x 9 inches with opening into music room near ceiling. The Echo Organ is not included in present contract but full and complete preparation for same in console is included. Room to be built around Echo Organ by purchaser.
- e. Stops No. 9 (Piccolo) and No. 51 (Violoncello or Flute 8') are prepared for only.

Date of Completion:- December 25th, 1913.

Organs No. 1272

For

Chapman

ORDERED

RECEIVED

REMARKS

Console 10/3/13. L.D. 3 man tracing seat 4'-9" x 4' x 4' Panel front

Manual Keys 11/3/13 ✓

Pedal Keys 10/1/13 L.D. 247. Radiating box case for key frame 16' x 16' inches ✓

Stop Knobs 11/7-12-13 ✓

Combination Pistons 11/9 ✓

Name Plate 11/5 ✓

Metal Pipes 11/5 ✓

Wood Pipes 9/14 11/5 ✓

Reeds 10/24 11/5 ✓

Fronts 11/20 ✓

Case

Aeolian Action

Draw Stop Action

Combination Action

Swell Box

Bellows Limited 3 HP 11/25/13 ✓

Regulator 2-3' x 3' ✓

Bellows Weights

Crank Shaft

Counter Shaft

Motor 11/8 9' x 8'-0" ✓

Great Windchest 11/8 9' x 2'-3" ✓

11/8 9' x 2'-8 1/8" ✓

11/8 9' x 2'-9 1/8" ✓

Swell Windchest


Pedal Windchest 10-7' x 18 1/4" ✓

Frames

Decoration

Batteries 11/8 8-3' x 11 1/2" ✓

Red offset 11/8 8-6' x 18" ✓



THE AEOLIAN COMPANY

PIPE ORGAN DEPARTMENT.

Organ for

W. L. Austin

No.

1274

NECESSARY INFORMATION SHEET TO BE ATTACHED TO SPECIFICATIONS.

1. Make floor plan, front elevation, and sectional view from front to back, carefully noting all projections, and show exact space that can be taken up by the organ mechanism, with careful measurements marked on. Photograph showing space where organ is to go, also general surroundings, very advisable. Show where entrance to organ interior can be arranged, giving us several choices, if possible, also indicate where wind supply pipe enters organ, in case of detached bellows:
2. Is case on same floor level as organ proper? *to be 1/16" narrower than standard* If not, locate levels on all drawings.
3. Is Keydesk in organ front, with Aeolian mechanism? *7/23/13 3 Man Case 4'9"*
4. Is Keydesk in organ front, without Aeolian mechanism? *4'6" changed to 4'7" 10/10/13*
5. Is separate Aeolian-Console at distance? *P.D. slat 10/3/13* If Console, show distance on plans, also state how Console faces.
6. Is complete Console containing Keyboards and Aeolian mechanism located at distance? Show distance on plans, also how Console faces. If impossible to show distance on plans, advise length of cable necessary.
7. Is bellows to be in organ? Is motor with bellows in organ space? Can motor be placed in room under or adjoining organ?
8. Is bellows detached? If so, make drawing of bellows space showing location of motor.
9. Is blower to be used instead of bellows? *Yes* Where located? When bellows space inadequate, and on all alternating current installations, use blower instead of bellows.
10. Is electric motor to be used? Direct current? Voltage? Alternating current? *Yes* Voltage? *220* Cycles? *60* Phase, single, two phase or three phase? *Single - Country Gas & Electric Co 6/18/12*
11. Is water motor to be used? Give minimum water pressure lbs.; and state distance of motor from street main *Radiating Pipes are*
12. Do we build keydesk case? What wood? *Italian Walnut* Console case? What wood? Aeolian Console case? What wood?
13. Do we build Organ case? What wood?
14. When can we expect to receive sample of wood finish, for casework requirements?
15. Do we furnish undecorated front pipes for organ front?
17. Give street address of purchaser.
18. Give explicit shipping instructions.
19. Promised date of completion in residence.
20. Note any other special details not covered above.

