

REUTER ELECTRO-PNEUMATIC PIPE ORGAN

FOR

THE EMANUEL EVANGELICAL LUTHERAN CHURCH, EVANSVILLE, IND.

## TWO MANUAL AND PEDAL

MANUALS	Compass CC to C4, 61 Notes.
PEDALS	Compass CCC to G, 32 Notes.
ACTION	Electro-Pneumatic.
REGISTRATION	Controlled by Stop Keys.
CONSOLE	Detached. <i>(according to A. G. O. Specifications)</i>
CASEWORK	None except for console included in this proposal.
ORGAN CHAMBERS	Suitable finished chambers to enclose organ, to be furnished by the church. Plans and specifications for said chambers to be furnished by The Reuter Organ Company.

GREAT ORGAN

✓ 1.	8 ft.	Open Diapason	Metal		73 pipes.
✓ 2.	8 ft.	Clarabella	Wood		73 pipes.
✓ 3.	8 ft.	Dulciana	Metal		73 pipes.
✓ 4.	8 ft.	Unda Maris	Metal		61 pipes.
✓ 5.	4 ft.	Principal	Metal		73 pipes.
✓ 6.	4 ft.	Flute (Open)	<del>Wood or Metal</del>		73 pipes.
✓ 7.	4 ft.	Dulciana	Metal	Extension #3	12 pipes.
✓ 8.	2 2/3 ft.	Dulciana	<i>metal</i>	From #3	61 notes.
✓ 9.	2 ft.	Dulciana	<i>metal</i>	From #3	61 notes.
✓ 10.		Chimes	Deagan Class "D"		20 tubes.
✓ 11.		Tremolo			

## Couplers to Great:

- ✓ 12. Great to Great 4 ft.
- ✓ 13. Great to Great 16 ft.
- ✓ 14. Great Unison Off.
- ✓ 15. Swell to Great 4 ft.
- 16. " " 8 ft.
- 17. " " 16 ft.

SWELL ORGAN

✓ 18.	16 ft.	Rohr Bourdon	Wood		73 pipes.
✓ 19.	8 ft.	Rohr Flute	Wood	Extension #18	12 pipes.
✓ 20.	8 ft.	Viole d'Gamba	Metal		73 pipes.
✓ 21.	8 ft.	Voix Celeste	Metal		61 pipes.
✓ 22.	4 ft.	Flute	Wood	Extension #19	12 pipes.
✓ 23.	2 2/3 ft.	Nazard	W & M	From #19	61 notes.
✓ 24.	2 ft.	Flute	W & M	From #19	61 notes.
✓ 25.	8 ft.	Trumpet	Reed		73 pipes.
✓ 26.	4 ft.	Clarion	Reed	Extension #25	12 pipes.
✓ 27.		Chimes		From Great	20 notes.
✓ 28.		Tremolo			

Couplers to Swell:

- ✓ 29. Swell to Swell 4 ft.
- ✓ 30. Swell to Swell 16 ft.
- ✓ 31. Swell Unison Off.

PEDAL ORGAN

✓ 32.	16 ft.	Bourdon	Wood		32 pipes.
✓ 33.	16 ft.	Rohr Bourdon	Wood	From #18	32 notes.
✓ 34.	8 ft.	Flute	Wood	Extension #32	12 pipes.
✓ 35.	8 ft.	Flute Dolce	Wood	From #19	32 notes.
✓ 36.	16 ft.	Trombone	Reed	Extension #25	12 pipes.

Couplers to Pedal:

- ✓ 37. Great to Pedal 8 ft.
- ✓ 38. Great to Pedal 4 ft.
- ✓ 39. Swell to Pedal 8 ft.
- ✓ 40. Swell to Pedal 4 ft.

Operated by Pistons placed under Manuals.  
Adjustable at Keyboard and visibly affecting Stop Keys.

41-50. Ten General Pistons affecting entire organ; duplicated on each Swell and Great Manuals.

*To Pistons* 51-54. Four General Pistons for Pedal Organ, corresponding to first four from General Pistons of Manuals.

#### ACCESSORIES

- 55. Balanced Expression Pedal, Great and Pedal Divisions.
- 56. Balanced Expression Pedal, Swell and related Pedal Division.
- 57. Balanced Crescendo and Diminuendo Pedal.
- 58. Great to Pedal Reversible.
- 59. Sforzando Reversible.
- 60. Crescendo Indicator.
- 61. Sforzando Indicator.
- 62. Organ Blower and Motor of ample capacity.
- 63. Action Current Power Unit (Generator).
- 64. Organist's Bench.
- 65. Concave Radiating Pedal Keyboard, A.G.O. Model.
- 66. Music Rack.
- 67. Fluorescent Music Rack and Stop Key Light.
- 68. Console according A. G. O. Specifications