

M. P. MOLLER Organ Factory

Valley

Pipe Organ No. R-713 Date May 2, 1963
 For Macedonia Methodist Church Mullins, South Carolina
 Action Electro-Pneumatic Console Detached
 Casing No No Change Finish To customer's selection
 Decorations No Change Motor New motor, blower & organ power unit
 Width of Key-bed Standard Stop Controls Tilting Tablets
 No. Manuals Two and Pedal Wind Pressure 3 3/4"
 To be Completed Soon As Possible Blower Pipe furnished by Purchaser

SPECIFICATIONS

FOR

REBUILDING EXISTING PILCHER ORGAN - 1914

CONSOLE Install new detached two manual tilting tablet type console, pedal keyboard and organ bench.

MANUAL CHEST Releather 409 manual pipe pneumatics.
 Releather seven stop action primary pneumatics and install new outside type magnets.
 Releather two 61 note primaries and install new outside type magnets.

OFFSET ACTION Install new action for Great 8 Open Diapason #1 to #24 incl.

CONTACT BOX Install new Contact Box for Great 8 Open Diapason #1 to #24 incl.

PEDAL ORGAN Releather 16 Bourdon action #1 to #30 incl. and install new outside type magnets.
 Install new action for 16 Bourdon #31 to #56 incl.

EXPRESSION Install new accordian motor type expression action.
 Re-bush present shade rods and pivot pins.

RESERVOIRS Install the following new reservoirs:
 One (1) 3'-0" x 5'-0" two partition manual reservoir
 One (1) Pedal reservoir
 One (1) Blower reservoir

TREMOLO Install one new electro-pneumatic tremolo.

PIPES Install the following new pipes:
 Great 8 Open Diapason #1 to #24 incl - 24 pipes
 Pedal 16 Bourdon - #31 to #56 incl - 26 pipes
 SIXTEEN TROMPETTE 61-PIPE AND ACTION
 Install new modern tuning slides on all metal pipes.

CABLES Install new plastic covered cables between console and organ.

BLOWER Install new 1 HP, Style 3-P-2722 Kinetic Blower.

ACTION CURRENT Install new 15 ampere DC organ power unit.

SIGNAL BOX SUPPLY AND INSTALL ADDITIONAL SIGNAL BOX AS REQUIRED FOR FUTURE ADDITIONS TO ORGAN

GENERAL

Entire organ, with exception of organ case and display pipes, to be returned to the factory of M. P. Moller, Inc. at Hagerstown, Md. for rebuilding as specified above.

SPECIFICATIONS
FOR
CONSOLE AND ORGAN

MANUAL COMPASS CC to C4, 61 Notes
PEDAL COMPASS CCC to G, 32 Notes
WIND PRESSURE
PITCH A=440 @ 70°F

GREAT ORGAN (Unenclosed)

1	8	Open Diapason.....new pipes; new action #1 to #24;61 Pipes	
		present pipes, present action #25 to #61	
2	8	Dulciana.....present pipes; present action.....61 Pipes	
3	8	Melodia.....present pipes; present action.....61 Pipes	
4			
3 A		CHIMES PRESENT DEAL-AH. CLASS "K" TUBES A TO F #12 TO #42 WITH	
2 A	4	61 TUBE (PREPARED FOR) <u>SWELL ORGAN</u> ELECTRICAL ACTIONS, TRANSFORMER AND VOLUME	
4	8	Violin Diapason.....present pipes; present action.....61 Pipes	RELAYS - 31 TUBES
5	8	Stopped Diapason.....present pipes; present action.....61 Pipes	
6	8	Aeoline.....present pipes; present action.....61 Pipes	
7	4	Flute Harmonic.....present pipes; present action.....61 Pipes	
8		Tremolo	
7 2	8	TROMPETTE NEW PIPE NEW ACTION (NEW) 61-PIPES	
		<u>PEDAL ORGAN</u> (*)	

9	16	Bourdon.....present pipes; present action #1 to #30;	
		new pipes, new action #31 to #56.....56 Pipes	
10	8	Bourdon.....from #9.....32 Notes	
11	4	Bourdon.....from #9.....32 Notes	

(*) Pedal Organ playable thru slides in console

COUPLERS

12	Great to Pedal	19	Great 16
13	Great to Pedal 4	20	Great Unison Off
14	Swell to Pedal	21	Great 4
15	Swell to Pedal 4	22	Swell 16
16	Swell to Great 16	23	Swell Unison Off
17	Swell to Great	24	Swell 4
18	Swell to Great 4		

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3
Pistons No. 1-2-3

Affecting Great and Pedal Organs
Affecting Swell and Pedal Organs

PEDAL MOVEMENTS

- 1- Great to Pedal Reversible.
- 2- Balanced Expression Pedal for Swell Organ (8 contacts, reverse system)
- 3- Balanced Crescendo Pedal with indicator light (green jewel)

ACCESSORIES

Concave and radiating pedal keyboard.
Organ bench with music shelf.
New blower, motor and organ power unit of ample capacity.

5/14/63
RHM/bw
Reissued
5/24/63

CHANGE ORDER

M. P. MÖLLER, INC. HAGERSTOWN. MD.

PROD. ORDER NO. R-713 DATE May 28, 1963

Macedonia Methodist Church

Mullins, South Carolina

CUSTOMER

CITY

STATE

To Holders of Specifications

Add 3-3/4" after wind pressure in head of specification. ✓

Add the following stop under Great Organ Stops-

3A Chimes - Present Deagan Class "K" tubes
A to F #22 to #42 with electric
actions, transformer and volume
control, new action and volume
control relays - 21 tubes.

COPIES TO: Daniels(File), Slifer(Contract), Moller, Hose, Ocker, P. M. Daniels, Hoover,
Nalley, Olsen, Wolffsen, Souders Sr, Reed, Kreglo, Dr. Room, Martin

GWO/bw

SIGNED _____

G. D. Ocker
ORDER DEPARTMENT

CHANGE ORDER

M. P. MÖLLER, INC.

HAGERSTOWN, MD.

PROD. ORDER No. R-713

DATE May 31, 1963

Macedonia Methodist Church

Mullins, S. C.

CUSTOMER

CITY

STATE

To Holders of Specifications

Add the following to Page 1 of rebuild specifications for subject organ -

Swell Box Supply and install additional Swell box as required for
future additions to organ. ✓

Add the following under Great Organ:

2a. 4 Octave (prepared for in console only) ✓

Add the following under Swell Organ:

7a. 8 Trompette (prepared for in console only) ✓

COPIES TO: Daniels(File), Slifer(Contract), Moller, Hose, Ocker, P.M.Daniels, Hoover,
Nalley, Olsen, Wolffsen, Souders Sr, Reed, Kreglo, Dr. Room, Martin

RHM/bw

SIGNED

G.D. Ocker

ORDER DEPARTMENT

CHANGE ORDER

M. P. MÖLLER, INC. HAGERSTOWN, MD.

PROD. ORDER No. R-713 DATE July 31, 1963

Macedonia Methodist Church

Mullins, South Carolina

CUSTOMER

CITY

STATE

To Holders of Specifications and Scale Sheets

Specification Changes:

Add the following to subject specifications under Pipes on page 1:

Install the following new pipes and action:
Swell 8 Trompette - 61 pipes and action ✓

Change Swell Organ Stop #7a to read as follows:

7a 8 Trompette new pipes; new action 61 Pipes ✓

Scale Sheet Change:

Add the following under Swell Organ:

Trompette 8 61 new 2-1/2" Sc - 42-1/2 - E (1/2) Eschallots 3-3/4"
(voice as bright as possible) ✓

COPIES TO: Daniels, Slifer, Moller, Hose, Ocker, P.M.Daniels, Hoover, Nalley, Olsen,
Zajic, Wolffsen, Souders Sr, Reed, Kreglo, Dr. Room, Martin

RHM/bw

SIGNED

H. D. Ocker
ORDER DEPARTMENT

PIPE SCALE SHEET

ORGAN NO. R-713

DATE May 2, 1963

MACEDONIA METHODIST CHURCH

MULLINS

SOUTH CAROLINA

Customer

City

State

STOP	PITCH	PIPES	SCALE	HALVING	MOUTH	REMARKS	W.P.
------	-------	-------	-------	---------	-------	---------	------

GREAT ORGAN (Unenclosed)

Open Diapason	8°	61 (#1 to #24 new; #25 up - present)	44	17-1/2	1/4	12 Zinc C.M.	3-3/4"
Dulciana	8°	61 present	56	17-1/2	2/9	12 Zinc 9 Capped S.M.	3-3/4"
Melodia	8°	61 present	CC 3-5/8" x 3" I.D. TC 2-5/8" x 2-1/8" I.D.			Wood	3-3/4"

SWELL ORGAN

Violin Diapason	8°	61 present	56	17-1/2	1/4	12 Zinc S.M.	3-3/4"
Stopped Diapason	8°	61 present	CC 3-5/8" x 3" I.D. TC 2-1/8" x 1-3/4" I.D.			Wood	3-3/4"
Aeoline	8°	61 present	62	17-1/2	1/5	12 Zinc 9 Capped S.M.	3-3/4"
Flute Harmonic	8°	61 present	63 Reg.		1/5-2/9	5 Zinc C.M.	3-3/4"
TROMPETTE	8°	61 NEW	2 1/2"	4 2 1/2		1/2 ESCH	3 3/4"

VOICE AS BRIGHT AS POSSIBLE

Bourdon	16°	56 (#1 to #30 - present; #31 up - new)	CCC 7-1/8" x 6-1/16" CC 4-1/4" x 3-1/2"			L.M.B. Scale	3-3/4"
---------	-----	--	--	--	--	--------------	--------

PITCH A-440 @ 70°F

COPIES TO:

COMPLETION As Scheduled

Daniels, Hose(2), Ocker, PNDaniels,
Hoover, Nalley, Olsen(3), Zajic,
Reed, Kreglo, File(2), Contract.