M. P. MÖLLER Organ Factory

	Commonwealth and the second and the		
Pipe Organ No	R-786	Date August 1, 1967	assila-displaced through the professional telepro
For	FIRST PRESBYTERIAN CHURCH, W	SHINGTON, PENNSYLVANIA	nagerasonalisabaguna milihoramishoramishoram aripem
Action	Electro-Pneumatic	ConsoleDetached-moveable o	n roller plat-
Casing No	No Change	Finish To color block submi	tted
Decorations	No Change	Motor No Change	NAMES OF THE PROPERTY OF THE P
Width of Key-bed	Standard	Stop Controls Draw knobs & Tilt	ing Tablets
No. Manuals	Three & Pedal - English Keys		annesignaturas esta esta esta esta esta esta esta es
To be Completed_	March 1, 1968	Blower Pipe furnished by No	Change

SPECIFICATIONS

FOR

	NEW CONSOLE AND TONAL CHANGES TO MOLLER ORGAN OPUS 7217 - 1946	
CONSOLE	Install new three manual electro-pneumatic detached draw knob type console, pedal keyboard and organ bench. Supply console roller platform.	
SWELL ORGAN	Install new 8 Trompette - 85 pipes on present 16 Lieblichbordun unit action #13 to #97 incl. playable at 8' and 4' on Swell Organ and at 8' on Pedal Organ.	
CHOIR ORGAN	Install new 8 Krummhorn - 73 pipes on present 8 Clarinet action.	
ANTIPHONAL ORGAN	Install new 8 Bombarde - 73 pipes and action playable at 8° and 4° on Antiphonal Organ and at 8° and 4° on Great Organ.	
CABLES	Present cables to be used without change.	
BLOWER	Present motor and blower to be used without change.	
ACTION CURRENT	Present organ power unit to be used without change.	

SPECIFICATIONS

FOR

CONSOLE AND ORGAN

MANUAL COMPASS	CC to CL, 61 Notes		
PEDAL COMPASS	CCC to G, 32 Notes		
WIND PRESSURE	Gr. & Ch. 4", Sw.,	Ant. &	Pedal 5"
PITCH	А-140 @ 70° F		

#R-1	786	FIRST PRESBYTERIAN CHURCH, WASHINGTON, PENNSYLVANIA	Page 2
		GREAT ORGAN 8	
123456789	8 8 14 2 1V 8 4	Principal Bourdon Octave Rohrflöte Fifteenth Fourniture Bombarde	
		SWELL ORGAN II	
10 11 12 13 14 15 16 17 18	8 8 8 4 4 2 III 16 8	Spitzflöte Celeste TC Salicional Voix Celeste TC Principal Flauto Traverso Piccolo Scharf Contre Trompette Trompettenew pipes; present 16 Lieblichbordun unit action #13 to #97	85 Pipes
20	4	Clarionfrom #19Tremolo	/3 Notes
		CHOTR ORGAN 12	
22 23 24 25 26 27 28 29 30 31 32 33	8 8 8 14 2 1-3/5 1-1/3 1 III 8	Nasonflöte Dulciana Unda Maris TC Nachthorn Hohlflöte Tierce GG Quint Sifflöte Cymbel Krummhornnew pipes; present 8 Clarinet action Zimbelstern Tremolo	73 Pipes
		ANTIPHONAL ORGAN C	
34 35 36 37 38 39 40 41 42 43	8 8 4 4 2 11 8 8 4 4	Flute Harmonic Gemshorn Octave Flute Klein Oktav Mixture Vox Humana Bombardenew pipes; new action	73 Pipes

PEDAL ORGAN (*) 7

45	32	Cornet	
46	16	Principal32 I	Pipes
47	16	Bourdon	Pipes
48	16	Rohrbourdon.	
49	16	Gedeckt (Ant.)	
50	8	Principal 32	
50 51	8	Bourdon	Notes
52),	Octave 12	
53	li li	Bourdon,	
511	1	Blackflote	
54 55	2	Blackfläte	
56	II	Construction Williams	
57	II	Rauschpfeife 24	
58	16	Posaune	
59	16	Contre Trompette	
60	8	Trumpet	
61	8	Trompette32	Notes
62	1	Clarion32	Notes
63	4	Chimes	Notes

(*) Pedal Stops #46, #47, #51, #61, #62 & #63 playable thru existing relay & switches.

COUPLERS

64	Great to Pedal	78	Great 16
65	Great to Pedal L	79	Great Unison Off
66	Swell to Pedal	80	Great 4
67	Swell to Pedal h	81	**Antiphonal to Swell
68	Choir to Pedal	82	Swell 16
69	Choir to Pedal 4	83	Swell Unison Off
70	Antiphonal to Pedal	84	Swell 4
71	Swell to Great 16	85	Swell to Choir 16
72	Swell to Great	86	Swell to Choir
73	Swell to Great h	87	Swell to Choir 4
74	Choir to Great 16	88	***Antiphonal to Choir
75	Choir to Great	89	Choir 16
76	Choir to Great 4	90	Choir Unison Off
77	*Antiphonal to Great	91	Choir 4

(*) Antiphonal Organ to be affected by Great 16 & 4 couplers when Antiphonal to Great coupler is drawn.

(**) Antiphonal Organ to be affected by Swell 16 & 4 couplers when Antiphonal to Swell coupler is drawn.

(***) Antiphonal Organ to be affected by Choir 16 & 4 couplers when Antiphonal to Choir coupler is drawn.

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5-6-7-8	Affecting Great Stops
Pistons No. 1-2-3-4-5-6-7-8	Affecting Swell Stops
Pistons No. 1-2-3-4-5-6-7-8	Affecting Choir Stops
Pistons No. 1-2-3-4-5	Affecting Antiphonal Stops
Pistons No. 1-2-3-4-5-6-7-8	Affecting Pedal Stops(duplicated by toe studs)
Pistons No. 1-2-3	Affecting Couplers
Pistons No. 1-2-3-4-5-6-7-8-9-10	Affecting all stops & couplers(duplicated by toe
	studs)

General Cancel Piston

PEDAL MOVEMENTS

1- Great to Pedal Reversible (duplicated by manual piston)
2- Swell to Pedal Reversible (duplicated by manual piston)
3- Choir to Pedal Reversible (duplicated by manual piston)
4- Balanced Expression Pedal-Swell Organ (16 contacts, regular system)
5- Balanced Expression Pedal-Choir Organ (16 contacts, regular system)
6- Balanced Expression Pedal-Antiphonal Organ (10 contacts, regular system)
7- Balanced Grescendo Pedal with thermometer type indicator.
8- Sforzando Reversible (duplicated by manual piston) with indicator light (red jewel)

Manual to Pedal Reversible operates manual to Pedal 4 'or off "mount only,
ACCESSORIES (swell, gust' chour)

Signal light(white jewel) - Narthex Signal button - Minister

Electric clock

Motor starter switch (Main blower)
Motor starter switch (Antiphonal blower)

Light for inter-manual couplers only Pedal light

Concave and radiating pedal keyboard Adjustable organ bench with music shelf.

Console roller platform

Present motor, blower and organ power unit

8/12/67 RHM/bf