

Memorandum of Agreement, Made this 29th

day of June A. D., 1929 by and between **M. P. MÖLLER, Inc.** of Hagerstown, Maryland, party of the first part, and

Central M. E. Church, Second & Muskegon Ave., Muskegon, Mich.
of the second part,

Witnesseth: That the party of the first part hereby agrees to build an organ after and according to the annexed specifications and plans to be hereafter approved by party of second part and to erect it in the above church

ready for use on or before the 25th day of December A. D., 1929
or as soon thereafter as possible in the event of delays beyond his control.

2. The party of the first part agrees that the organ when completed shall be first class, free from defects in material or workmanship, and that the party of the second part may have it examined immediately on completion, in the presence of representative of first party, by a competent and disinterested expert, and if said examination shows that the organ does not conform with this agreement the party of the first part agrees to remedy defects at his own expense.

3. The party of the first part guarantees the action and construction of the organ for a term of fifty ~~one~~ year from date of completion and agrees to correct defects in material or workmanship that may be brought to his attention within that time, without cost to the party of the second part. This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed by the manufacturer for one year.)

4. In consideration of the above, the party of the second part agrees to pay M. P. Möller, Inc., or order, the sum of Twelve Thousand and No/100 Dollars (\$12,000.00)

AS FOLLOWS Cash on acceptance, 90 days after installation without
interest.

5. The party of the second part also agrees that the building will be in proper condition for the installation of the organ four weeks previous to date of completion; that they will allow, free from interruption, suitable convenience and opportunity for the installation in the building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning of the instrument, and necessary light, heat and power.

6. The party of the second part also agrees to insure the organ or its parts against loss by fire, water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto, as their interests may appear.

JUL 25 1929

No. 2

7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductors between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.

8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.

9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and undertakings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Whereof we have hereunto set our hands and seals this day and year first above written.

WITNESS

---Ford & Reynolds, Inc.---

----- (SEAL)

Party of the first part.

Trustees Central M. E. Church (SEAL)

Geo. B. M. Fawan, Pres. (SEAL)

E. D. E. Hoyer, Sec'y. (SEAL)

----- (SEAL)

Party of the second part.

NOTE—If terms other than “cash on completion” are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER Organ Factory

Pipe Organ No. <u>5634</u>	Date <u>June 29, 1929.</u>
For <u>Central M. E. Church, Muskegon, Mich.</u>	
Action <u>Electric</u>	Console <u>Detached</u>
Casing No. _____	Finish _____
Decorations _____	Motor <u>Electric</u>
Width of Key-bed _____	Stop Controls _____
No. Manuals <u>Three</u>	Wind Pressure <u>6"</u>
To be completed <u>Dec. 25, 1929.</u>	Blower pipe furnished by <u>Church</u>

SPECIFICATIONS

Organ chamber and grille furnished by church

A-440

GREAT ORGAN

1	16'	Bourdon...Ped. ext..17 pipes playing...		
		small ped. Bourdon.....	61	Pipes
2	8'	1st Open Diapason, sc. 40.....	wood bass.....	73 "
3	8'	English Open Diapason..sc. 46....	metal.....	73 "
4	8'	Doppel Flute.....	reg.....	73 "
4-a	8'	Concert Flute.....		73 Notes
5	4'	Flute Harmonic.....	reg.....	73 Pipes
6	8'	Dulciana --- playing from Choir.....		73 Notes
7	4'	Principal.....	sc. 56.....	73 Pipes
8	2-2/3'	Twelfth.....	from #7.....	12 "
9	2'	Fifteenth.....	" 7.....	61 Notes
10	8'	Tromba.....	5 1/2" scale.....	73 Pipes
11		Tremulant		

All under expression

SWELL ORGAN

11-a	16'	Lieblich Gedeckt..unit..nos. 13 & 46.....	73	Notes
12	8'	Open Diapason.....	sc. 42.....	met.....73 Pipes
13	8'	Rohr Flute.....	reg. Rohr Scale.....	73 "
14	8'	Salicional.....	smooth type...sc. 60.....	73 "
15	8'	Aeoline.....	sc. 58.....	61 "
16	8'	Vox Celeste.....	sc. 60.....	61 "
17	4'	Aeoline.....	from 15.....	12 "
18	8'	Oboe.....	capped.....	73 "
19	8'	French Trumpet...reg.....	bell top.....	73 "
20	3 Rks.	Cornet.....	12-15-17.....	219 "
21	4'	Wald Flute.....	reg.....	73 "
22	2'	Flautina.....	reg.....	12 "
23	8'	Vox Humana....S.S.B.....	capped.....	73 "
		Tremulant		

All under separate expression

CHOIR ORGAN

24	8'	Open Diapason.....	fr. great from #3.....	73 Notes
25	8'	Concert Flute.....	reg.....unit.....	73 Pipes
26	8'	Dulciana.....	sc. 56.....	73 "
27	4'	Solo Flute.....	from 25.....	12 "
28	2'	Piccolo Harmonic..."	25.....	61 Notes
29	8'	Viola d'Gamba.....	sc. 58.....	73 Pipes
30	8'	Unda Maris.....	sc. 58.....	61 "
31	8'	Clarinet.....	reg.....	73 "
32	8'	French Horn.....	small.....	73 "
33	8'	Harp (Deagan Class A).....		49 Bars
		Tremulant		

All under expression

ECHO ORGAN

(Playable from Great Manual)

34	8'	Echo Flute.....small open scale.....	61 Pipes
35	8'	Echo Salicional....sc. 62....soft.....	61 "
36	4'	Solo Flute.....from #34.....	12 "
37	4'	Violina....." 35.....	12 "
38	8'	Cor Anglais.....reg.....	61 "
39	8'	Vox Humana....S.S.B....small capped.....	61 "
40		Chimes (Deagan Class A).....	25 Bells

PEDAL ORGAN

41	32'	Diapason Resultant...42 & 43.....	32 Notes
42	16'	Double Open Diapason...reg.....	44 Pipes
43	16'	Bourdon.....small.....	44 "
44	16'	Trombone....ext. 12 P. Play.....#10.....	32 "
45	16'	Viole....." " " ".....#29.....	32 "
46	16'	Lieb. Gedeckt. or Rohr Flute..	
		12 pipes playing.....#12.....	32 "
47	8'	Major Flute....From #12.....	12 "
48	8'	Dolce Flute...." 43.....	32 Notes
49	8'	Cello....." 45.....	32 "
50	8'	Tuba....." 10.....	32 "

Organ Factory will furnish motor, blower, generator, freight and drayage from factory to church and install organ subject to acceptance. No payment to be made with contract.

Church will provide air duct running from blowing plant to organ chambers, run conduit where needed, and do all electric wiring connected therewith.

COUPLERS

51	Swell to Great	65	Choir to Swell 4'
52	Swell to Great 4'	66	Choir to Swell 16'
53	Swell to Great 16'	67	Swell 4'
54	Choir to Great	68	Swell 16'
55	Choir to Great 4'	69	Great to Pedal
56	Choir to Great 16'	70	Great to Pedal 4'
57	Great 4'	71	Swell to Pedal
58	Great 16'	72	Swell to Pedal 4'
59	Swell to Choir	73	Choir to Pedal
60	Swell to Choir 4'	74	Great Unison Separation
61	Swell to Choir 16'	75	Swell Unison Separation
62	Choir 4'	76	Choir Unison Separation
63	Choir 16'	77	Echo "On" Great "Off"
64	Choir to Swell	78	Echo to Great

MECHANICALS

79	Echo Tremulant
80	Great Tremulant
81	Swell Tremulant
82	Choir Tremulant
83	Crescendo Indicator by light

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

- Pistons No. 1-2-3-4-5-6 & Cancel affecting Great Organ
- Pistons No. 1-2-3-4-5-6 & Cancel affecting Swell Organ
- Pistons No. 1-2-3-4-5-6 & Cancel affecting Choir Organ
- Pistons No. 1-2-3-4-5-6 & Cancel affecting Pedal Organ
- Pistons No. 1-2-3-4 & Cancel affecting Full Organ, duplicated by studs on Toe Board.
- Pedal to Manual "On" and "Off" pistons.

PEDAL MOVEMENTS

- 1 Great to Pedal Reversible
- 2 Balanced Swell Expression Pedal
- 3 Balanced Choir & Great Expression Pedals
- 4 Swell to Pedal Reversible
- 5 Sforzando Pedal, by Stud & Light
indicator dupl. by manual piston.
- 6 Grand Crescendo Pedal
Concave Radiating Pedals
Echo Expression Pedal

FURNISHED WITH ORGAN

Organ bench with music shelf
Electric motor, blower and generator
Freight and drayage from factory to building &
installation.

MM-7/23/29

Checked by.....date.....

THIS QUESTIONNAIRE TO BE ATTACHED TO EVERY FACTORY AND LOCAL COPIES OF CONTRACTS

NOT TO BE ATTACHED TO CUSTOMERS COPIES

Organ No.
Name of Institution.
Central M. E. Church
City **Muskegon** ... State **Mich.** ...

- (1) Correct measurements of organ space are absolutely necessary with contract.
- (2) Send sketch of floor plan of church showing location of organ, choir, pulpit and console.
- (3) Where is the most convenient place for electric cables to enter organ chambers?.....
see plan architect will send
- (4) Where is the most convenient place for blower pipe to enter organ chambers?.....
see plan
- (5) Give exact size of doors through which organ parts are to pass....**5' x 7'**
- (6) Are there any obstructions near doors, short turns, etc?... **none**
- (7) Where is best location for blower?... **basement**
- (8) Give size of room for blower.... **31' x 7'** **ample**
- (9) Give size of doors through which blower has to pass... **3' x 7'**
- (10) Give distance from blower to organ chamber... **33' 0"**
- (11) Kind of wood to be used for (console) **not decided yet - will send sample**
(case) and samples. If oak, state if plain or quartered
(grille)
- (12) Do we furnish any case? **none**
- (13) Do we furnish any grille. **none** (13a) Is grille to be finished same as case or console?
- (14) If we furnish grille for arches we must have templets.....
- (15) Does case go on inside, between or outside of arch?.....
- (16) Give thickness of arch or openings.....
- (17) Give style of panels desired in case or console.... **Gothic**
- (18) If door to be in case, is it for choir entrance?.....
- (19) If organ case is built by church, we must have templet giving exact size for pipes.....
- (20) Do we furnish front pipes?... **none** (20a) Decoration for front pipes.....
- (21) Is console attached or detached?... **detached**
- (22) How many feet of cable required from console to organ?.....
- (23) If console movable, how much flexible air hose do we furnish?... **not moveable**
- (24) Is organ divided or not? **divided**
- (25) Is organ all enclosed?... **yes** (25a) If not, state how much is out.....
- (26) Do we make swell box around chest?... **no**
- (27) If all enclosed, who builds organ chambers? **church**
- (28) Give dimensions of auditorium (Height) **45'** (Auditorium) **800**
(Width) **75'** (Seating capacity (Gallery)) **200**
(Depth) **110'**
- (29) Kind of stop controls? **tablets** (29a) Kind of coupler controls? **tablets**
- (30) Color of Stop controls? **standard**
- (31) Is the organ to have tubular or electric action? **electr-pneu** (31a) Style of console? **standard**
- (32) Is the building old or new? **new**
- (33) Have organ plans been made by us?..... (33a) If approved, state when and by whom?.....
(33b) Return copy.
- (34) Street address of church **2nd & Webster** (34a) (County) **Muskegon**
- (35) Name of organist and street address **Mrs. A. B. Johns, 243 W. Webster St., Muskegon.**
- (36) Name of architect and street address **Vanderwest & Childs - Montgomery Block, Muskegon**
- (37) Name of party organ is to be shipped to and street address.....
- (38) Give name of nearest freight station to church for carload as well as less carload shipments.....
Pennsylvania Railway Co.
- (39) If we get old organ, we must have complete specifications and measurements, name of maker, also how old, and present condition when contract is mailed.....

Remarks:.....

Answer these questions and do not merely refer factory to plans.

5634

#6634 - Muskegon, Mich. Hagerstown, Md. 7/19/29
 20 Stop Keys white engraved in black block letters.

Bourdon 16'	First Open Diapason 8'	English Open Diapason 8'
Doppel Flute 8'	Flute Harmonic 4'	Dalciana 8'
Principal 4'	Twelfth 2-2/3'	Fifteenth 2'
Tromba 8'	Open Diapason 8'	Rohr Flute 8'
Salicional 8'	Aeoline 8'	Voix Celeste 8'
Aeoline 4'	Oboe 8'	French Trumpet 8'
Cornet III Rks.	Wald Flute 4'	Flautina 2'
Vox Humana 8'	Open Diapason 8'	Concert Flute 8'
Dalciana 8'	Solo Flute 4'	Piccolo Harmonic 8'
Viola d'Gamba 8'	Unda Maris 8'	Clarinet 8'
French Horn 8'	Echo Flute 8'	Echo Salicional 8'
Solo Flute 4'	Violina 4'	Cor Anglais 8'
Vox Humana 8'	Diapason Resultant 32'	Double Open Diapason 16'
Bourdon 16'	Trombone 16'	Viole 16'
Lieblich Gedeckt 16'	Rohr Flute 16'	Major Flute 8'
Dolce Flute 8'	Cello 8'	Tuba 8'

#20 Stop Keys white engraved in black block letters (Cont'd.)

Swell to Great	Choir to Great	Swell to Choir
Choir to Swell	Great to Pedal	Swell to Pedal
Choir to Pedal	Echo to Great	

#20 Stop Keys white engraved in red block letters.

Tremulant	Tremulant	Harp 8'
Tremulant	Chimes	Swell to Great 4'
Swell to Great 16'	Choir to Great 4'	Choir to Great 16'
Great 4'	Great 16'	Swell to Choir 4'
Swell to Choir 16'	Choir 4'	Choir 16'
Choir to Swell 4'	Choir to Swell 16'	Swell 4'
Swell 16'	Great to Pedal 4'	Swell to Pedal 4'
Great Unison Separation	Swell Unison Separation	Choir Unison Separation
Tremulant	Tremulant	Tremulant
Tremulant		

#20 Stop Keys

Echo
"On"
Great
"Off"

M. P. MÖLLER Organ Factory

Pipe Organ No.	5634	Date	June 29, 1929.
For	Central M. E. Church, Muskegon, Mich.		
	Electric		
Action		Console	Detached
Casing No.		Finish	
Decorations		Motor	Electric
Width of Key-bed		Stop Controls	
No. Manuals	Three	Wind Pressure	6"
To be completed	Dec. 25, 1929.	Blower pipe furnished by	Church

SPECIFICATIONS

Organ chamber and grille furnished by church

A-440

GREAT ORGAN

1	16'	Bourdon...Ped. ext., 17 pipes playing...	
		small ped. Bourdon.....	61 Pipes
2	8'	1st Open Diapason., sc. 40....	wood bass.....73 "
3	8'	English Open Diapason., sc. 46....	metal.....73 "
4	8'	Doppel Flute.....	reg.....73 "
4-a	8'	Concert Flute.....	73 Notes
5	4'	Flute Harmonic.....	reg.....73 Pipes
6	8'	Dulciana --- playing from Choir.....	73 Notes
7	4'	Principal.....	sc. 56.....73 Pipes
8	2-2/3'	Twelfth.....	from #7.....12 "
9	2'	Fifteenth.....	" 7.....61 Notes
10	8'	Tromba.....	5 1/2" scale.....73 Pipes
11		Tremulant	

All under expression

SWELL ORGAN

11-a	16'	Lieblich Gedeckt., unit., nos. 13 & 46.....	73	Notes
12	8'	Open Diapason.....sc. 42.....met.....	73	Pipes
13	8'	Rohr Flute.....reg. Rohr Scale.....	73	"
14	8'	Salicional.....smooth type.....sc. 60.....	73	"
15	8'	Aeoline.....sc. 58.....	61	"
16	8'	Vox Celeste.....sc. 60.....	61	"
17	4'	Aeoline.....from 15.....	12	"
18	8'	Oboe.....capped.....	73	"
19	8'	French Trumpet....reg....bell top.....	73	"
20	3 Rks.	Cornet.....12-15-17.....	219	"
21	4'	Wald Flute.....reg.....	73	"
22	2'	Flautina.....reg.....	12	"
23	8'	Vox Humana....S.S.B.....capped.....	73	"
		Tremulant		

All under separate expression

CHOIR ORGAN

24	8'	Open Diapason.....fr. great from #3.....	73	Notes
25	8'	Concert Flute.....reg.....unit.....	73	Pipes
26	8'	Dulciana.....sc. 56.....	73	"
27	4'	Solo Flute.....from 25.....	12	"
28	2'	Piccolo Harmonic...." 25.....	61	Notes
29	8'	Viola d'Gamba.....sc. 58.....	73	Pipes
30	8'	Unda Maris.....sc. 58.....	61	"
31	8'	Clarinet.....reg.....	73	"
32	8'	French Horn.....small.....	73	"
33	8'	Harp (Deagan Class A).....	49	Bars
		Tremulant		

All under expression

ECHO ORGAN

(Playable from Great Manual)

34	8'	Echo Flute.....small open scale.....	61 Pipes
35	8'	Echo Salicional....sc. 62....soft.....	61 "
36	4'	Solo Flute.....from #34.....	12 "
37	4'	Violina....." 35.....	12 "
38	8'	Cor Anglais.....reg.....	61 "
39	8'	Vox Humana....S.S.B....small capped.....	61 "
40		Chimes (Deagan Class A).....	25 Bells

PEDAL ORGAN

41	32'	Diapason Resultant...42 & 43.....	32 Notes
42	16'	Double Open Diapason...reg.....	44 Pipes
43	16'	Bourdon.....small.....	44 "
44	16'	Trombone....ext. 12 P. Play.....#10.....	32 "
45	16'	Viole....." " " ".....#29.....	32 "
46	16'	Lieb. Gedeckt. or Rohr Flute..	
		12 pipes playing.....#12.....	32 "
47	8'	Major Flute....From #42.....	12 "
48	8'	Dolce Flute...." 43.....	32 Notes
49	8'	Cello....." 45.....	32 "
50	8'	Tuba....." 10.....	32 "

Organ Factory will furnish motor, blower, generator, freight and drayage from factory to church and install organ subject to acceptance. No payment to be made with contract.

Church will provide air duct running from blowing plant to organ chambers, run conduit where needed, and do all electric wiring connected therewith.

COUPLERS

51	Swell to Great	65	Choir to Swell 4'
52	Swell to Great 4'	66	Choir to Swell 16'
53	Swell to Great 16'	67	Swell 4'
54	Choir to Great	68	Swell 16'
55	Choir to Great 4'	69	Great to Pedal
56	Choir to Great 16'	70	Great to Pedal 4'
57	Great 4'	71	Swell to Pedal
58	Great 16'	72	Swell to Pedal 4'
59	Swell to Choir	73	Choir to Pedal
60	Swell to Choir 4'	74	Great Unison Separation
61	Swell to Choir 16'	75	Swell Unison Separation
62	Choir 4'	76	Choir Unison Separation
63	Choir 16'	77	Echo "On" Great "Off"
64	Choir to Swell	78	Echo to Great

MECHANICALS

79	Echo Tremulant
80	Great Tremulant
81	Swell Tremulant
82	Choir Tremulant
83	Crescendo Indicator by light

ADJUSTABLE COMBINATIONS

(Operated by pistons placed under respective manuals)

- Pistons No. 1-2-3-4-5-6 & Cancel affecting Great Organ
 - Pistons No. 1-2-3-4-5-6 & Cancel affecting Swell Organ
 - Pistons No. 1-2-3-4-5-6 & Cancel affecting Choir Organ
 - Pistons No. 1-2-3-4-5-6 & Cancel affecting Pedal Organ
 - Pistons No. 1-2-3-4 & Cancel affecting Full Organ, duplicated by studs on Toe Board.
- Pedal to Manual "On" and "Off" pistons.

-3-
PEDAL MOVEMENTS

- 1 Great to Pedal Reversible
- 2 Balanced Swell Expression Pedal
- 3 Balanced Choir & Great Expression Pedals
- 4 Swell to Pedal Reversible
- 5 Sforzando Pedal, by Stud & Light
indicator dupl. by manual piston.
- 6 Grand Crescendo Pedal
Concave Radiating Pedals

FURNISHED WITH ORGAN

Organ bench with music shelf
Electric motor, blower and generator
Freight and drayage from factory to building &
installation.

MM-7/23/29

Checked by.....date.....