

M. P. MÖLLER Organ Factory

2/12

Pipe Organ No. 10942 Date April 16, 1973
 For GRACE UNITED METHODIST CHURCH, BLUE ISLAND, ILLINOIS
 Action Moller's Pitman Electro-Pneu. Console Detached. All electric operation with roll top & lock
 Casing No. None Finish As Per Sample
 Decorations None Motor 1-1/2 H.P Style 3-P-2724
 Width of Key-bed Standard Stop Controls Tablet Type
 No. Manuals TWO English Ivory Manual Keys Wind Pressure 4"
 To be Completed February 1, 1974 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

GENERAL: The organ shall be a distinctive work of the builder, a custom product of his factory, in no way a stock instrument nor assembled from outside parts.

GREAT ORGAN (unenclosed)

1. 8' Principal.....47.....18-1/2.....12 Zinc S.M.....80 pipes
2. 8' Rohrflöte.....54.....21-1/2.....12 Zinc S.M.....68 pipes
3. 8' Spitzgambe.....from #9.....61 notes
4. 4' Octave.....from #1.....68 notes
5. 2' Hohlflöte.....68.....20-1/2.....S.M.....61 pipes
6. II Rks. Mixture.....Formula "A" 18-1/2.....S.M.....122 pipes
- 6a. Chimes ~~(with slide in Console). Prepared for~~
7. Tremolo (enclosed)

4 Mayland tubes, transformer, electric action & relays, volume control switch & relays, AtoF, #22 to 42.....21 tubes

SWELL ORGAN (enclosed)

8. 8' Holzgedeckt...L.M.B...Reg. Stopped Flute..Treble.Wood.....61 pipes
9. 8' Spitzgambe.....52-3/4...18-1/2.....12 Zinc S.M.....61 pipes
10. 4' Flachflöte.....56-2/3...19-1/2.....S.M.....61 pipes
11. 2' Prinzipal.....72.....18-1/2.....S.M.....61 pipes
12. 1-1/3' Larigot.....78-2/3...20-1/2.....S.M.....61 pipes
13. 8' Trompette.....3".....42-1/2.....61 pipes
14. Tremolo

16
4

PEDAL ORGAN (unenclosed)

15. 16' Contra Bass.....34.....18-1/2.....29 Zinc S.M.....56 pipes
16. 16' Bourdon.....12 pipes 20 from #8.....32 notes
17. 8' Principal.....from #15.....32 notes
18. 8' Gedeckt.....from #8.....32 notes
19. 4' Octave.....from #15.....32 notes
20. 16' Bombarde...CCC 4" CC 3" 12 pipes 20 from #13.....32 notes
21. 4' Clairon.....from #13.....32 notes

12757 Maple A 60406
12739 S Maple Ave

COUPLERS

22. Great to Pedal 8'
23. Swell to Great 16'
24. Swell to Great 8'
25. Swell to Great 4'
26. Swell to Pedal 8'
27. Swell 16'
28. Swell 4'
29. Great 4'

ADJUSTABLE COMBINATIONS
(Capture System)

General Pistons No. 1-2-3-4-5

Affecting entire organ, placed
beneath Swell center

Adjuster Piston

ACCESSORIES

Swell expression pedal

Crescendo pedal for entire organ, with indicator light, Tremolo cut-out

Great to Pedal Reversible (toe), duplicated by piston

Solid wood music rack, including Castlight with 4" shelf; light for
pedal board.

Heavycut, English ivory manual keys

Circuit breakers for organ action protection, 15 Ampere maximum per circuit

Internal swell box partitions as required; shade actions to be of independently
operated type.

Action current rectifier with air switch, as required

Electric motor, blower with static reservoir, as required

GENERAL

The organ shall be assembled and tested at the factory, then delivered, installed and finished (receive final voicing and tonal regulation) in the Church by Moller staff, presented ready for use.

JHH/mr

11/5/73

Salesman: Henry Beard

#10942

GRACE UNITED METHODIST CHURCH, BLUE ISLAND, ILLINOIS

GREAT ORGAN
II Rks. Mixture Formula "A"

19	15	12
22	19	15
1-36	37-48	49-61

Unison	48 @ 8' CC	18-1/2	1/4 mouth	S.M.
Quint	49 @ 8' CC	18-1/2	2/9 mouth	S.M.