

# M. P. MÖLLER Organ Factory

Pipe Organ No. R-644 Date May 6, 1959  
For ST. LUKE'S EVANGELICAL AND REFORMED CHURCH, LOCK HAVEN, PENNA.  
Action Electro-Pneumatic Console Detached  
Casing No. Present - No Change Finish To Customer's Selection  
Decorations Present - No Change Motor Present motor, blower and DC Organ Power Unit  
Width of Key-bed Standard Stop Controls Tilting Tablets  
No. Manuals Two and Pedal Wind Pressure *Sw. (unenclosed & enclosed) 4 Sw. 6 1/2"*  
*Pedal 4-3/4"*  
To be Completed December 6, 1959 Blower Pipe furnished by Purchaser

## SPECIFICATIONS

### FOR

#### REBUILDING AND ENLARGING PRESENT E. M. SKINNER ORGAN

##### CONSOLE

Install new two manual electro-pneumatic detached tilting tablet type console, pedal keyboard and organ bench.

##### MANUAL CHESTS

Install new three rank chest for Great enclosed organ division to be installed in new organ chamber.  
Releather 683 manual pipe pouches.  
Install 743 new stop action checks and eyelets.  
Releather one 61 note Great primary station and install new outside type magnets.  
Releather one 73 note Swell primary station and install new outside type magnets.  
Releather 11 note stop action primary and install new outside type magnets.

##### OFFSET ACTIONS

Releather the following offset actions, retaining present tubular pneumatic design:

Great 8 Diapason	#1 to #10 incl.
Great 4 Octave	#1 to #12 incl.
Great 2 Fifteenth	#1 to #6 incl.
Swell 8 Diapason	#1 to #12 incl.
Swell 8 Gedeckt	#1 to #8 incl.
Swell 8 Salicional	#1 to #6 incl.
Swell 8 Aeoline	#1 to #6 incl.

##### CHIMES

Install new 25 note chime relay.

##### PEDAL ORGAN

Install new action for 16 Dulciana #1 to #12 incl.  
Releather 16 Bourdon action #1 to #14 incl. and install new outside type magnets.

##### EXPRESSION

Install necessary swell box, swell shades and action for new enclosed Great organ division.  
Releather one 8 stage whiffletree expression action.

## RESERVOIRS

Install necessary new reservoirs for new Great enclosed organ division.

Releather the following reservoirs:

- One (1) 2'-0" x 3'-0" reservoir
- One (1) 3'-0" x 3'-0" reservoir
- One (1) 3'-0" x 4'-0" reservoir
- One (1) 3'-0" x 6'-0" Blower reservoir

## TREMLO

Releather present tremolo and install new outside type magnet.

## PIPES

Supply the following new pipes:

Great 4 Octave	61 Pipes
Great 2-2/3 Twelfth	61 Pipes
Great 2 Fifteenth	61 Pipes
Swell 4 Flute	12 Pipes (#62 to #73 inc.)
Swell 8 Trompette	73 Pipes
Pedal 16 Dulciana	12 Pipes

Revoice Swell 4 Oboe Clarion - 61 pipes.

Install modern tuning slides on all metal pipes.

## CABLES

Install new asbestos covered cables between console and organ.

## ACTION CURRENT

Present DC organ power unit to be used without change.

## BLOWER

Present blower and motor to be used without change.

## GENERAL

Entire organ except display case and pipes, blower, motor and power unit to be returned to factory of M. P. Moller, Inc. at Hagerstown, Md. for rebuilding as specified above.

\* \* \* \* \*

SPECIFICATIONS  
FOR  
CONSOLE AND ORGAN

## MANUAL COMPASS

CC to C<sub>4</sub>, 61 notes

## PEDAL COMPASS

CCC to G<sub>2</sub>, 32 notes

## WIND PRESSURE

## PITCH

A-440 @ 70°F

GREAT ORGAN (unenclosed, except as indicated)

1	8	Diapason.....present pipes, present action.....	61 Pipes
* 2	8	Melodia.....present pipes, new action..... <i>W.P. #15 to #6 inc. 4 3/4"</i>	61 Pipes
* 3	8	Dulciana.....present pipes, new action..... <i>W.P. #1 to #8 inc. 4 3/4"</i>	61 Pipes
4	4	Octave.....new pipes, present Great 8 Melodia action....	61 Pipes
* 5	4	Flute Harmonic.....present pipes, new action.....	61 Pipes
6	2-2/3	Twelfth.....new pipes, present Great 4 Flute Harmonic action.....	61 Pipes
7	2	Fifteenth.....new pipes, present Great 8 Ducliana action...	61 Pipes
8		Chimes.....provide slide in console wired G to G, #20 to #44. Supply relays only.....	25 Tubes

(\*) Ranks enclosed in new organ chamber

SWELL ORGAN

9	8	Diapason.....present pipes, present action.....	73 Pipes
10	8	Gedeckt.....present pipes, present action.....	73 Pipes
11	8	Salicional.....present pipes, present action.....	73 Pipes
12	8	Aeoline.....present pipes, present action.....	73 Pipes
13	4	Flute.....present pipes #1 to #61 incl., new pipes #62 to #73; present action.....	73 Pipes
14	8	Trompette.....new pipes, present Swell 8 Flugel Horn action.....	73 Pipes
15	4	Oboe Clarion.....present Swell 8 Flugel Horn pipes #13 to #73; present Swell 8 Vox Humana action.....	61 Pipes
16		Tremulant	

PEDAL ORGAN (\*)

17	16	Bourdon.....present pipes, present action.....	44 Pipes
18	16	Dulciana.....new pipes, new action #1 to #12; 20 from #3..	32 Notes
19	8	Gedeckt.....from #17.....	32 Notes
20	8	Dulciana.....from #3.....	32 Notes

(\*) Provide slides in console to play Pedal Organ

COUPLERS

21	Great to Pedal	28	Great 16
22	Great to Pedal 4	29	Great Unison Off
23	Swell to Pedal	30	Great 4
24	Swell to Pedal 4	31	Swell 16
25	Swell to Great 16	32	Swell Unison Off
26	Swell to Great	33	Swell 4
27	Swell to Great 4		

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4	Affecting Great and Pedal Stops
Pistons No. 1-2-3-4	Affecting Swell and Pedal Stops
Pistons No. 1-2-3-4	Affecting Full Organ
General Cancel Piston	

PEDAL MOVEMENTS

- 1 - Great to Pedal Reversible
- 2 - Swell to Pedal Reversible
- 3 - Balanced Expression Pedal - Great Organ (16 contacts, regular system)
- 4 - Balanced Expression Pedal - Swell Organ (8 contacts, regular system)
- 5 - Balanced Crescendo Pedal with indicator light (green jewel)
- 6 - Sforzando Reversible (duplicated by manual piston) with indicator light (red jewel)

ACCESSORIES

Concave and radiating pedal keyboard  
Organ bench with music shelf

Present motor, blower and DC organ power unit