

M. P. MÖLLER Organ Factory

2/19

Pipe Organ No. 11392 Date January 23, 1979
 For IMMACULATE CONCEPTION CATHOLIC CHURCH, HIALEAH, FLORIDA
 Action Moller's Electro-Pneumatic Console Detached - All Electric
 Casing No. Organ Enclosure Finish As Per Sample #1004
 Decorations None Motor 3 H.P., Style 2-2118 Meid.
 Width of Key-bed Standard Stop Controls Tilting Tablets
 No. Manuals TWO 4 oz. key touch Wind Pressure 3"
 To be Completed October 15, 1979 1980 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

(M-5200-C Style)

GREAT ORGAN

Unenclosed and Exposed

1.	8'	Principal.....45.....17-1/2	21 Zinc S.M.....61 pipes
2.	8'	Spitzflöte.....48-1/3...17-1/2	21 Zinc S.M.....61 pipes
3.	4'	Octave.....58.....18-1/2	9 Zinc S.M.....61 pipes
4.	2'	Waldflöte.....66-1/2...18-1/2.....	S.M.....61 pipes
5.	III-IV Rks.	Mixture.....Formula "A"	220 pipes

SWELL ORGAN

Expressive

6.	8'	Rohrflöte.....54.....21-1/2.....	24 Zinc C.M.....61 pipes
7.	8'	Viole de Gambe...52.....18-1/2.....	21 Zinc S.M.....61 pipes
8.	8'	Viole Celeste TC.54.....18-1/2.....	9 Zinc S.M.....49 pipes
9.	4'	Flachflöte.....56-2/3...18-1/2.....	9 Zinc S.M.....61 pipes
10.	2'	Principal.....70.....17-1/2.....	S.M.....61 pipes
11.	1-1/3'	Quintflöte.....77.....17-1/2.....	S.M.....61 pipes
12.	8'	Trompette.....3".....42-1/2.....	Zinc & S.M.....61 pipes
13.		Tremulant	

PEDAL ORGAN

Unenclosed and Exposed

14.	16'	Subbass.....#2 Bdn.....Wood.....	32 pipes
15.	8'	Principal.....44.....17-1/2.....	21 Zinc S.M.....32 pipes
16.	4'	Choralbass.....56.....18-1/2.....	9 Zinc S.M.....32 pipes
17.	16'	Fagotto.....3"....Reg. Open Oboe..#1-18 1/2 L..	Zinc & S.M.56 pipes
18.	4'	Fagotto.....from #17.....	32 notes

COUPLERS

- 19. Great to Pedal 8'
- 20. Swell to Pedal 8'
- 21. Swell to Pedal 4'
- 22. Swell to Great 16'
- 23. Swell to Great 8'
- 24. Swell to Great 4'
- 25. Great 4'
- 26. Swell 16'
- 27. Swell Unison Off
- 28. Swell 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5-6
General Cancel

Affecting Full Organ

PEDAL MOVEMENTS

Great to Pedal Reversible
Tutti Reversible
Balanced Expression Pedal - Swell Organ
Balanced Crescendo Pedal

ACCESSORIES

Concave, radiating pedal clavier
Organ bench with music shelf
Tutti indicator light
Crescendo indicator light
Lights for music rack and pedal clavier
Motor, blower and action power unit of ample capacity
Motor starter switch
All supports and finished wood case by M. P. Moller, Inc.
Sound insulated blower enclosure - self contained under organ
Swell box enclosure, and shades, painted to church's sample

MAN NO. 11392

IMMACULATE CONCEPTION CATHOLIC CHURCH, HIALEAH, FLORIDA

MIXTURE FORMULAS

GREAT ORGAN

III-IV Rks. Mixture				Formula "A"	220 pipes	S.M.	3"
22	19	15		12	12	8	
26	22	19		15	15	12	
29	26	22		19	19	15	
	29	26		22			
1-12	13-18	19-24		25-49	50-54	55-61	
Unison	47 Sc. @ 8'	17-1/2		1/4 mouth			
Quint	50 Sc. @ 8'	17-1/2		1/4 mouth			