

M. P. MÖLLER Organ Factory

2/18

Pipe Organ No. 11012 Date January 24, 1974
 For HOLY FAMILY PARISH, ROCKFORD, ILLINOIS
 Action Moller's Pitman Electro-Pneu. Console Detached. All Electric
 Casing No. None *Chest enclosures* Finish As Per Sample
 Decorations None Motor 1 H.P., Style 3-P-2722
 Width of Key-bed Standard Stop Controls Tablet Type
 No. Manuals TWO Wind Pressure 3"
 To be Completed February 15, 1975 Blower Pipe furnished by Purchaser

PITCH: A-440

SPECIFICATIONS

GENERAL: The organ shall be a distinctive work of the builder, a custom product of his factory, in no way a stock instrument nor assembled from outside parts.

GREAT ORGAN (unenclosed and exposed)

1.	8'	Principal.....	44.....	17-1/2.....	17 Zinc S.M....	61 pipes
2.	8'	Bordun.....	56.....	21-1/2.....	17 Zinc S.M....	61 pipes
3.	4'	Octave.....	55.....	17-1/2.....	5 Zinc S.M....	61 pipes
4.	2'	Doublette.....	69.....	17-1/2.....	S.M....	61 pipes
5.	III-IV Rks.	Fourniture.....	Formula "A".....		S.M....	220 pipes
6.		Chimes...(console only, with switch)				

+

SWELL ORGAN (enclosed)

7.	8'	Rohrflöte...#1-12 L.M.B.(wood) #13 up..	63..	21-1/2		
		L.O.S. Chimneys.....	5	Zinc S.M....	61 pipes	
8.	8'	Viola(tapered,warm) 46-2/3..	18-1/2.....	17 Zinc S.M....	61 pipes	
9.	8'	Viola Celeste (GG) ..48-2/3 @ 8' ..	18-1/2...10	Zinc S.M....	54 pipes	
10.	4'	Spitzprinzipal...56-3/4..	17-1/2.....	5 Zinc S.M....	61 pipes	
11.	2'	Hohlflöte.....	62.....	17-1/2.....	S.M....	61 pipes
12.	III Rks.	Scharf.....	Formula "B"		S.M....	183 pipes
13.	8'	Trompette.....	3-1/2"....	Reg.....	61 pipes	
14.		Tremolo (enclosed)				

||

+

PEDAL ORGAN (unenclosed)

15.	16'	Contra Bass....CCC Spec. C.B. Sc.	12 Wood		
		CC 43.....	17-1/2.....	17 Zinc S.M....	56 pipes
16.	16'	Rohrbourdon....L.M. Bdn....	12 pipes.....	Wood. 20 from #7..	32 notes
17.	8'	Principal.....	from #15.....		32 notes
18.	8'	Rohrflöte.....	from #7.....		32 notes
19.	4'	Octave.....	from #15.....		32 notes
20.	16'	Bombarde..4" ..1/2 L..Reg..	12 pipes 20 from #13.....		32 notes
21.	4'	Clairon.....	from #13.....		32 notes

8-2 up 25 2140
351

COUPLERS

- 22. Great to Pedal 8'
- 23. Swell to Great 16'
- 24. Swell to Great 8'
- 25. Swell to Great 4'
- 26. Swell to Pedal 8'
- 27. Swell 16'
- 28. Swell 4'
- 29. Great 4'

ADJUSTABLE COMBINATIONS
(Capture Adjusting System)

General Pistons No. 1-2-3-4-5-6-7-8

(Affecting entire organ, placed beneath Swell center)

Adjuster Piston

ACCESSORIES

Great to Pedal Reversible piston, duplicated to pedal.

Crescendo Pedal for entire organ, with indicator light, Chimes-Tremolo cut-out switch.

Swell shade actions to have independent operation.

Solid wood music rack, with Castlelight mounted to provide 4" shelf

Light for pedal board.

Swell box partitions as required, in *hardwood to sample* ~~standard materials~~.

Swell expression pedal.

Circuit breakers for organ action protection, 15 Ampere maximum per circuit.

Action current rectifier with wind switch, as required.

Electric motor, blower with static reservoir, as required.

Starter buttons to be mounted in console.

ORGAN NO. 11012 HOLY FAMILY PARISH, ROCKFORD, ILLINOIS

SPECIAL MIXTURE FORMULAS

GREAT ORGAN

III-IV Rks. Fourniture Formula "A"

220 pipes S.M. 3" W

19	15	12	8	8
22	19	15	12	12
29 26	22	19	15	15
	26	22	19	
1-12	13-24	25-40	41-49	50-61

Unison	47 Sc. @ 8'	17-1/2	1/4 mouth
Quint	49 Sc. @ 8'	17-1/2	1/4 mouth

SWELL ORGAN

III Rks. Scharf Formula "B"

183 pipes S.M. 3" W

29	26	22	19	15	12	8
33	29	26	22	19	15	12
36	33	29	26	22	19	15
1-12	13-18	19-37	38-45	46-52	53-56	57-61

Unison	52 Sc. @ 8'	17-1/2	1/4 mouth
Quint	52 Sc. @ 8'	17-1/2	1/4 mouth