

M. P. MÖLLER Organ Factory

Pipe Organ No. R-373 Date February 13, 1950
 For MORAVIAN CONGREGATION, NAZARETH, PA.
 Action Electro-Pneumatic Console Detached
 Casing No. N/C Finish To Match Existing Furnishings
 Decorations N/C Motor N/C
 Width of Key-bed Standard Stop Controls Draw Knobs & Tilting Tablets.
 No. Manuals Three Wind Pressure N/C
 To be Completed Aug. 13, 1950 Blower Pipe furnished by N/C

SPECIFICATIONS FOR

RELEATHERING AND ELECTRIFYING ORGAN

CONSOLE Install new three manual, electro-pneumatic, detached draw knob console, pedal key and bench.

MANUAL CHESTS Releather 1273 manual pipe pouches.
 Releather and electrify three 61 note primary stations.
 Install 22 single stop action rails.
 Install 1273 stop action checks and eyelets.
 Releather and electrify 22 stop action controls.

OFFSET CHEST Releather and electrify the following offset actions.

Great	16'	Open Diapason	24 Notes
Great	8'	Open Diapason	8 Notes
Great	II	Rks. Mixture	9 Notes
Swell	16'	Bourdon	12 Notes
Swell	8'	Open Diapason	4 Notes
Swell	8'	Vox Humana	61 Notes

CONTACT BOX Install new 44 note contact box, Great Organ
 Install new 61 note contact box, Swell Organ
 Install new 4 note contact box, Choir Organ

SWITCHES Install the following new switches:

Great	16'	Diapason	24 Notes
Great	8'	Open Diapason	8 Notes
Great	II	Rks. Mixture	9 Notes
Swell	16'	Lieblighgedeckt	32 Notes
Swell	8'	Vox Humana	61 Notes
Choir	8'	Open Diapason	4 Notes

PEDAL

Releather and electrify the following pedal actions -

16' Open Diapason	42 Notes
16' Sub Bass	30 Notes
8' Cello	30 Notes

Install new 20 note primary station, 16' Lieblichgedeckt.
 Install new two note chest and pipes for 16' Open Diapason
 #43 and #44.
 Install new two note chest and pipes for 16' Sub Bass
 #31 and #32.
 Install new two note chest and pipes for 8' Cello
 #31 and #32.

EXPRESSION

Install new 8 stage individual type expression action,
 Swell Organ.
 Install new 8 stage individual type expression action,
 Choir Organ.

RESERVOIRS

Recover three 3'-0" x 4'-0" Reservoirs and install modern
 type curtain valve.
 Install three new pedal reservoirs.

TREMOLLO

Install three new electro-pneumatic tremolos.

CABLE

Install new asbestos covered cable between console and organ.

ACTION CURRENT

Supply new motor-generator unit of ample capacity.

PIPES

Install modern slide tuners on all metal pipes.
 Revoice the following reed stops:

8' Oboe	61 Pipes
8' Cornopean	61 Pipes
8' Vox Humana	61 Pipes
8' Clarinet	61 Pipes

GENERAL

All parts to be rebuilt to be returned to the factory
 at Hagerstown, Maryland.

M. P. Moller, Inc. to supply all labor, drayage and
 materials for the above specified work.

TONAL CHANGES AND ADDITIONS

- (1) Install II Rks. Mixture 122 pipes on existing Great 8' Gross Flute action. Console and organ wiring to be arranged to draw Great 2' Fifteenth with the above two ranks to develop a III Rks. Mixture.
- (2) Install chest and pipes for #62 - #73 octave at all Swell organ stops.
- (3) Move existing 8' Vox Humana 61 pipes and chest from Choir organ to Swell organ.
- (4) Install chest and pipes for Choir 2-2/3' Flute Twelfth 61 pipes.
- (5) Install Deagan Class D-21 tube chimes under Swell expression but playable from Great manual.

SPECIFICATION
OF
CONSOLE AND ORGAN

MANUAL COMPASS
PEDAL COMPASS
WIND PRESSURE
PITCH

CC to C 61 notes
CCC to G 32 notes
3-1/2"
A-440

GREAT ORGAN

1	16'	Double Diapason	73	Pipes
2	8'	Open Diapason I	61	Pipes
3	8'	Open Diapason II.....	61	From #1
4	8'	Melodia	61	Pipes
5	8'	Gamba.....	61	Pipes
6	4'	Principal.....	61	Pipes
7	2'	Fifteenth.....	61	Pipes
8	III Rks.	Mixture.....	61 notes from #7	122 Pipes
9		Chimes	21	Tubes
10		Tremolo		

SWELL ORGAN

11	16'	Lieblighgedeckt.....	73	Pipes
12	8'	Open Diapason.....	73	Pipes
13	8'	Stopped Diapason.....	73	Pipes
14	8'	Salicional.....	73	Pipes
15	8'	Voix Celeste.....	61	Pipes
16	8'	Aeoline.....	73	Pipes
17	4'	Flute Harmonic.....	73	Pipes
18	4'	Violina	73	Pipes
19	8'	Cornopean.....	73	Pipes
20	8'	Oboe	73	Pipes
21	8'	Vox Humana.....	61	Pipes
22		Blank		
23		Tremolo		

CHOIR ORGAN

24	8'	Violin Diapason.....	61 Pipes
25	8'	Dolce Flute	61 Pipes
26	4'	Flute d'Amour.....	61 Pipes
27	2-2/3'	Flute Twelfth.....	61 Pipes
28	8'	Clarinet.....	61 Pipes
29		Blank	
30		Tremolo	

PEDAL ORGAN

*31	16'	Open Diapason.....	44 Pipes
*32	16'	Sub Bass	32 Pipes
*33	16'	Lieblighgedeckt.....from #11.....	32 Notes
*34	8'	Octave Bass.....from #31.....	32 Notes
*35	8'	Cello.....	32 Pipes

(*) Provide slide in console

COUPLERS

36	Great to Pedal	48	Great 16'
37	Great to Pedal 4'	49	Great Unison
38	Swell to Pedal	50	Great 4'
39	Swell to Pedal 4'	51	Swell 16'
40	Choir to Pedal	52	Swell Unison
41	Choir to Pedal 4'	53	Swell 4'
42	Swell to Great 16'	54	Swell to Choir 16'
43	Swell to Great	55	Swell to Choir
44	Swell to Great 4'	56	Swell to Choir 4'
45	Choir to Great 16'	57	Choir 16'
46	Choir to Great	58	Choir Unison
47	Choir to Great 4'	59	Choir 4'

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5-6	Affecting Great Stops
Pistons No. 1-2-3-4-5-6-7-8	Affecting Swell Stops
Pistons No. 1-2-3-4	Affecting Choir Stops
Pistons No. 1-2-3	Affecting Pedal Stops
Pistons No. 1-2-3-4-5-6-7-8	Affecting Full Organ
General Cancel Piston	

PEDAL MOVEMENTS

- 1 - Great to Pedal Reversible (duplicated by manual piston)
- 2 - Swell to Pedal Reversible (duplicated by manual piston)
- 3 - Choir to Pedal Reversible (duplicated by manual piston)
- 4 - Balanced Expression Pedal - Swell Organ (8 contacts - reverse system)
- 5 - Balanced Expression Pedal - Choir Organ (8 contacts - reverse system)
- 6 - Balanced Crescendo Pedal
- 7 - Sforzando Reversible (duplicated by manual piston)

ACCESSORIES

Crescendo Indicator Lights - Green - P-MP-MF-F-FF
Sforzando Indicator Light - Red

Concave and radiating pedal keyboard
Organ bench with music shelf

MOLLER ORGAN OPUS 1492 - 1912

3/4/50
HDO/mb