

9/12/52
Addendum to op 1029

PROPOSED CHANGES & ADDITIONS TO SPECIFICATIONS

FOR

ENLARGEMENT OF REUTER ORGAN, FIRST BAPTIST CHURCH, MERIDIAN, MISS.

Great:

- ✓ (a) Add a new 2 ranks Grave Mixture (12-15) of 122 pipes only, in place of present 8' Clarabella. Use present Clarabella chest and equip with new rack and groove board \$334.00

Swell:

- ✓ (a) Shift present 8' Oboe pipes so as to play at 4' pitch. Revoice to Oboe Clarion and add 12 treble pipes ..\$ 18.00

Choir:

- ✓ (a) Add a new 1 3/5' tierce, 61 pipes, complete with chest, placing same with new section in Choir. \$441.00
- ✓ (b) Add a new 8' Cromorne, 73 pipes only, in place of present 8' Quintadena. The Cromorne to be put on present 4' Flute d'Amour chest and the Flute d'Amour moved to the Quintadena chest, including rack. \$484.00

Solo:

- ✓ (a) Substitute 4' Hohlflute, 73 pipes, in solo in place of 8' Flauto Mirabilis Deduct \$ 65.00
- ✓ (b) Substitute 8' Bombarde in place of ~~XXXXXX~~ 8' English horn. NO CHARGE

Pedal:

- (a) Omit 8' Octave, 12 pipes, extension of the present 16' Diapason, and add a new metal 8' Octave, 44 pipes, complete with chests, and play same in Pedal at three pitches: 8' Octave, 5 1/3' Twelfth, and 4' Super Octave, net additional cost. \$594.00
- (b) Console preparation only, including stop knob and switch action for the 16' Trombone to be playable at 16', 8', & 4' pitches (including using the present Blank stop preparation for one of these) net cost \$ 96.00

NOTE: The above prices are net f.o.b. Meridian, Miss and do not include installation.

Note: The necessary Cable included in prices on above Pedal items.

October 1, 1952

REVISED SPECIFICATIONS OF A FOUR MANUAL CONSOLE AND OTHER MATERIAL, FOR F. C. NORWOOD

for addition to

THE REUTER PIPE ORGAN

in

Old No. 142

THE FIRST BAPTIST CHURCH, MERIDIAN, MISSISSIPPI

Console 4 Man. #1

6K wide
18K high
60" Can deep = box 24 1/2" deep

CONSOLE.	Recessed Panel Type	MANUALS	Compass CC to Ch, 61 Notes.
MATERIAL.	Birch & Mahogany	PEDALS	Compass CCC to G, 32 Notes.
INT. FIN.	Walnut	REGISTRATION	Stops, Tremolos, and Intra-Manual
SWITCH.	None		Couplers by Draw Knobs. Inter-
P. UNIT.2 Rectifiers		Manual and Manual to Pedal Coupler:
VOLTAGE.	Console 14, Organ 10		by tilting tablets above top Manual
PANEL.	Rectangular		
M.R. LIGHT.	Yes		
FINISH.	To sample (white & mahogany)		

1. One - Four Manual Draw Knob type console, wired complete and including all couplers and pedal switches, to be built to the following specifications:

Present ORGAN Voiced on 8" Press

GREAT ORGAN

SWELL ORGAN

- 1. ✓ 8 ft. Diapason Original 1925
- 2. ✓ 8 ft. Doppie Flute 25
- 3. ✓ 8 ft. Gamba 25
- 4. ✓ 8 ft. Gemshorn 25
- 5. ✓ 4 ft. Octave 25, re-scaled 51
- 6. ✓ 4 ft. Harmonic Flute 25
- 7. ✓ II rks. Grave Mixture 25
- 8. ✓ 8 ft. Tuba 25, revoiced 51
- 9. ✓ ~~xxxx~~ Chimes (25 note Switch)
- 10. ✓ Tremolo

- 11. ✓ 16 ft. Bourdon 25
- 12. ✓ 8 ft. Diapason 25
- 13. ✓ 8 ft. Gedeckt 25
- 14. ✓ 8 ft. Viole d'Orchestre 25
- 15. ✓ 8 ft. Salicional 25
- 16. ✓ 8 ft. Voix Celeste 25
- 17. ✓ 8 ft. Aeoline 25
- 18. ✓ 4 ft. Principal 51
- 19. ✓ 4 ft. Flauto Traverso 25
- 20. ✓ 4 ft. Violina 25
- 21. ✓ 2 ft. Flautino 25
- 22. ✓ III rks. Plein Jeu 51
- 23. ✓ 8 ft. Trumpet 51 (replaced Cornet)
- 24. ✓ 4 ft. Oboe Clarion 52 (changed from 8 to 4)
- 25. ✓ Tremolo

(25 Clarinet removed)
Grave II added

CHOIR ORGAN

ECHO ORGAN

- 26. ✓ 8 ft. Violin Diapason 25
- 27. ✓ 8 ft. Melodia 25
- 28. ✓ 8 ft. Dulciana 25
- 29. ✓ 8 ft. Unda Maris 25
- 30. ✓ 4 ft. Flute d'Amour 25
- 31. ✓ 2/3 ft. Nasard 51
- 32. ✓ 2 ft. Blockflute 51
- 33. ✓ 1 3/5 ft. Tierce 52
- 34. ✓ 8 ft. Clarinet 25
- 35. ✓ 8 ft. Cromorne 52 (25 Quintadena removed)
- 36. ✓ Harp
- 37. ✓ Tremolo

- 44. ✓ 8 ft. Rohr Flute 51
- 45. ✓ 8 ft. Viole Atheria 51
- 46. ✓ 8 ft. Vox Angelica 51
- 47. ✓ 4 ft. Chimney Flute 51 (from #11)
- 48. ✓ 8 ft. Vox Humana (from Swell 51)
- 49. ✓ Chimes (from Swell 51)
- 50. ✓ Tremolo
- 51. ✓ Echo On, Solo Off Double Active
- 52. ✓ Echo On, Choir Off cut outs

(25 Quintadena removed)
Cromorne added

SOLD ORGAN

PEDAL ORGAN

- 38. ✓ 8 ft. Violoncello 51
- 39. ✓ 8 ft. Cello Celeste 51
- 40. ✓ 4 ft. Hohl Flute 52
- 41. ✓ 8 ft. Bombarde 52
- 42. ✓ 8 ft. French Horn 51
- 43. ✓ Tremolo

- 53. ✓ 32 ft. Bourdon (12 Resultant) 25
- 54. ✓ 16 ft. Diapason (32) 25
- 55. ✓ 16 ft. Bourdon (44) 25
- 56. ✓ 32 16 ft. Lieblich Gedeckt (Fr. #11) 25
- 57. ✓ 8 ft. Octave (44) 52
- 58. ✓ 8 ft. Flute (Fr. #55) 25
- 59. ✓ 32 8 ft. Cello (Fr. #3) 25
- 60. ✓ 5 1/3 ft. Twelfth (Fr. #57) 52
- 61. ✓ 4 ft. Super Octave (Fr. #57) 52
- 62. ✓ 16 ft. Trombone (56)
- 63. ✓ 8 ft. Tromba (Fr. #62)
- 64. ✓ 4 ft. Clarion (Fr. #62)

1952 - this was a Prep?

OK

TO GREAT:

1. ✓ Great to Great 16'
2. ✓ Great Unison Off.
3. ✓ Great to Great 4'
4. ✓ Swell to Great 16'
5. ✓ Swell to Great 8'
6. ✓ Swell to Great 4'
7. ✓ Choir to Great 16'
8. ✓ Choir to Great 8'
9. ✓ Choir to Great 4'
10. ✓ Solo to Great 16'
11. ✓ Solo to Great 8'
12. ✓ Solo to Great 4'

TO SWELL:

13. ✓ Swell to Swell 16'
14. ✓ Swell Unison Off
15. ✓ Swell to Swell 4'

12-12-4G-73P

3-3-1G-734

16. ✓ Choir to Choir 16'
17. ✓ Choir Unison Off
18. ✓ Choir to Choir 4'
19. ✓ Swell to Choir 16'
20. ✓ Swell to Choir 8'
21. ✓ Swell to Choir 4'
22. ✓ Solo to Choir 8'

TO SOLO:

23. ✓ Solo to Solo 16'
24. ✓ Solo Unison Off
25. ✓ Solo to Solo 4'

TO PEDAL:

26. ✓ Great to Pedal 8'
27. ✓ Great to Pedal 4'
28. ✓ Swell to Pedal 8'
29. ✓ Swell to Pedal 4'
30. ✓ Choir to Pedal 8'
31. ✓ Choir to Pedal 4'
32. ✓ Solo to Pedal 8'

19-19-10G
1-56P
5-44P
4-32P

NOTE:

The Echo organ will be affected by the couplers of the manual on which it is drawn and its expression controlled from the expression pedal of that manual.

ADJUSTABLE COMBINATIONS

Operated by Pistons under their respective Manuals.
Adjustable at Keyboard and visibly affecting stop controls.

- Six, acting on Great Organ and Great to Great Couplers.
- Six, acting on Swell Organ and Swell to Swell Couplers.
- Six, acting on Choir Organ and Choir to Choir Couplers.
- Four, acting on Solo Organ and Solo to Solo Couplers.
- Three, acting on Echo Organ.
- Six, acting on Pedal Organ (Toe Pistons)
- Six, general pistons, acting on all stops and all couplers.
- General Cancel Piston.

COMBINATION COUPLERS

- Pedal Combinations to Great Pistons, On & Off.
- Pedal Combinations to Swell Pistons, On & Off.
- Pedal Combinations to Choir Pistons, On & Off.
- Pedal Combinations to Solo Pistons, On & Off.

PEDAL MOVEMENTS

- Balanced Expression Pedal, Great Division.
- Balanced Expression Pedal, Swell Division.
- Balanced Expression Pedal, Choir Division.
- Balanced Expression Pedal, Solo Division.
- Balanced Register Crescendo Pedal.
- All "Swells" to Swell Pedal, On & Off Pistons.

5 6 7 8
1 2 3 4

ACCESSORIES

- Great to Pedal Reversible.
- Sforzando Reversible, Toe & Thumb Pistons.
- Crescendo Indicator.
- Sforzando Indicator.
- Concave, Radiating Pedal Keyboard, A.G.O. Model.
- Organist's Bench.
- Music Rack.
- Fluorescent Music Rack Light.
- Pedal Light.

1/90

2. GREAT ORGAN:

- (a) One Tremolo, large type, complete with muffler.
- (b) Revoice present 8' Tuba, including new tongues and removal of leather from eschallots.
- (c) Move present 4' Octave up two notes, adding 2 new bass pipes, and revoice.
- (d) II rks. Grave Mixture, 122 pipes. This stop is to go on the present 8' Clarabella chest. New rack and a groove board to be furnished for this. SC 12th - 15th
64 - 68

3. SWELL ORGAN:

- (a) ✓ III rks. Plein Jeu, 183 pipes. 15th - 19th - 22nd
SC 70-77-82
- (b) ✓ 4 ft. Principal, 73 pipes.
- (c) Two stop chest for a & b, complete with primary, frame, conductor, winker, cut out switch, and cable. Pipes to be racked and cable wired.
- (d) ✓ 8 ft. Trumpet (4 1/4" Scale), 73 pipes. This Trumpet to replace present Cornopean and to go on Cornopean Chest.
- (e) Revoice present 8' Oboe to a 4' Oboe including new tongues and removal of leather from eschallots. Eliminate the 12 pipes of the 8' octave and add 12 treble pipes to extend the 4' to 73 notes.

4. CHOIR ORGAN:

- (a) ✓ 2 2/3 ft. Nasard (Tapered), 61 pipes. 59 SC Tapered 1/2 Dia. 2/9 M
- (b) ✓ 2 ft. Blockflute (Tapered), 61 pipes. 65 SC Tapered 2/3 Dia. 1/4 M
- (c) 1 3/5 ft. Tierce (Tapered), 61 pipes. 68 SC Tapered 5/7 Dia. 1/5 M
- (d) 8 ft. Cromorne, 73 pipes. This Cromorne to go on present 4' Flute d'Amour chest and the Flute d'Amour will be moved to the present 8' Quintadena Chest. Furnish new rack for Cromorne. Req. Scale.
- (e) Three stop chest for a, b, & c, complete with primary, frame, conductor, winker, cutout switch, and cable. Pipes to be racked and cable wired.

5. PEDAL ORGAN:

- (a) ✓ 8 ft. Octave, metal, 44 pipes, complete with chest, chest supports, conductors, winker, and cable. 39 Sc
- (b) Two Pedal Reservoirs, complete with curtain boxes.

6. SOLO ORGAN:

8" Press

The Complete Solo Division to the following specification:

✓ 8 ft. Violoncello	56	Metal	73 pipes.
✓ 8 ft. 'Cello Celeste (T.C.)	56	Metal	61 pipes.
4 ft. Hohl Flute	Req.	Wood	73 pipes. Sm. Brass
✓ 8 ft. French Horn	Req.	Reeds	73 pipes.
8 ft. Bombarde	3 3/4 to 5 1/4	Reeds	73 pipes.
TREMOLLO			

All basic items for this Solo Division, to be furnished, including chests, primary, building frames, reservoir, tremolo, cable, wind conductors, and expression shutters and engine. Pipes to be racked and cable wired. This division to go in chamber by purchaser. Cable length _____.

7. ECHO ORGAN:

The complete Echo Division to the following specification:

Unit -

✓ 8 ft.

✓ 8 ft.

✓ 8 ft.

✓ 4 ft.

✓ 8 ft.

Rohr Flute 2 SC smaller than

Viole Atheria

Vox Angelica (T.C.)

Chimney Flute

Vox Humana

73 pipes.

73 pipes.

61 pipes.

from 8' Rohr Flute 61 notes.

(Present Vox Humana & chest to be shifted to Echo from ~~Small~~)

Tremolo

Chimes

Req. 62

62

W & M

Metal

Metal

Relay 4-4-3G

2-7 SP

1-25 P

Chime

Pneu. Chime Act.

(present Chimes & action to be shifted to Echo from Great)

All basic items for this Echo Division, to be furnished, including chests, primary, relay action for the unified Rohr Flute, building frames, reservoir, tremolo, cable, wind conductors, and expression shutters and engine. This Echo to go in a chamber furnished by purchaser. Pipes to be racked and cable wired. Cable length _____.

8. MISCELLANEOUS:

- One - 1 1/2 H. P. Blower to provide the high pressure for the Solo Organ.
- Two - Rectifiers (Selenium type). One rectifier for the organ action and to replace the present generator, the other rectifier for the console action only.
- 9 sets of metal tuning slides for the metal stops of the present organ, plus such additional tuning slides as required for the treble pipes of the other stops of the present organ.
- The transportation of the above new console and other additions from The Reuter Organ Company factory to the First Baptist Church, Meridian, Mississippi. No installation of any of the above listed items, included in this specification. All installation work to be done by F. E. Norwood.

Proposed Additions, etc., First Baptist Organ, Meridian, Miss.

To Great:

✓ (a)	Add Tremolo, complete with Muffler	\$ 69.00
✓ (b)	Return 8' Tuba to factory & revoice, including new tongues & removal of leather from the eschallots	132.00
✓ (c)	Move present 4' octave up two notes, adding 2 new bass pipes, to increase its scale to #56, also this set of pipes to be returned to factory & revoiced.	80.00
Total Great		281.00

To Swell:

✓ (a)	Add 3 rks Plein Jeu, 183 pipes, with chest	\$ 732.00
✓ (b)	Add 4 ft. Principal, 73 pipes, with chest.	435.00
✓ (c)	Add new 8 ft. Trumpet, 73 pipes only, to replace present Cornopean.	346.00
✓ (d)	Return 8' Oboe to factory & revoice, including new tongues & removal of leather from eschallots	132.00
✓ (e)	Extra Primary, Frame, Conductor pipe, cable, & switch, for a & b above.	429.00
Total Swell		\$ 2,074.00

To Choir:

✓ (a)	Add 2 2/3 ft. Nazard, 61 pipes, with chest	\$ 396.00
✓ (b)	Add 2 2/3 ft. Blockflute, 61 pipes, with chest	396.00
✓ (c)	Extra Primary, frame, conductor pipe, cable, & switch for a & b above.	429.00
Total Choir		\$ 1,221.00

To Pedal:

✓ (a)	Add 2 Pedal Reservoirs complete with C. Boxes.	\$ 286.00
✓ (b)	Add 8 ft. Octave, 12 pipes, extension 16' Diapason, complete with chest and X cable.	220.00
Total Pedal		\$ 506.00

Echo Organ:

8' Rohr Flute, 73 pipes.	\$ 473.00
4' Chimney Flute, 61 notes (From Rohr Flute)	192.00
8' Viole Antheria, 73 pipes.	457.00
8' Vox Angelica, 61 pipes (T.C.)	380.00
Shift chimes from Great, & Vox Humana from Swell, of present organ, to new Echo	110.00
Echo "Base" (playable 2 manuals)	770.00

Echo Total \$ 2,382.00

NOTE: The above figured on basis Echo to be installed in chamber, so no swell box included. Includes all chests & action for the Echo, also expression shutters & action, tremolo, cable up to 100 ft. run, 3 Echo Combination Pistons in console. Echo to be affected by Couplers of manual on which being played, also expressive control to be from expression pedal of that manual division.

(Cont'd - Proposed Additions, etc., First Baptist Organ, Meridian, Miss.)

Solo Organ:

8' Flauto Mirabilis, 73 pipes	\$ 552.00
8' Violoncello, 73 pipes	478.00
8' Cello Celeste, 61 pipes (T.C.)	397.00
8' French Horn, 73 pipes	748.00
8' English Horn, 73 pipes	748.00
Basic Items for Solo (exclusive of console) including reservoir, primary, building frame, tremolo, cable, French Horn bass offset chest, expression shutters & action, wind conductors, 1½ H.P. high pressure blower, and a second rectifier necessary for a 4 manual.	
	<u>1,861.00</u>
Solo Total	\$ 4,784.00

Console:

Four manual console (Draw Knob Type) complete with stop controls for all stops of the present organ plus all additions as above; 32 couplers; 6 Pistons Great, 6 Swell, 6 Choir, 4 Solo, 3 Echo, 6 Pedal, and 6 Generals; All Swells to Swell Pedal On & Off; 4 expression Pedals; Crescendo Pedal; Great to Pedal Reversible; Crescendo & Sforzando Indicators; Music Rack Light; Pedal Light; Pedal Keyboard; and Organist's Bench. \$ 4,628.00

NOTES: (a) With the drawknob console the intra-manual couplers (Gt. to Gt., Sw. to Sw., etc.) will be controlled by drawknobs placed with their respective stop groups and will be affected by the pistons for that division. The inter-manual and manual to Pedal couplers will be on tilting tablets placed in a single row above the top manual and will be affected by the General Pistons only.

(b) Console casewood figured to be of plain oak, finished to sample. Plain mouldings in case panels.

(c) For stop key type console, all stops & couplers to be in two horizontal rows above the top manual, deduct \$450.00 from above price.

Miscellaneous:

13 complete sets of sleeve tuners, plus tuners for 6 additional sets of metal trebles (for present organ pipes)	\$ 270.00
New Rectifier (Selenium type, 24 ampere capacity)	140.00
Transportation of console, new additions, etc., from factory to Meridian, Miss. and return of the several sets of pipes to the factory for revoicing	460.00
Miscellaneous Extras and Special Engineering (Factory)	450.00
1 General Caneel Piston	<u>66.00</u>
Total Miscellaneous Items	\$ <u>1,320.00</u> 1,380.00

SUMMARY OF ADDITIONS

Great	\$ 281.00
Swell	2,074.00
Choir	1,221.00
Pedal	506.00
Echo Organ.	2,382.00
Solo Organ.	4,784.00
4 manual Console.	4,628.00
Miscellaneous	<u>1,320.00</u> 1,380.00

Grand Total \$17,196.00
\$17,256.00

NOTE: All of above quotations are on the basis of the additions delivered to the church but do not include installation nor any work on present organ except the several items as above specifically set forth.