
ORGAN

#5296



as their interests may appear.

- 7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.
- 8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.
- 9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Wherenf we have hereunto set our hands and seals this day and year first above written.

WITNESS	(SEAL)
	Party of the first part
Hugo Frey Sw. Ev.	Lutheran Zion Church, (SEAL)
Pelagra	Oscar C. Johnson, (SEAL) Chrm. of Organ Comm. Alan Johnson (SEAL)
AS ALL TOWNS	Oscar W. Samuelson (SEAL)  Party of the second part
	O. Leonard Nelson, Pastor.

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

## M. P. MÖLLER Organ Factory

Pipe Organ l	No	5296	Date		Apri	1 13, 1928	)
For	Swedish Eva	angolical Lutheran	Zion Caurch	, Cloqu	et, Mi		
Action	Electric	С	C	onsole		Detached	about 25
Casing No	Quarter	ed Oak - dull fini	sh Fi	nish			
Decorations	Bron	nze	M	otor	E	lectric	
Width of Ke	y-bed		St	op Con	trols	Stop Ke	eys
No. Manual		Two	Wi	ind Pre	ssure	2"	
To be compl		Sept. 1, 1928	Bl	ower pi	pe furni	ished by	Church
		SPEC	CIFICATION				
Α-	440		GREAT ORGAN	V			
1	81	Open Diapason. 42	scalewo	ood bas	S		3 Pipes
2	81	Dulciana56	11				11
3	81	Melodia					
4	41	DulcianaFr					
5	41						
3	-	Flute	3,			61	. 11
			Curar				
	3.01		SWELL ORGAN				
8	16'	Bourdonun					
7	81	Stopped Linpason.	$\dots$ From	#6		73	Notes
3	41	Orchestral Flute.	#	6		73	11
9	2-2/31	Flute Twelfth		6		61	ti .
10	21	Piccolo				61	
11	8 1	Violin Diapason .		יחופים	no harr	70	Dinas
12	81	Salicional	20	11	ne bass	73	ripes
13	81					73	
10	81	Vox Celeste		H		73	**
	0,	Vox Humana	S.S.B			73	31
		2 Blanks					
			PEDAL CRGAN				
14	16!	Bourdon	Iarge	scale		44	Pines
15	16'	Lieblich Gedeckt.	Iron	#6		32	Notes
16	8,	Flute		74		32	11
			COUPLERS				
17		Great to Pedal	000121210	20	0	4.1	
18		Swell to Pedal		22	Great		
19		Swell to Great		23	Great		
20				24	Swell		
		Swell to Great 4'		25	Swell		
21		Swall to Great 16		26	Swell	Unison Sa	eparation
		M	CHANICALS				
27		Tranulant (to be	placed in	baserier	nt)		
		Crescendo Indicato	r		.,		
		ADJUS	TABLE COMB	TNATTON	TS.		
	(Operat	ted by pistons place	d under re	speati-	70 man	01.0)	
Pis	COLLE MO. T-	C-O AITECTING Gre	ord Pode	77 5+00		77.21	
Pis	tons No. 1-	2-3 Affecting Swe	ill and Dad	T STOE	, S		
	•	DWE	TT ONTO LAGO	T Prob	99		
28		Great to Posts	DAL MOVEMEN	172			
29		Great to Pedal Rev	ersible				
		Balanced Swell Ped					
30		Balanced Great Ped					
31		Grand Crescendo Pa	dal				
		Organ Bench with M	usic Shelf				
		Concave Pedal					
		Electric Motor, bl	ower and ac	tion o	inran +		
		, 01	Generator -	f crest	arrent		
ALM			Generator o	T stubi	e capac	ty.	
5/29	5/28	• • • • • • • • • • • • • • • • • • • •					
UIDL							