

# CONSOLE SPECIFICATION

#M-6061

February 7, 1951

SUMMIT PRESBYTERIAN CHURCH, PHILADELPHIA, PA.

CONSOLE	Detached
PANEL DESIGN	Gothic (arrange for 14" pit)
WOOD	RIFT SAWN OAK
FINISH	To color block submitted
MANUALS	Three & Pedal
MANUAL COMPASS	CC to C 61 notes
PEDAL COMPASS	CCC to G 32 notes
STOP CONTROLS	Draw Knobs & Tilting Tablets
ACTION	Electro-Pneumatic
WIND PRESSURE	6"
ACTION CURRENT SUPPLY	20 Amp 10-15 Volts

## GREAT ORGAN

1	16'	Open Diapason
2	8'	First Open Diapason
3	8'	Second Open Diapason
4	8'	Doppelflute
5	8'	Gamba
6	8'	Gemshorn
7	4'	Octave
8	4'	Flute Harmonic
9	8'	Trumpet
10		Tremolo

## SWELL ORGAN

11	16'	Bourdon
12	8'	Diapason
13	8'	Stopped Diapason
14	8'	Salicional
15	8'	Vox Celeste
16	4'	Flute Traverso
17	III Rks.	Mixture
18	8'	Cornopean
19	8'	Oboe
20	8'	Vox Humana
21		Tremolo



### CHOIR ORGAN

22	8'	Diapason
23	8'	Concert Flute
24	8'	Dulciana
25	4'	Flute D'Amour
26	2'	Piccolo
27	8'	Clarinet
28		Tremolo

### PEDAL ORGAN

29	16'	Open Diapason
30	16'	Violone
31	16'	Bourdon
32	16'	Lieblich Gedeckt
33		Blank draw-knob
34		Blank draw-knob
35		Blank draw-knob

Provide slides in console for stops #29 to #35 inc.

### COUPLERS

36	Great to Pedal
37	Great to Pedal 4'
38	Swell to Pedal
39	Swell to Pedal 4'
40	Choir to Pedal
41	Choir to Pedal 4'
42	Swell to Great 16'
43	Swell to Great
44	Swell to Great 4'
45	Choir to Great 16'
46	Choir to Great
47	Choir to Great 4'
48	Swell to Choir 16'
49	Swell to Choir
50	Swell to Choir 4'
51	Great 16'
52	Great Unison
53	Great 4'
54	Swell 16'
55	Swell Unison
56	Swell 4'
57	Choir 16'
58	Choir Unison
59	Choir 4'



## ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5-6	Affecting Great Stops
Pistons No. 1-2-3-4-5-6	Affecting Swell Stops
Pistons No. 1-2-3-4-5	Affecting Choir Stops
Pistons No. 1-2-3-4-5	Affecting Pedal Stops
Pistons No. 1-2-3-4-5-6-7-8	Affecting Full Organ (duplicated by toe studs)
General Cancel	

## PEDAL MOVEMENTS

- 1 - Great to Pedal Reversible (duplicated by manual piston)
- 2 - Swell to Pedal Reversible (duplicated by manual piston)
- 3 - Choir to Pedal Reversible (duplicated by manual piston)
- 4 - Balanced Expression Pedal-Swell Organ 15 contacts (reverse system)
- 5 - Balanced Expression Pedal - Great-Choir Organ 15 contacts (reverse system)
- 6 - Balanced Crescendo Pedal with indicator light
- 7 - Sforzando Reversible (duplicated by manual piston) with indicator light

## ACCESSORIES

Action Current Indicator Light - White  
Crescendo Indicator Light - Green  
Sforzando Indicator Light - Red

Concave and radiating pedal keyboard  
Organ bench with music shelf

Orgelectra organ power unit 20 ampere 10-15 Volts  
Approx. 15 foot organ cable as required to relocate console

## GENERAL

Delivery and installation of the above parts and material is included as part of this order.

2/20/51  
HDO/mb