

M. P. MÖLLER Organ Factory

Larnhart

Pipe Organ No.	11540	Date	January 9, 1981
For	THE EPISCOPAL CHURCH OF THE HOLY COMMUNION, CHARLESTON, SOUTH CAROLINA		
Action	Moller's Electro-Pneumatic	Console	Detached - with roll top
Casing No.	None	Finish	As Per Sample
Decorations	None	Motor	Present Spencer 3 H.P.
Width of Key-bed	Standard	Stop Controls	Draw Knobs & Tilting Tablets
No. Manuals	THREE	Wind Pressure	3-1/2"
To be Completed	November 15, 1981	Blower Pipe furnished by	Purchaser

PITCH: A-440

SPECIFICATIONS

GREAT ORGAN Unenclosed

- | | | | | | | |
|-----|----|-------------|-----------------------------------|----|---------------|-----------|
| | 1. | 8' | Principal.....44.....17-1/2..... | 21 | Zinc S.M..... | 61 pipes |
| | 2. | 8' | Bourdon.....50/66.....21-1/2..... | 24 | Zinc C.M.... | 61 pipes |
| | 3. | 4' | Octave.....58.....18-1/2..... | 9 | Zinc S.M..... | 61 pipes |
| (1) | 4. | 2' | Waldflöte.....prepared for | | | |
| | 5. | III-IV Rks. | Furniture.....Formula "A" | | S.M.... | 220 pipes |
| | 6. | | Tremulant | | | |
| (2) | 7. | 8' | * Festival Trumpet...prepared for | | | |
| (6) | 8. | | Chimes.....prepared for | | | |

(*) Not affected by couplers

NOTE: Numbers in parenthesis at stop names indicate suggested order for additions.

SWELL ORGAN Expressive

- | | | | | | | |
|-----|-----|-------------|--|----|-----------------|----------|
| | 9. | 8' | Rohrflöte.....54.....21-1/2..... | 24 | Zinc C.M..... | 61 pipes |
| | 10. | 8' | Viole.....52.....18-1/2..... | 21 | Zinc S.M..... | 61 pipes |
| | 11. | 8' | Viole Celeste TC...52.....18-1/2..... | 9 | Zinc S.M..... | 49 pipes |
| | 12. | 4' | Spitz Principal...56-2/3...17-1/2..... | 9 | Zinc S.M..... | 61 pipes |
| | 13. | 2' | Blockflöte.....62-3/4...17-1/2..... | | S.M..... | 61 pipes |
| (4) | 14. | III-IV Rks. | Scharf.....prepared for | | | |
| (3) | 15. | 16' | Fagotto (1/2 L)....prepared for | | | |
| | 16. | 8' | Trompette.....3"42-1/2..... | | Zinc & S.M..... | 61 pipes |
| (3) | 17. | 4' | Hautbois (Fagotto)..prepared for | | | |
| | 18. | | Tremulant | | | |

POSITIV ORGAN
Unenclosed

- 19. 8' Gedeckt.....Reg. Stpd. Flute.....Wood.....61 pipes
- 20. 4' Spitzflöte.....56-1/2...18-1/2.....9 Zinc S.M.....61 pipes
- 21. 2' Principal.....72.....17-1/2.....S.M.....61 pipes
- 22. 1-1/3' Larigot.....77.....17-1/2.....S.M.....61 pipes
- 23. 8' Krummhorn.....1".....Reg.....Zinc & S.M.....61 pipes
- 24. Tremulant
- (2) 25. 8' * Festival Trumpet...prepared for

PEDAL ORGAN

- 26. 32' Resultant.....(1-12 as 10-2/3)..from #28.....32 notes
- 27. 16' Principal...present pipes & action...33/41/56..17-1/2.....44 pipes
- 28. 16' Subbass...#1-32 present pipes & action, #33-44 new pipes
& action...CCC 10-1/2 x 8-3/4, CC 6-1/2 x 4-1/2,
C 4 x 3-1/4.....44 pipes
- 29. 8' Octave.....from #27.....32 notes
- 30. 8' Flute.....from #28.....32 notes
- 31. 4' Choralbass.....57.....17-1/2.....9 Zinc S.M.....56 pipes
- 32. III Rks. Mixture.....from #31.....32 notes
- (5) 33. 16' Posaune (Full)....prepared for
- (5) 34. 4' Klarine (Posaune)..prepared for

COUPLERS

- 35. Great to Pedal 8'
- 36. Swell to Pedal 8'
- 37. Swell to Pedal 4'
- 38. Positiv to Pedal 8'
- 39. Positiv to Pedal 4'
- 40. Swell to Great 16'
- 41. Swell to Great 8'
- 42. Swell to Great 4'
- 43. Positiv to Great 16'
- 44. Positiv to Great 8'
- 45. Swell to Positiv 16'
- 46. Swell to Positiv 8'
- 47. Swell to Positiv 4'
- 48. Great Unison Off
- 49. Great 4'
- 50. Swell 16'
- 51. Swell Unison Off
- 52. Swell 4'
- 53. Positiv 16'
- 54. Positiv Unison Off
- 55. Positiv 4'

ADJUSTABLE COMBINATIONS

- Pistons No. 1-2-3-4 Affecting Great
- Pistons No. 1-2-3-4 Affecting Swell
- Pistons No. 1-2-3-4 Affecting Positiv
- Toe Studs No. 1-2-3-4 Affecting Pedal
- Pistons No. 1-2-3-4-5-6 Affecting Full Organ
- General Cancel

sw 3 = 6
gt 8 = 10
Pos 7 = 8

PEDAL MOVEMENTS

Great to Pedal Reversible
Sforzando Reversible
Balanced Expression Pedal - Swell Organ
Balanced Crescendo Pedal

ACCESSORIES

Concave, radiating pedal clavier
Organ bench with music shelf
Crescendo indicator light
Sforzando indicator light
Light for music rack
Light for pedal clavier
Motor starter switch

GENERAL

- (1) M. P. Moller, Inc. will remove present pipe organ for salvage just prior to delivery of new organ at no charge.
- (2) Pipes and chests to be reused will remain in place.
- (3) Chimes and chime action to remain in church and remain property of church.
- (4) M. P. Moller, Inc. will inspect and releather, if deemed necessary, the chests to be reused and will extend the guarantee to cover these chests.
- (5) M. P. Moller, Inc. will extend the guarantee to cover existing motor and blower.

DMG/mr
4/29/81

Salesman: Joe Greer

MIXTURE FORMULAS

GREAT ORGAN

III-IV Rks. Furniture Formula 'A' 220 pipes S.M. 3-1/2"

15	12	8	8
19	15	12	12
22	19	15	15
	22	19	

1-18 19-42 43-55 56-61

Unison 46 Sc. @ 8' 17-1/2 1/4 mouth
 Quint 49 Sc. @ 8' 17-1/2 1/4 mouth

PEDAL ORGAN

III Rks. Mixture Formula 'B' (derived from 4' Choralbass unit)

15
19
22

1-32

15th plays notes #13-44
 19th plays notes #20-51
 22nd plays notes #25-56