File

M. P. MÖLLER Organ Factory

Pipe Organ No	M=177	Date	January 27, 1964
For	GOOD SHEPHERD LUTHERAN	CHURCH, DOWNEY,	CALIFORNIA
Action	Electro-Pneumatic	Console	New detached
Casing No	None	Finish	To customer's selection
Decorations	None	Motor	New motor & blower
Width of Key-bed	Standard	Stop Contr	ols Tilting Tablets
No. Manuals	Two and Pedal	Wind Pres	sure
To be Completed	September 1, 1964	Blower Pip	oe furnished by Purchaser
_	SPECIFI	CATIONS	

or ever towarto.

FOR

ADDITIONS TO EXISTING HOLSINGER ORGAN

CONSOLE Install new two manual detached electro-pneumatic tilting tablet type console complete with pedal keyboard and organ bench.

GREAT AND
PEDAL ORGANS
Supply and install new unenclosed and displayed Great and
Pedal Organ divisions, complete as specified.

New motor and blower of ample capacity for entire organ.

New orgelectra organ power unit of ample capacity for entire organ.

M. P. Moller, Inc. to supply new console, new Great and Pedal organ divisions as specified. Present Swell Organ division to be installed and attached to new console by others.

M. P. Moller to supply swell front, shades and action as required.

SPECIFICATIONS
FOR
CONSOLE AND ORGAN

MANUAL COMPASS CCC to Ch, 61 Notes
PFDAL COMPASS CCC to G, 32 Notes

WIND PRESSURE
PITCH A-hho @ 700 F

BLOWER

GENERAL

POWER UNIT

GREAT ORGAN (unenclosed & displayed)

1	8	Prinzipal
2	8	Bourdon
3	8	Gemshorn
4	4	Octave
5	2-2/3	Twelfth
6	2	Fifteenth

SWELL ORGAN (*) (61 note station)

7	8	Gedackt
8	8	Viola Pomposa
9	8	Viola Celeste TC
10	4	Principle
11	2	Flautino
12	8	Trompette
13		Chimes
14		Tremolo

(*) Existing Swell Organ to be installed and connected to new console by others; without change.

PEDAL ORGAN (*)

15		16	Prinzipal12 new pipes, new action; 20 from #132 Notes
16		16	Bourdon
			20 from #7
17	**	8	Geigenprepared for only
18		8	Gedackt
19	**	11	Ocktavprepared for only - from #1732 Notes
20		16	Trompette12 present pipes, present action;
			20 from #12
21		8	Trompette32 Notes

(*) Pedal Organ playable thru slides in console.

(**) Unenclosed and exposed.

COUPLERS

Great to Pedal
Swell to Pedal
Swell to Pedal 4
Swell to Great 16
Swell to Great
Swell to Great 4
Great 16
Great Unison Off
Great 4
Swell 16
Swell Unison Off
Swell 4

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4 Pistons No. 1-2-3-4 Pistons No. 1-2-3-4 General Cancel Piston Affecting Great and Pedal Organs Affecting Swell and Pedal Organs Affecting Full Organ

PEDAL MOVEMENTS

- 1- Great to Pedal Reversible (duplicated by manual piston)
- 2- Swell to Pedal Reversible (duplicated by manual piston)
- 3- Balanced Expression Pedal-Swell Organ (16 contacts, regular system)
- He Balanced Crescendo Pedal with indicator light (green jewel)
- 5- Sforzando Reversible (duplicated by manual piston) with indicator light (red jewel)

ACCESSORIES

Motor starter switch.

Music rack light.

Pedal light.

Organ bench with music shelf.

Concave and radiating pedal keyboard.

New motor, blower and organ power unit of ample capacity for entire organ. New shades, frames and motors as required.