

M. P. MOLLER Organ Factory

2/21

Pipe Organ No.	11792	Date	April 1, 1988
For	ZION EVANGELICAL LUTHERAN CHURCH, MAYWOOD, NEW JERSEY		
Action	Electro-Pneumatic	Console	Detached-No Rolltop
Casing	Organ Case	Finish	As Per Sample
Decorations	None	Motor	1 HP Ventus, Style
Width of Key-bed	Standard	Tracker Touch	Yes <u>X</u> No
Keys to be	Bone and Walnut	Stop Controls	Walnut Drawknobs and Maple Tilting Tablets
No. Manuals	TWO AND PEDAL	Wind Pressure	See Scale Sheet
To be Completed	August 15, 1989	Blower Pipe by	M.P.M., Inc.

90

SPECIFICATIONS

PITCH: A-440

GREAT ORGAN - Unenclosed

1.	8	Principal.....	61 pipes
2.	8	Spitzflote.....	73 pipes
3.	4	Octave.....	61 pipes
4.	4	Spitzflote.....from #2.....	61 notes
5.	2	Super Octave.....	61 pipes
6.	II	Sesquialtera TC.....	98 pipes
7.	IV	Mixture.....	244 pipes
8.	8	Trumpet S/L bass(Chorus)..(horizontal).....	61 pipes
9.	8	Cromorne.....from #21.....	61 notes
10.		Chimes....present Maas bells; new electric action, relays, transformer and volume control; A to F, #22-42	21 bells

SWELL ORGAN - Enclosed

11.	16	Gedeckt.....	85 pipes
12.	8	Gemshorn.....	61 pipes
13.	8	Holzgedeckt.....from #11.....	61 notes
14.	8	Gemshorn Celeste TC.....	49 pipes
15.	4	Principal.....	73 pipes
16.	4	Gedeckt.....from #11.....	61 notes
17.	2	Fifteenth.....from #15.....	61 notes
18.	1-1/3	Quintflote.....	61 pipes
19.	16	Contre Trompette.....	85 pipes
20.	8	Trompette.....from #19.....	61 notes
21.	8	Cromorne.....	61 pipes
22.	4	Clairon.....from #19.....	61 notes
23.		Tremolo	

PEDAL ORGAN

24.	32	Untersatz.....from #25.....	32 notes
25.	16	Subbass.....	32 pipes
26.	16	Gedeckt.....from #11.....	32 notes
27.	8	Principal.....	56 pipes
28.	8	Gedeckt.....from #11.....	32 notes
29.	4	Choralbass.....from #27.....	32 notes
30.	4	Spitzflote.....from #2.....	32 notes
31.	2	Super Octave.....from #27.....	32 notes
32.	16	Posaune	44 pipes

PEDAL ORGAN (cont.)

33.	16	Contre Trompette.....from #19.....32 notes
34.	8	Posaune.....from #32.....32 notes
35.	4	Cromorne.....from #21.....32 notes

COUPLERS

36.	Great to Pedal	41.	Great 16
37.	Swell to Pedal	42.	Great Unison Off
38.	Swell to Great 16	43.	Great 4
39.	Swell to Great	44.	Swell 16
40.	Swell to Great 4	45.	Swell Unison Off
		46.	Swell 4

ADJUSTABLE COMBINATIONS

Solid State - Single Memory

Pistons No. 1-2-3-4-5	Affecting Great Organ
Pistons No. 1-2-3-4-5	Affecting Swell Organ
Toe Studs No. 1-2-3-4-5	Affecting Pedal Organ
Pistons No. 1-2-3-4-5-6-7-8	Affecting Full Organ
	(duplicated by toe studs)
General Cancel	
Combination Adjustor	
Combination Lock	

REVERSIBLES

Great to Pedal - manual piston and toe stud
Swell to Pedal - manual piston and toe stud
Full Organ - manual piston and toe stud with indicator light

PEDAL MOVEMENTS

Balanced Expression Pedal - Swell Organ
Balanced Crescendo Pedal with indicator light

ACCESSORIES

Concave, radiation pedal clavier
Organ bench with music shelf and adjustment blocks
Transparent music rack with light
Pedal light
Motor, blower and action power unit of ample capacity
Key operated motor switch with indicator light

GENERAL

Casework on either side of window above altar area to be provided by M. P. Moller, Inc. to design approved by Church. Steel cantilevers needed to support inside end of each case to be provided by Church to design submitted by manufacturer. Church to provide suitable organ space on either side of present altar area as well as access to same. M. P. Moller, Inc. to provide wind duct to part of the organ located to the left of the chancel window.

DLA/jap;05/16/89

Salesman: David Freidell

COPIES TO:	Ellis	Barnhart
	Angerstein	Bowers (3)
	Gillett	Chaney, D.
	Kreglo	Chaney, S. (3)
	Lawless	Erecting Dept. (4)
	Nye	Rogers (2)
	Weaver	Contract
	Engr. Dept. (2)	General File (10)