

M. P. MOLLER Organ Factory

2/13

Pipe Organ No.	A-10437	Date	June 1, 1987
For	ST. PAUL'S LUTHERAN CHURCH, PINE GROVE MILLS, PENNSYLVANIA		
Action	Electro-Pneumatic	Console	Present-Detached
Casing	Artiste Case & New Grille	Finish	As Per Sample
Decorations	None	Motor	Present .8 HP, Meidinger 1004
Width of Key-bed	Standard	Tracker Touch	Yes _____ No <u>X</u>
Keys to be	Present	Stop Controls	Tilting Tablets
No. Manuals	TWO AND PEDAL	Wind Pressure	See Scale Sheet
To be Completed	June 1, 1988	Blower Pipe furnished by	Purchaser

SPECIFICATIONS

FOR

TONAL CHANGES, ADDITIONS AND REENGINEERING
FOR RELOCATION TO NEW BUILDING

OPUS 10437 - 1969 38884

CONSOLE	Install new electric tilting tablets. Install new memory solid state combination action. Replace and install new piston buttons as indicated by specifications. Install new toe studs as indicated by specifications.
CHESTS	Rework and/or install new toeboard/rackboard assemblies as required for tonal changes. Install new action as required for additions.
SWITCHES	Install new solid state switches as required.
PIPES	Install new pipes as indicated by organ specifications.
BLOWER	Reuse present .8 HP, Meidinger 1004 motor and blower without change.
ORGAN CASE	Install grille and add to present organ cabinet as needed.
GENERAL	Present pipes and action to be retained, entire organ to be tone finished in the church by factory finisher. All parts to be returned to the factory of M. P. Moller, Inc. at Hagerstown, Maryland for reengineering.

SPECIFICATIONS

FOR

CONSOLE AND ORGAN

MANUAL COMPASS	CC to C4, 61 notes
PEDAL COMPASS	CCC to G, 32 notes
WIND PRESSURE	See Scale Sheet
PITCH	A-440 @ 70 degrees F

NOTE: Present pipes and action unless otherwise indicated.

GREAT ORGAN - Exposed

1.	8	Prinzipal.....	85	pipes
2.	8	Bordun.....	73	pipes
3.	8	Gemshorn.....from #12.....	61	notes
4.	4	Oktave.....from #1.....	61	notes
5.	4	Flöte.....from #2.....	61	notes
6.	2	Klein Oktave.....from #1.....	61	notes
7.	II	Sesquialtera TC....present rescaled.....	98	pipes
8.	III-IV	Mixture.....new pipes & action.....	208	pipes
9.	8	Krummhorn.....present pipes; new action...	61	pipes
10.		Tremolo		

SWELL ORGAN - Enclosed

11.	8	Rohrflöte.....#1-12 new pipes & action....	80	pipes
12.	8	Gemshorn.....	80	pipes
13.	8	Gemshorn Celeste TC.....new pipes & action....	49	pipes
14.	4	Rohrflöte.....from #11.....	61	notes
15.	4	Gemshorn.....from #12.....	61	notes
16.	2	Rohrpfeife....from #11..(repeat top octave)....	61	notes
17.	1-1/3	Nasat.....from #12..(repeat top octave)....	61	notes
18.	1	Sifflöte.....from #11..(repeat top notes)....	61	notes
19.	16	Contre Trompette (1/2L)..new pipes; present Dulcian/Krummhorn action.....	85	pipes
20.	8	Trompette.....from #19.....	61	notes
21.	4	Clairon.....from #19.....	61	notes
22.		Tremolo		

PEDAL ORGAN

23.	32	Untersatz.....from #2 & #24.....	32	notes
24.	16	Holzbordun....#1-12 present pipes; 20 from #2..	32	notes
25.	8	Prinzipal.....from #1.....	32	notes
26.	8	Rohrflöte.....from #11.....	32	notes
27.	4	Oktave.....from #1.....	32	notes
28.	32	Reed Cornet.....from # 11 19.....	32	notes
29.	16	Contre Trompette...from #19.....	32	notes
30.	8	Trompette.....from #19.....	32	notes
31.	4	Clairon.....from #19.....	32	notes

COUPLERS

32.	Great to Pedal
33.	Swell to Pedal
34.	Swell to Great

ADJUSTABLE COMBINATIONS
Solid State - Single Memory

Pistons No. 1-2-3-4-5-6

Affecting Full Organ (duplicated by
new toe studs)

General Cancel

Combination Adjustor

Combination Lock

PEDAL MOVEMENTS - No Change

Balanced Expression Pedal - Swell Organ (8 stage)

Balanced Crescendo Pedal with indicator light (green jewel)

ACCESSORIES - No Change

Concave, radiating pedal clavier

Organ bench with music shelf

Present music rack with light

Pedal light

Blower motor starter lock switch with indicator light (red jewel)

Present DC organ power unit

Present motor and blower

JH/jm

4-21-88