M. P. MÖLLER Organ Factory

Pipe Organ No	M-2857	Date October 29, 1982
For	GRACE UNITED METHODIST CHURCH,	
Action	Electro-Pneumatic	ConsoleDetached
Casing No	Present - no change	Finish To customer's sample
Decorations	None	Motor Present - 1 HP - Style 2 HYM
Width of Key-bed.	Standard	Stop Controls Tilting Tablets
No. Manuals	TWO AND PEDAL	Stop Controls Tilting Tablets Win! Pressure 33/4" Sw 4
To be Completed_	May 15, 1983	Blower Pipe furnished by Purchaser

SPECIFICATIONS

FOR
REPLACING CONSOLE & CHANGING TONALLY
PRESENT MOLLER ORGAN OPUS 3213-1921 45822

CONSOLE Install new two manual, electro-pneumatic, detached, tilting tablet console with roll top, pedal keyboard and organ bench.

MANUAL CHESTS Install new toeboard/rackboard assemblies as required for tonal

changes.

PIPES Install new pipes as indicated by organ specifications.

CABLES

Install new plastic covered cables between console and organ.

Install new action current wires between console, organ and DC

Fronide individuel cable junctions for organs.

ACTION CURRENT Install new 10-15 volts, 30 amperes DC organ power unit.

BLOWER Reuse present 1 HP, Style 2 HYM motor and blower.

Install new motor-blower coupling leathers.

Install new 10" diameter flexible connection with draw bands.

GENERAL All pipes retained from present organ will be regulated in church

for best tonal results.

Guarantee limited to new materials.

SPECIFICATIONS FOR CONSOLE AND ORGAN

MANUAL COMPASS PEDAL COMPASS WIND PRESSURE PITCH		CCC to C4, 61 notes CCC to G 3-3/4" A-440 @ 700F
		GREAT ORGAN - Unenclosed 8
1	8	Principal#1-17 present pipes in display, #18-61 new pipes; present Open Diapason action61 pipes
2 3	8	Dulciana
4	4	Octave
5	III-IV	Mixturenew pipes; present Swell Vox Humana action relocated
6		Chimes
		SWELL ORGAN - Enclosed 8
8 9 10 11 12	16 8 8 8 4	Bourdonpresent pipes and action
13 14	2 1-1/3	Gemshorn
15 16	8	Trompette
		PEDAL ORGAN
17 18 19 20 21 22	16 16 8	Subbasspresent pipes and action

^{*} Provide slides for stops indicated.

COUPLERS

23	Great to Pedal	29 Great Unison Of	ef
24	Swell to Pedal	30 Great 4	
25	Swell to Pedal 4	31 Swell 16	
26	Swell to Great 16	32 Swell Unison Of	Ef
27	Swell to Great	33 Swell 4	
28	Swell to Great 4		

ADJUSTABLE COMBINATIONS

Pistons	No.	1-2	-3	
Pistons	No.	1-2	-3	
Toe Leve	ers l	No.	1-2-3	3
Pistons	No.	1-2	-3-4	-5-6
General	Can	cel		

Affecting Great
Affecting Swell
Affecting Pedal
Affecting Full Organ

PEDAL MOVEMENTS

Great to Pedal reversible
Balanced Expression Pedal - Swell Organ (8 contacts, make to class)
Balanced Crescendo Pedal with indicator light

ACCESSORIES

Concave, radiating pedal clavier Organ bench with music shelf Transparent music rack with light Roll top Present motor and blower New DC organ power unit

RVK/mr 12/2/82