

M. P. MOLLER Organ Factory

3-23

November 7, 1952

Pipe Organ No. 8506 Date
 For BETHANY EVANGELICAL LUTHERAN CHURCH, ESCANABA, MICHIGAN
 Action Electro-pneumatic Console Detached
 Casing No. None Finish As per sample
 Decorations None 5 H.P. - Style 3-P-3328
 Width of Key-bed Standard Motor & intra-manual couplers control
 No. Manuals Three by draw knobs. Inter-
 To be Completed September 1, 1953 Stop Controls by tilting tablets.
 Wind Pressure 4" Purchaser
 Blower Pipe furnished by

PITCH: A-440

SPECIFICATIONS

GREAT ORGAN

1.	8'	Principal.....	45.....	17½.....	12 Zinc....	S.M..	73 Pipes
2.	8'	Bourdon.....	50.....	20½.....	12 Zinc....	S.M..	85 Pipes
3.	8'	Spitzflöte.....	From #24.....				73 Notes
4.	4'	Octave.....	58.....	18½.....		S.M..	73 Pipes
5.	4'	Bourdon.....	From #2.....				73 Notes
6.	III Rks.	Mixture.....	3-P.....	17½.....		S.M..	183 Pipes
7.	16'	Krummhorn..T.C.....	From #31.....				61 Notes
8.		Chimes.....	Console only				
9.		Tremolo					

SWELL ORGAN

10

10.	16'	Quintaton.....	44.....	20½.....	24 Zinc....	S.M..	85 Pipes
11.	8'	Geigen Diapason.....	47.....	17½.....	12 Zinc....	S.M..	85 Pipes
12.	8'	Rohrflöte.....	From #10.....				73 Notes
13.	8'	Viole de Gambe.....	56.....	17½.....	12 Zinc....	S.M..	73 Pipes
14.	8'	Viole Celeste..T.C.....	58.....	17½.....		S.M..	61 Pipes
15.	4'	Geigen Octave.....	From #11.....				73 Notes
16.	4'	Nachthorn.....Open.....	62.....	20½.....		S.M..	73 Pipes
17.	2'	Flautino.....	From #16.....				61 Notes
18.	III Rks.	Plein Jeu.....	3-R-2.....	17½.....		S.M..	183 Pipes
19.	16'	Fagotto..T.C.....	From #21.....				61 Notes
20.	8'	Trompette.....	3½".....				85 Pipes
21.	8'	Oboe.....	3".....				73 Pipes
22.	4'	Clarion.....	From #20.....				73 Notes
23.		Tremolo					

CHOIR ORGAN

5

24.	8'	Spitzflöte...(Unit).....	48-2/3.....	18½.....	12 Zinc....	S.M..	85 Pipes
25.	8'	Erzahler.....	52-1/4.....	17½.....	12 Zinc....	S.M..	85 Pipes
26.	8'	Erzahler Celeste..T.C.....	52-1/4.....	17½.....		S.M..	61 Pipes
27.	4'	Koppelflöte.....	62.....	20½.....		S.M..	73 Pipes
28.	4'	Erzahler.....	From #25.....				73 Notes
29.	2-2/3'	Nasard.....	From #24.....				66 Notes
30.	2'	Koppelflöte.....	From #27.....				61 Notes
31.	8'	Krummhorn.....	1".....				73 Pipes
32.		Tremolo					

PEDAL ORGAN

2

33.	16'	Soubasse.....	Large Pedal Bdn.....	32 Pipes
34.	16'	Spitzflöte...36-2/3...	18½..12 pipes..20 from #24.....	32 Notes
35.	16'	Quintaton.....	From #10.....	32 Notes
36.	10-2/3'	Spitzquinte.....	From #24.....	32 Notes
37.	8'	Spitzprincipal.....	42-3/4.....18½..12 Zinc.....S.M....	44 Pipes
38.	8'	Spitzflöte.....	From #24.....	32 Notes
39.	8'	Rohrflöte.....	From #10.....	32 Notes
40.	4'	Octave.....	From #37.....	32 Notes
41.	16'	Double Trumpet..CCC 7"..CC 3½..	12 pipes..20 from #20.....	32 Notes
42.	4'	Clarion.....	From #20.....	32 Notes

COUPLERS

43.	Great to Pedal	8'	55.	Swell to Choir	16'
44.	Great to Pedal	4'	56.	Swell to Choir	8'
			57.	Swell to Choir	4'
45.	Swell to Pedal	8'	58.	Great	16'
46.	Swell to Pedal	4'	59.	Great	8' Off
47.	Choir to Pedal	8'	60.	Great	4'
48.	Choir to Pedal	4'	61.	Swell	16'
49.	Swell to Great	16'	62.	Swell	8' Off
50.	Swell to Great	8'	63.	Swell	4'
51.	Swell to Great	4'	64.	Choir	16'
52.	Choir to Great	16'	65.	Choir	8' Off
53.	Choir to Great	8'	66.	Choir	4'
54.	Choir to Great	4'			

ADJUSTABLE COMBINATIONS

Pistons No. 1-2-3-4-5-6	Affecting Great Organ
Pistons No. 1-2-3-4-5-6	Affecting Swell Organ
Pistons No. 1-2-3-4-5-6	Affecting Choir Organ
Toe Studs No. 1-2-3-4	Affecting Pedal Organ
Pistons No. 1-2-3-4-5-6-7-8	General, affecting entire Organ (Nos. 5-6-7-8 duplicated to pedal)
General cancel piston	

PEDAL MOVEMENTS

- Balanced expression pedal for Great and Choir organs
- Balanced expression pedal for Swell organ
- Balanced Crescendo pedal with indicator light
- Great to Pedal Reversible piston, duplicated to pedal, affecting Great to Pedal 4' in "off movement" only
- Swell to Pedal Reversible piston, duplicated to pedal, affecting Swell to Pedal 4' in "off movement" only
- Choir to Pedal Reversible piston, duplicated to pedal, affecting Choir to Pedal 4' in "off movement" only
- Tutti Reversible piston, duplicated to pedal, with indicator light

ACCESSORIES

Starter buttons mounted in console

Concave radiating pedal clavier

Organ bench with music shelf

Static blower reservoir

Electric motor, steel slow-speed Kinetic blower and action current unit of ample capacity

*Steel platform with swivel casters + 20 ft of
flexible vinyl conductor and armored cable by
M. S. Moller, Inc.*

*"On-off" switch for house shades located in right jamb of
great manual.*

JHH:mz
1-21-53