

Specifications
Of A
Reuter Electro-Pneumatic Pipe Organ
For
St. John's Lutheran Church, Beatrice, Nebraska
Three Manuals & Pedal

Manuals	Compass C3 to C4, 61 Notes.
Pedals	Compass C3 to G, 32 Notes.
Action	Reuter Electro-Pneumatic.
Registration	Controlled by Draw Knobs.
Console	Detached, placed as desired, and of any finished wood desired.
Organ Chamber	Suitable, finished chamber to be provided by the church in accord- ance with plans & specifications furnished by The Reuter Organ Co.

Great Organ (Expression 1)

1.	16 ft.	Violone	Console Preparation Only	73 Pipes
2.	8 ft.	Liaison	Metal	73 Pipes
3.	8 ft.	Hohlflöte	Wood	73 Pipes
4.	8 ft.	Gemshorn	Metal	73 Pipes
5.	4 ft.	Octave	Metal	73 Pipes
6.	2 2/3 ft.	Twelfth	Console Preparation Only	
7.	2 ft.	Superoctave	Console Preparation Only	
8.	4 Rks.	Furniture	Console Preparation Only	

Couplers to Great:

- 9. Great to Great 4 ft.
- 10. Great to Great 16 ft.
- 11. Great Unison Off.
- 12. Swell to Great 4 ft.
- 13. Swell to Great 8 ft.
- 14. Swell to Great 16 ft.
- 15. Choir to Great 4 ft.
- 16. " " 8 ft.
- 17. " " 16 ft.

Swell Organ

18.	16 ft.	Rohr Bourdon (T)	W & M (From #20)	61 Notes
19.	8 ft.	Geigen Principal	Console Prep. Only.	
20.	8 ft.	Rohrfloete	W & M	85 Pipes
21.	8 ft.	Viole de Gambe	Metal	73 Pipes
22.	8 ft.	Viole Celeste	Metal	61 Pipes
23.	4 ft.	Spitz Principal	Metal	73 Pipes
24.	4 ft.	Chimney Flute	Metal (From #20)	73 Notes
25.	2 2/3 ft.	Rohr Nasat	Metal (From #20)	61 Notes
26.	2 ft.	Rohr Piccolo	Metal (From #20)	61 Notes
27.	3 Rks.	Plein Jeu (15-19-22)	Metal	183 Pipes
x 28.	16 ft.	Bombarde	Console Prep. Only.	
29.	8 ft.	Trompette	Reeds	73 Pipes
30.	4 ft.	Clarion	Reeds (From #29)	61 Notes
31.	8 ft.	Vox Humana	Console Prep. Only.	
32.		Tremulant		

Couplers to Swell:

33. Swell to Swell 4 ft.
 34. Swell to Swell 16 ft.
 35. Swell Unison Off.

CHOIR ORGAN (Prepared for Only)

36.	8 ft.	Nachthorn	(Console Preparation Only)
37.	8 ft.	Dolcan	(" " ")
38.	8 ft.	Dolcan Celeste	(" " ")
39.	4 ft.	Koppelfloete	(" " ")
40.	2 2/3 ft.	Nazard	(" " ")
41.	2 ft.	Blockfloete	(" " ")
42.	1 3/5 ft.	Tierce	(" " ")
x 43.	8 ft.	Clarinet	(" " ")
44.		Tremulant	(" " ")

Couplers to Choir:

45. Choir to Choir 4 ft.
 46. " 16 ft
 47. Choir Unison Off
 48. Swell to Choir 4 ft
 49. " " 8 ft
 50. " " 16 ft

Pedal Organ

51.	16 ft.	Principalbass	W & M (Low 12 lge. pc. stopped wood)	32 Pipes
52.	16 ft.	Violone	(Console Prep. Only)	
53.	16 ft.	Bieblisch Bourdon	Wood (Ext. of #20)	12 Pipes
54.	8 ft.	Principal	Metal (Ext. of #51)	12 Pipes
55.	8 ft.	Octave	(Console Prep. Only)	
56.	8 ft.	Still Gedeckt	W & M (From #20)	32 Notes
57.	4 ft.	Choralbass	(Console Prep. Only)	
58.	4 ft.	Flute	Metal (From #20)	32 Notes
59.	16 ft.	Bombarde	(Console Prep. Only)	
60.	8 ft.	Bombarde	(Console Prep. Only)	
61.	4 ft.	Claron	(Console Prep. Only)	

Couplers to Pedal:

- 62. Great to Pedal 4 ft.
- 63. Great to Pedal 8 ft.
- 64. Swell to Pedal 4 ft.
- 65. Swell to Pedal 8 ft.
- 66. Choir to Pedal 8 ft.

Adjustable Combinations

Operated by Pistons under their respective Manuals.
Adjustable at Keyboard and visibly affecting Draw Knobs.

- 67-71. Five, acting on Great Stops and Great to Great Couplers.
- 72-76. Five, acting on Swell Stops and Swell to Swell Couplers.
- 77-81. Five, acting on Choir Stops and Choir to Choir Couplers.
- 82-86. Five, acting on Pedal Stops, ~~for~~ for Pistons.
- 87-91. Five General Pistons acting on entire organ.

Combination Couplers

- 92. Pedal Combinations to Great Pistons, On & Off.
- 93. Pedal Combinations to Swell Pistons, On & Off.
- 94. Pedal Combinations to Choir Pistons, On & Off.

Accessories

- 95. Balanced Expression Pedal entire organ.
- 96. Balanced Choir Expression Pedal (Console Prep. only)
- 97. Balanced Crescendos & Diminuendo Pedal.
- 98. Sforzando Reversible.
- 99. Great to Pedal Reversible.
- 100. Crescendo Indicator.
- 101. Sforzando Indicator.
- 102. Organ Blower & Motor of ample capacity for organ specified, without consideration for preparations in console, 1 1/2 H.P.

Accessories Cont'd.

- 103. Action Current Power Unit.
- 104. Concave, Radiating Pedal Keyboard, A G O Model.
- 105. Organist's Bench with curved front.
- 106. Music Rack equipped with Fluorescent Music Rack Light.
- 107. Pedal Reservoir.

Note

This specification initially embodies the use of 11 sets, 13 ranks or 896 Pipes, but when the preparations in the console are completed would embody 27 sets, 30 ranks or a total of 2,122 Pipes.

FRG/g 12/15/50.