

Three Manual Pipe Organ

for

First United Methodist Church
Battle Creek, Michigan

MANUALS: Compass C4 to C4, 61 notes
PEDALS: Compass CCC to G, 32 notes
ACTION: Moller's electro mechanical
CONSOLE: Detached. Stops and intra-manual couplers to be controlled by drawknobs. Inter-manual couplers by tilting tablets. Solid state combination action. Bone keys with wood faced drawknobs. Simulated tracker touch manual keys.
PITCH: A-440

Great Organ - unenclosed

16'	Rohrgedackt	61	notes swell
8'	Principal	61	pipes
8'	Bordun	61	pipes
4'	Octave	61	pipes
2'	Super Octave	61	pipes
III-IV	Mixture	208	pipes
8'	Trompet	61	pipes

Swell Organ - expressive

8'	Rohrflote	61	pipes
8'	Gemshorn	61	pipes
8'	Gemshorn Celeste	49	pipes
4'	Spitzprincipal	61	pipes
4'	Rohrgedackt	12	pipes
2'	Blockflote	61	pipes
III	Scharf	183	pipes
8'	Oboe	61	pipes
	Tremulant		

Positif Organ - expressive

8'	Holzgedackt	61	pipes
	Blank		
4'	Spillflote	61	pipes
2'	Principal	61	pipes
1 1/3'	Quinte	61	pipes
8'	Krummhorn	61	pipes
	Tremulant		

Three Manual Specification Continued

First United Methodist Church

Pedal Organ

16'	Open Diapason	(prep)	32	original pipes
16'	Rohrgedackt		12	pipes
8'	Principal		32	pipes
8'	Gedackt		32	notes swell
4'	Flute		32	notes swell
4'	Choralbass		12	pipes
16'	Posaune		12	pipes
8'	Trompet		32	notes great
4'	Clarion		32	notes great

Couplers:

Great to Pedal 8'
Swell to Pedal 8'

Positif to Pedal 8'
Positif to pedal 4'

Swell to Positif 16'
Swell to Positif 8'
Swell to Positif 4'

Swell to Great 16'
Swell to Great 8'
Swell to Great 4'

Positif to Great 16'
Positif to Great 8'

Great 4'

Positif Unison Off
Positif 4'
Positif 16'

Swell Unison Off
Swell 4'
Swell 16'

Adjustable Pistons:

1-2-3-4-5-6 effecting Great
1-2-3-4-5-6 effecting Swell
1-2-3-4-5-6 effecting Positif
1-2-3-4-5-6 effecting Pedal
1-2-3-4-5-6-7-8-9-10 effecting Full Organ
1-2-3-4-5-6 general duplicated to pedal toe studs
General Cancel

Pedal Movements:

Great to Pedal reversible piston and toe stud
Swell to Pedal reversible piston and toe stud
Positif to Pedal reversible piston and toe stud
Tutti reversible piston and toe stud
Balanced expression pedal - Swell & Positif
Balanced Crescendo Pedal - effecting full organ

Three Manual Specification Continued

First United Methodist Church

Accessories:

Concave, radiating pedal clavier
Organ bench with music shelf
Crescendo indicator light
Tutti indicator light
Light for music rack and pedal clavier
Motor, blower and action power unit of ample capacity
Motor starter switch

General: The organ shall be a distinctive work of the builder, a custom product of his factory, in no way a stock instrument nor assembled from outside parts.

New Organ - delivered, installed and tone finished in the church
Cost \$157,700.00

Some Available Options: (options in addition to \$157,700.00)

Organ Chimes - 21 notes - Cost \$3,200.00
25 notes - Cost \$3,700.00

Pedal Organ - 32' Cornet - Cost \$1,000.00

Positif Organ - II Flute Celeste (110 pipes) - Cost \$9,500.00

Quad Memory Combination Action - Cost \$1,000.00

Existing Schulmerich Bells - to be played from the new console (great manual) = Moller stop control, wired to Moller switch and junction strip. Install control panel, supplied by Schulmerich.
Cost \$1,550.00

*Note: Schulmerich must supply control panel, expression control, and relays, at customer's expense. Schulmerich must connect their equipment to our junction at customer's expense.

Great Division can be exposed for \$1,820.00. If Great division is not exposed - the Pedal 8' Principal (44 notes) can be for \$500.00. Casework and chest supports are additional cost- price upon request after decision has been made as to what will be exposed.