ORGAN

#4586

| on |
|---|
| Memorandum of Agreement, Made this. 5th. |
| day of January A. D., 192. 6, by and between M. P. MOLLER, Inc., of Hagerstown, |
| Maryland, party of the first part, and |
| . Maranatha Baptist Church |
| of the second part. |
| Witnesseth: That the party of the first part hereby agrees to build an organ after and |
| according to the annexed specifications and plans to be hereafter approved by party of second |
| part, and to erect it in Maranatha . Baptist . Church, |
| Dexter Blvd. & Davison, Detroit, Michigan |
| ready for use on or before the 15th day of June A. D., 1926, |
| or as soon thereafter as possible in the event of delays beyond his control. |
| 2. The party of the first part agrees that the organ when completed shall be first class, free from |
| defects in material or workmanship, and that the party of the second part may have it examined, |
| immediately on completion, in the presence of representative of first party, by a competent and |
| disinterested expert, and if said examination shows that the organ does not conform with this |
| agreement the party of the first part agrees to remedy defects at his own expense. |
| 3. The party of the first part guarantees the action and construction of the organ for a term of |
| ive ene year from date of completion and agrees to correct defects in material or workmanship that |
| may be brought to his attention within that time, without cost to the party of the second part. |
| This does not include tuning or ordinary care of the organ (or electric motors which are guaranteed |
| by the manufacturers for one year). |
| 4. In consideration of the above, the party of the second part agrees to pay M. P. Moller, Inc., |
| or order, the sum of\$3,500.00. |
| |
| AS FOLLOWS: \$1,200.00 when organ is installed and accepted. Balance two notes covering a period of two years and bearing 6% interest. Purchaser has the privilege of renewing last note one year. Purchaser also has the privilege of paying notes and time in advance of date due. |
| 5. The party of the second part also agrees that the building will be in proper condition for the |
| installation of the organfourweeks previous to date of completion; that they |
| will allow, free from interruption, suitable convenience and opportunity for the installation in the |
| building, provide such a condition of quiet as is necessary for the proper tone regulation and tuning |
| of the instrument, and necessary light, heat and power. |
| 6. The party of the second part also agrees to insure the organ or its parts against loss by fire. |

as their interests may appear.

water, etc., as soon as the parts are placed in the building, for the benefit of the parties hereto,

- 7. When electric motor is included in specifications, party of the second part agrees to provide foundation and enclosures when necessary; to furnish and install all wind conductor between blower and organ; to do all wiring connected therewith; to install such lights as may be needed for the erection and future care of the organ, and do any necessary cutting of floors, partitions, or other parts of the building. In the event that automatic remote control motor starter, electrical conduits or other special equipment are required they are to be furnished by party of second part.
- 8. When organ chambers are so located that organ must be hoisted by skids, block and tackle or other mechanical means the necessary apparatus is to be furnished by party of second part.
- 9. It is mutually agreed that the title and ownership of the organ shall remain with party of the first part until the contract price, before mentioned, has been fully paid, after which the instrument shall become the property of the party of the second part; also that all verbal agreements and understandings are merged in this contract, and the specifications and details of construction attached hereto.

In Witness Wherenf we have hereunto set our hands and seals this day and year first above written.

| WITNESS | Party of the first part |
|-----------------|-------------------------------------|
| WWMcMaatera | Maranatha . Raptist . Church (SEAL) |
| | ByHCShafer,(SEAL) |
| | (SEAL) |
| Ford & Reynolds | Party of the second part |

NOTE—If terms other than "cash on completion" are desired they can be arranged for before contract is signed. All deferred payments to be secured by notes signed by church trustees and bear interest at 6% from date.

M. P. MÖLLER Organ Factory

| Pipe Organ No | 458 | 86 Date Jan. 5, 1926 | |
|--|----------------|--|--|
| For Maranatha Baptist Church, Detroit, Mich. | | | |
| ActionElec | | ConsoleDetached | |
| Casing No. Quar | . Oak | Finish | |
| Decorations | None | MotorElec. | |
| Width of Key-bed_ | | Stop Controls Stop Keys. | |
| No. Manuals | Two | Wind Pressure5" | |
| To be completed | June 15, 19 | 926 Blower pipe furnished by Churc | |
| Pitch | 4-440 | SPECIFICATIONS | |
| | | Organ Chambers by Church pipes or grille by organ factory. 25' Cable. | |
| | | GREAT ORGAN - 73 Note Chest | |
| 1 | 81 | Open Diapason Scale 42 61 Pipes | |
| 2 3 | 81 | ClarabellaMelodia Scale 73 m | |
| 4 | 41 | Dulciana | |
| 5 | 81 | Porole Flute (Stlent St 61 Notes | |
| 6 | 81 | Dopple Flute(Silent Stop) Viola d'Gamba(Silent Stop) | |
| 7 | 41 | Principal(Silent Step) | |
| 8 | | Chimes(Silent Stop) | |
| | | SWELL ORGAN | |
| 9 | 16' | Bourdon Unit 97 Pipes | |
| 10 | 81 | Stopped DimpasonFrom #9 73 Notes | |
| 11 | 81 | Salicional 73 Pipes | |
| 12 | 81 | 0 be e 73 * | |
| 13 | 41 | Flute d'Amour From #9 61 Notes | |
| 14 | 41 | Violin | |
| 15 | 5, | Flautina | |
| 16 | 81 | Open Diapason (Silent Stop) | |
| 17 | 81 | Agoline(Silent Stop) | |
| 19 | 81 | Vox Celeste(Silent Stop) | |
| 4. | 0. | Vox Humana(Silent Stop) | |
| 20 | 161 | PEDAL ORGAN | |
| 21 | 161 | Bourdon (Big Scale) 44 Pipes | |
| 22 | 81 | DIOUTION GOLGCETFrom #9 | |
| 23 | | (Silent Stop) #20 32 " | |
| 24 | Great 41 | COUPLERS 29 Swell 4t | |
| 25 | Great 16' | 30 Small 161 | |
| 26 | Swell to Great | eat 4! 31 Swall to Dodge | |
| 27 | Swell to Great | et 32 Great to Redel | |
| 28 | Swell to Great | PEDAL MOVEMENTS | |
| 1 | Great to Pode | of Dammetta | |
| 2 | Balanced Swel | Pedal 4 Balanced Great Pedal | |
| Tromula | nt, Cros | MECHANICALS scondo Indicator | |
| Pistons | No. 1-2-3-4 | ADJUSTABLE COMBINATIONS | |
| Pistons | No. 1-2-3-4 | The state of the s | |
| Organ B | ench with Musi | Affecting Great and Pedal Stops | |
| Concave | Pedal. | | |
| Electri | blower of am | mple capacity. | |